

Meeting file of the meeting of Executive Committee held on 7th November, 2022 at Committee Room, Dental Council of India, Aiwan-E-Galib Marg, Kotla Road, New Delhi.

RENEWAL INSPECTION (BDS)

5(4). **Joint Inspection Report of Council’s Dr. Gaurav Beohar, Bhopal (Madhya Pradesh) and Dr. Virinder Goyal, Sunam (Punjab) carried out on 19th & 20th October, 2022 for 2nd year BDS Course from 40 to 50 seats at St. Gregorios Dental College, Kothamangalam (Kerala)- Regarding**

To consider Joint Inspection Report of Council’s inspectors Dr. Gaurav Beohar, Bhopal (Madhya Pradesh) and Dr. Virinder Goyal, Sunam (Punjab) carried out on 19th & 20th October, 2022 at St. Gregorios Dental College, Kothamangalam (Kerala) to verify the achievement of the annual target for renewal of Central Government permission for 2nd year BDS Course from 40 to 50 BDS seats.

Compliance

1. NAAC Accreditation Certificate is not available.
2. **Manpower Requirement: Other Staff- Class IV including chowkidars-7**

5(5). **Joint Inspection Report of Council’s inspectors Dr. Azhar Malik, Jammu (J&K) and Dr. N.D. Gupta, Aligarh (Uttar Pradesh) carried out on 19th & 20th October, 2022 for 3rd year BDS Course with 100 seats at Mamata Institute of Dental Sciences, Bachupally, Hyderabad (Telangana)- Regarding**

To consider Joint Inspection Report of Council’s inspectors Dr. Azhar Malik, Jammu (J&K) and Dr. N.D. Gupta, Aligarh (Uttar Pradesh) carried out on 19th & 20th October, 2022 at Mamata Institute of Dental Sciences, Bachupally, Hyderabad (Telangana) to verify the achievement of the annual target for renewal of Central Government permission for 3rd year BDS Course with 100 seats.

Compliance

<u>Deficiencies as per Inspection Report</u>	
1.	There are deficiencies of 3 Tutors.
2.	Major Equipments:- There is deficiencies of equipments viz. Dental Chairs and Units – 100 Prosthodontics and Crown & Bridge – Dental Chairs and Units – 17, Surveying unit – 1, Autoclave – 1, Needle burner with syringe cutter – 2, Acrylizer – 1, Deflasking unit – 4, Dewaxing unit – 1, Hydraulic Press – 2, Mechanical Press – 2, Hot water sterilizer – 2, Geyser – 2, Phatom heads – 50, Pre-clinical working tables – 100. Ceramic and Cast Partial Laboratory – Burn out furnace – 1, Vacuum mixing machine – 1, Curing pressure pot – 1, Preheating furnace – 1, Micro surveyor – 1 Plaster Room for pre – Clinical Work – Plaster dispenser – 2. Conservative Dentistry and Endodontics – Dental Chairs and Units – 17, Rubber dam kits – 3,

R.C.T. instrument kits – 5, Autoclave – 2, Ultrasonic cleaner – 1, Needle burner with syringe cutter – 4, Amalgamator – 2, Pulp Tester-Digital – 3, Apex Locator – 1, Glass bead sterilizers – 4, Plaster dispensers – 2, Intra-oral X-ray Unit – 1, Radiovisiography – 1, Endo motor – 1, Injectable gutta percha – 2.
Clinical Laboratory – Plaster Dispenser – 2, Lab Micromotor – 2.
Oral Pathology and Oral Microbiology – Dental Chairs and Units – 1.
Oral & Maxillofacial Surgery – A) Exodontia - Dental Chairs and Units – 13, Autoclaves – 3, Ultrasonic Cleaner – 1, Needle burner with syringe cutter – 8, Extraction forceps sets – 12, X-ray viewers – 2.
B) Minor Surgery – Dental chairs and units – 2.
Periodontology – Dental chairs and units – 17, Surgical instrument sets – 3, Autoclave – 2, Ultrasonic cleaner – 1, Needle burner with syringe cutter – 4, X-ray viewer (Extra Oral) – 1.
Orthodontics – Dental chairs and units – 9, Unit mount scaler – 3, Autoclave – 1, Ultrasonic cleaner – 1, I Lab – Plaster dispenser – 1, Vibrator – 1, Model Trimmer – 1, Micromotor – 2, Lathe – 1, Typodont – 4, Hydro Solder – 1, Typhodont articulator – 4.
Pediatric and Preventive Dentistry – Dental chairs and units – 10, Autoclaves – 1, Ultrasonic cleaner – 1, Needle Burner with syringe cutter – 3, Pulp Tester-Digital 1, Rubber dam kit for Pedo – 4, Injectable gutta percha with condensation 1, Radiovisiography – 1, Intra Oral Camera – 1, Intra-oral- X-ray – 1, Automatic Developer – 1, PEDO Lab: Plaster dispenser – 1, Vibrator – 1, Lab micro motor – 1.
Oral Medicine and Radiology – Dental Chairs and units – 6, Intra Oral X-ray unit -1, Pulp testers – 2, X-ray Hangers – 4, Lead Screen – 1, Autoclave – 1, Needle Burner with Syringe Cutter – 1.
Public Health Dentistry – Dental chairs and units – 8, Autoclaves – 1, Ultrasonic cleaner – 1, Needle burner with syringe cutter – 3
Dental Anatomy – Oral Pathology Reporting Station – Microscope – Trinocular – 1.
Medical Teaching staffs affidavits and Form -16 are not enclosed and details are not filled in the page no. 15 of the inspection proforma

5(6). **Joint Inspection Report of Council's Dr. Mahesh Chawda, Ahmedabad (Gujarat) and Dr. Gulshan Kumar Singh, Lucknow (Uttar Pradesh) carried out on 19th & 20th October, 2022 for 4th year BDS Course with 100 seats at Tirumala Institute of Dental Sciences & Research Centre, Nizamabad Distt., Telangana- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Mahesh Chawda, Ahmedabad (Gujarat) and Dr. Gulshan Kumar Singh, Lucknow (Uttar Pradesh) carried out on 19th & 20th October, 2022 at Tirumala Institute of Dental Sciences & Research Centre, Nizamabad Distt., Telangana to verify the achievement of the annual target for renewal of Central Government permission for 4th year BDS Course with 100 seats.

Compliance

1.	The following Medical Teaching Staff were absent on the day of inspection:-
(i)	Dr. Mulaparthi Swaetha, Lecturer, Pharmacology

	<p>(ii) Dr. Shruthi, Lecturer, General Pathology</p> <p>(iii) T. Sandeep Patil, Microbiology</p> <p>(iv) Dr. Rajni Kumari, Reader, General Medicine</p> <p>(v) Dr. K. Pranay Reddy, Lecturer, General Medicine</p> <p>(vi) Dr. Ch. Subhash Kumar, Lecturer, General Medicine</p> <p>(vii) Dr. K Sunil Kumar, Reader, General Surgery</p> <p>(viii) Dr. N Bala Raj, Lecturer, General Surgery</p> <p>(ix) Dr. A Sanjeev Kumar, Lecturer, General Surgery</p> <p>(x) Dr. Sujay Kumar, Lecturer, Anaesthesia.</p>
2.	Major Equipments:- There are deficiencies of following equipments:-
	(Prosthodontics and Crown & Bridge):- viz. Autoclave – 1, Flask press – 1, Hydraulic press – 1, Geysers – 1, Pre-clinical working tables (Gas connection & bunsen burner) – 100 (not connected).
	(Ceramic and Cast Partial Laboratory):- Pindex System – 1, Electro-polisher – 1, Vacuum mixing machine – 1, Steam Cleaner – 1, Ultrasonic cleaner (5 liters capacity) – 1, Micro surveyor – 1, Pre-clinical prosthetics laboratory: Adequate number of lab micro motor with attached hand piece – Not available.
	(Conservative Dentistry and Endodontics):- Rubber dam kits – 6, Autoclaves – 1, Ultrasonic cleaner – 1, Glass bead sterilizers – 2, Intra-oral X-ray Unit (Proper radiation safety) – 1, Automatic developer – 1, Radiovisiography (RVG with Computer) – 1, Endo motor (with torque control hps) – 3, Bleaching unit – 1, Magnification loops – 2, Phantom Lab Unit: (Air motor, micromotor with contra angle Hps) – Not available.
	CLINICAL LABORATORY: - Not available Plaster Dispenser- One each for plaster and stone plaster-2, Plaster Dispenser- One each for plaster and stone plaster-2, Model Trimmer- Carborandum disc- Diamond disc -2, Lathe- Heavy Duty-2, Lab Micromotor- With heavy duty handpiece-3, Ultrasonic cleaner- Minimum capacity 5 liters-1, Spindle Grinder-1, Vibrator-2, Burnout furnace-1, Porcelain furnace-1, Sandblasting Machine-1, Lab Airrotor-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine- Motor cast/induction casting preferred-1, Ceramic Unit
	(Oral Pathology and Oral Microbiology):- Dental chairs and units – 2, Slides – 100, Slides Boxes – 4, Microscopes – 50, Microtome – 1, Wax bath – 1, Water bath – 1, Knife sharper – 1, Hot plate – 1, Spencer knife – 1, Adequate slides projection system – 1.
	(Oral & Maxillofacial Surgery): (Exodontia):- Emergency drugs tray – 2, Oxygen Cylinder – 2, Oxygen mask adult – 2, Oxygen mask pedo – 2, Lab micromotor with handpiece – 3. (Minor Surgery): Dental chairs and units – 3.
	(Periodontology):- Not establish under process.
	(Orthodontics):- Unit mount scaler – 5, (Ortho Lab): Not instrument seen.
	(Paediatric and Preventive Dentistry):- Not showing under process, (Pedo Lab): No lab in pedo.
	(Oral Medicine and Radiology):- Dental chairs and units – 12, Automatic periapical X-ray developer – 1, Automatic Panoramic with Cephalometric X-ray developer – 1, Automatic developers/ Dark room – 1, Biopsy kit – 2, sailography

	equipment & kit – 1.
	(Public Health Dentistry):- Dental chairs and units – 16, Autoclaves – 2, Ultrasonic cleaner – 2, Needle burner with syringe cutter – 4, Autoclaves -1, Intraoral x-ray – 1, glass bead sterilizers – 1, compressor (1.25HP) – 1, Metal Cabinet (with wash basin) – 1, portable dental chair – 2, stabilizer (4kv) – 1, generator (4kv) – 1, water tank (400 ltr) – 1, Oxygen cylinder – 1, public address system – 1, TV and video cassette player – 1, Demonstration models – 5.
	Infrastructure Details: - Hostel for boys & girls - No boys hostel, Library – 9000 sq.ft (library not establish), Compressor and Room for gas plant – 300 sq.ft. (Not available)
	Staff Quarter (separate from hostel):- Principal/Dean's Bungalow – 1, Staff Quarters – 19, Guest House with minimum 3 double bed rooms – 1.
	Library Details: - Not establish in the building.
	Observations:
	(i) Some part of Infrastructure of Building is under construction. (ii) Central library not available and no E-library available. (iii) Oral & Maxillofacial Surgery – minor O.T. not available.

Periodic Inspection

5(9). **Joint Inspection Report of Council's inspectors Dr. Mithra N. Hegde, Mangalore, Dr. Saurabh Kumar Gupta, Yamuna Nagar and Dr. Darshan M Dakshinadas, Nagpur carried out on 28th & 29th July, 2022 at Government Dental College & Hospital, Jaipur (Rajasthan)- Regarding**

To consider Periodic Joint Inspection Report of Council's inspectors Dr. Mithra N. Hegde, Mangalore, Dr. Saurabh Kumar Gupta, Yamuna Nagar and Dr. Darshan M Dakshinadas, Nagpur carried out on 28th & 29th July, 2022 at Government Dental College & Hospital, Jaipur (Rajasthan) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution alongwith the suggestions of the Sub-Committee (16th & 17th September 2022).

Compliance

1	The following Dental Teaching Staff were absent on the day of inspection:-
(i)	Dr. Khadiza Begum, Assistant Professor, Prosthodontics was absent on both days of Inspection.
(ii)	Dr. Kamal Kumar Meena, Associate Professor, Prosthodontics and Crown and Bridge was absent on 29.07.2022.
(iii)	No Signature of Medical Teaching Staff on inspection Proforma
2	Deficiencies of Non – Teaching Staff/Ministerial Staff:-
(i)	Managers/Office Suptd./ Section Officer/ Head Clerk/ Estate Officer – 4, Assistant Clerks – 8, Receptionist – 8, Dent. Hygst – 3, Photographer – 1,

	Artist – 1, Computer Programmer – 1, Data Entry Operators - 1, Physical Director – 1, Engineer – 1, Electricians – 1, Plumber – 1, Carpenter – 1, Mason – 1, A.C Tech – 1, Helpers Electrical – 1, Sweepers & Scavengers – 9, Attenders/Peon/Orderly – 14, Dept. Secretaries – 4, Driver – 2,
3	There are the deficiencies of Major Equipments in the following departments are as under:-
(i)	Prosthodontics and Crown & Bridge:- Dental Chairs and Units – 2, Deflasking Unit – 4, Phantom Heads – 25
(ii)	Conservative Dentistry and Endodontics:- Ultrasonic Cleaner with minimum capacity 13 liters with mesh bucket – 1, Bleaching Unit – 1, Phantom Lab Unit – 20.
(iii)	Oral Pathology and Microbiology:- Knife Sharpener – 1.
(iv)	Periodontology:- Surgical Instrument Kits – 1, Needle Burner with syringe cutter – 3, Physio Dispenser with implant kit – 1, Hand Scaler Supra Gingival – 3, Hand Scaler Sub Gingival – 3.
(v)	Pediatric and Preventive Dentistry:- Dental Chairs and Units – 3, Steam Cleaner – 1.
(vi)	Oral Medicine and Radiology:- Automatic Panoramic with Cephalometric X-ray Developer-1, X-Ray viewer-2, Radivisiography with Intra Oral Camera-1, General X-ray Unit-1, Automatic Developer/Dark Room-1, Lead Aprons-2, Lead Gloves-1, Lead Collar-2, X-ray Hangers-6, Diagnostic Kits-20, Lead Screen-1, Autoclave-1, Needle Burner with Syringe Cutter-2, Biopsy Kit-1, Sailography equipment & Kit-1,
(vii)	Public Health Dentistry:- Dental Chairs and Units – 2, Mobile Dental Van – 1, Dental Chair with Unit – 2, Autoclaves – 1, Intraoral x-ray – 1, Glass Bead Sterilizers – 1, Compressor – 1, Metal Cabinet – 1, Portable Dental Chair – 2, Stabilizer – 1, Generator – 1, Water tank – 1, Oxygen cylinder – 1, Public Address system – 1, TV and Video cassette player – 1, Demonstration Models – 20, equipment mentioned for tobacco cessation unit not available
4	Central Library:- Total Area 4400 sq. ft against the Minimum requirement of 4500 sq.ft,
5	Medical College Attachment (Hospital):- Whether MOU is signed by Competent Authorities between Medical and Dental College for teaching purpose – No,
6	Medical Staff:- Hospital Administration – availability not provided.
7	Engineering Staff:- Engineering Aid – 2.
8	Infrastructure & Functional Requirements:- Room for Gas Cylinder – not available, Auditorium – Not available
	Deficiencies as per MDS Inspection Reports
9	Periodontology
	Equipments:- Bone Fixation screw kit – 1, Digital Camera – 1, Intra Oral Camera – 1, Physio Dispenser – 1, Implant Kit - 1, Implants – 10, Implant Maintenance Kit – 1 set, Implant Guide – 1, Sinus Lift Kit – 1
	(i) Centralized Air Compressor not available
	(ii) Biometric Attendance not functional.
10	Conservative Dentistry and Endodontics

	There is deficiency of one Assistant Professor
	Lab is non functional, technician is not available,
	Equipments:- Autoclaves for hand piece sterilization – 1, Pulp Tester – 2, Operating Microscopes 3 step or 5 step magnification – 1, Ultrasonic Cleaner with Minimum capacity 13 liters with mesh bucket– 1, Bleaching Unit – 1. Variable intensity polymerization light not available, Rubber Dam Kit-5,
	Documents Submitted By the Principal:-
	Centralized Air Compressor not available
	Biometric Attendance not functional.
11	Pedodontics and Preventive Dentistry
	Equipment: - Minor OT with recovery area, Dental Chairs and Units – 3, Automatic developer-1, typodonts-1,
	Library Details:-
	Department Library – Deficiency of No. of Titles -10.
	Documents submitted by the Principal:-
	Centralized Air Compressor not available
	Biometric Attendance not functional
12	Oral and Maxillofacial Surgery
	Last Annual Admission with details – Students has not signed on both days of inspection
	Documents Submitted By the Principal:-
	Centralized Air Compressor not available
	Biometric Attendance not functional
	Equipment:- Shortage of 1 Autoclave and 1 Fibre Optic Laryngoscope.
13	Prosthodontics and Crown Bridge
	Equipments:-
	Articulators – semi adjustable/ adjustable with face bow – 1, Autoclave – 1.
	Last Annual Admission details for specialty:- Students has not signed on both days of inspection
	Documents Submitted By the Principal:-
	Centralized Air Compressor not available
	Biometric Attendance not functional
14	Oral & Maxillofacial Pathology and Oral Microbiology
	Equipment:- Multi Head Microscope – 1.
	Clinical Material:-
	Last Annual Admission with Details – Students has not signed on both days of inspection
	Documents Submitted By the Principal:-
	Centralized Air Compressor not available
7	Biometric Attendance not functional
	NAAC Accrediation Certificate not provided

5(10). **Joint Inspection Report of Council's inspectors Dr. Jiban Mishra, Burdwan and Dr. Rahul Agarwal, Varanasi carried out on 28th & 29th July, 2022 at Dental College, RIMS, Imphal (Manipur)- Regarding**

To consider Periodic Joint Inspection Report of Council's inspectors Dr. Jiban Mishra, Burdwan and Dr. Rahul Agarwal, Varanasi carried out on 28th & 29th July, 2022 at Dental College, RIMS, Imphal (Manipur) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution alongwith the suggestions of the Sub-Committee (16th & 17th September 2022).

Compliance

I	There are deficiencies 01 Professor in the department of Orthodontics.
II	(i) Dr. Kiran Kumar Aheibam, Associate Professor, Conservative Dentistry and Endodontics has not produced MDS Degree Certificate.
III	(ii) Dr. Gargi Yumnam, Tutor, Oral Medicine has not produced DCI registration renewal certificate.
IV	(iii) College has no CCTV surveillance.
V	(iv) DCI Biometric Machine not functional. However college has own Biometric Machine.
VI	(v) Self Assessment Report is not available.
VII	Equipment:- There is a deficiency of 01 Hydrosolder in the Department of Orthodontics .

5(11). **Joint Inspection Report of Council's inspectors Dr. Nitin Gautam, Jammu (J&K), Dr. Rahul Agarwal, Varanasi (UP) and Dr. Sushma Naag, Nizamabad (Telangana) carried out on 4th & 5th August, 2022 at Ragas Dental College & Hospital, Chennai, (Tamilnadu)- Regarding**

To consider Periodic Joint Inspection Report of Council's inspectors Dr. Nitin Gautam, Jammu (J&K), Dr. Rahul Agarwal, Varanasi (UP) and Dr. Sushma Naag, Nizamabad (Telangana) carried out on 4th & 5th August, 2022 at Ragas Dental College & Hospital, Chennai, (Tamilnadu) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution alongwith the suggestions of the Sub-Committee (16th & 17th September 2022).

Compliance

I	Hospital:- The Hospital is existing within the premises and approved by the corporation of Chennai but not approved by NABH / BIS
II	NAAC Accreditation Certificate – not provided
III	Deficiencies of Medical Teaching Staff:-

	<p>1 Lecturer in the Department of Biochemistry. 1 Lecturer in the Department of Pharmacology. 2 Lecturers in the Department of General Pathology. 1 Lecturer in the Department of General Medicine. 1 Readers & 1 Lecturer in the Department of Anesthesia.</p>
IV	<p>Deficiencies of Non-Teaching Staff / Ministerial Staff:- Dent. Tech. (Dental Mechanic) – 10 Physical Director – 1 Plumber – 1 Helpers Electrical – 2 Sweepers & Scavengers – 7 Attenders / Peon/Orderly – 7 Dept. Secretaries – 4 Driver – 1 Nurses – 6 Lab. Technicians – 2</p>
V	<p>Deficiencies of Major Equipments:-</p>
(i)	<p>Prosthodontics and Crown & Bridge Hot water sterilizer with Compound bath-2, Geyser-2, Phantom heads –50, Pre – clinical working tables –100</p>
(ii)	<p>Conservative Dentistry and Endodontics</p> <p>Clinical Laboratory:- Spindle Grinder – 1, Vibrator – 2, Burnout furnace – 1, Porcelain furnace – 1, Sandblasting Machine – 1, Pindex System – 1, Circular saw – 1, Vacuum mixer – 1, Pneumatic chisel – 1, Casting machine – 1, Ceramic unit – 1.</p>
(iii)	<p>Paediatric and Preventive Dentistry Automatic Developer – 1</p>
VI	<p>Dept of General Pathology. Capillary tubes - 2</p>
VII	<p>Hostel:-</p> <p>(i) No water purification unit in both the hostels. (ii) Toilets and floor are not well maintained and are in poor condition. (iii) General conditions of Hostels were inadequate and needs to be improved.</p>
VIII	<p>Library Details:- Journals</p> <p>(i) No National Journal is present in Dept of Oral & Maxillofacial Surgery. (ii) No National Journal is present in eight basic sciences. (iii) E-journals are available till the year 2020 only. (iv) No Back volumes shown after the year 2020 in most speciality departments.</p>
IX	<p>Land & Infrastructure Details:- Bio – Waste incinerator is not available</p>

X	General Observations:- Self appraisal forms not submitted by the college.
XI	Deficiencies as per MDS Reports
(i)	(Conservative Dentistry and Endodontics) Preclinical Endodontics/Conservative has bad maintenance, poor ventilation, neatness, Staff discrepancy Equipments:- Pulp tester – 2, Equipments for Injectable thermoplasticized gutta percha – 1, Ceramic finishing kits, metal finishing kits – 4, Amalgam finishing kits – 4, Chair side micro abrasion – 1, Equipments for ceramics including induction casting machines/burnout preheat furnaces/wax elimination furnaces – 1, Lab micro motor/metal grids/sand blasters/polishing lathes/duplicator equipment/vacuum investment equipments – 1, Laser – 1, Face bow with semi adjustable articulator – 3, There is no separate-casting lab and it is being shared by dept. of Prosthodontics. Table of Contents:- Centralized Casting Lab & Ceramic Lab – Not provided.
(ii)	Public Health Dentistry (a) Dental Teaching Staff: Dr. Anusha. R., Lecturer was absent on 04.08.2022 & 05.08.2022. Deficiency of 1 Lecturer. (b) Library Details:- Latest National & International Journals available only till 2017. (c) Equipments:- Amalgamator – 1, Pulp tester – 1 (d) Table of Contents:- Centralized Casting Lab & Ceramic Lab – Not provided
(iii)	Prosthodontics and Crown & Bridge (a) Dental Teaching Staff: Dr. Vallabh Mahadevan, Professor was absent on 05.08.2022. Dr. Yasmin, Lecturer was absent on 05.08.2022. Deficiency of 1 Reader Deficiency of 3 Lecturer (b) Equipments:- Pneumatic, Crown bridge remover – 3, Intra oral camera – 1, Digital SLR Camera – 1, Spot welder with soldering, attachment of cable – 1, Stereo microscope – 1, Magnifying work lamp – 1, Ceramic materials – 1, Ceramic polishing kit – 1, Physio dispenser – 1, Needle destroyer – 2, Ultrasonic cleaner capacity 3.5 lts – 1, Autoclave programmable for all recommended cycles – 1, X-ray machine with RVG – 1, Refrigerator – 1, Implant removing instruments – 1 (c) Table of Contents:- Centralized casting lab & Ceramic Lab – Not provided
(iv)	Oral and Maxillofacial Surgery (a) Dental teaching staff:- Deficiency of 2 Reader & 3 Lecturer Dr. Sathyabama Reader, was absent on 04.08.2022 and 05.08.2022. (Entire

	<p>department has no State Dental Renewal except Dr. Harish and Dr. Seema)</p> <p>(b) Library Details:- No National Journals International journals present till 2018 only.</p> <p>(c) Equipments:- Peize surgical unit -1,Magnifying loops – 1,Ventilator – 1,Recovery and Intensive care unit with all necessary life support equipments – 2 beds, Fibroptic light – 1,Fiber optice laryngoscope – 1</p> <p>(d) Table of Contents Centralized casting lab & Ceramic Lab – Not provided.</p>
(v)	<p>Periodontology:-</p> <p>(a) Equipments:- Bone fixation Screw kit – 1,Bone Scrapper – 1,Bone trephines for harvesting autografts – 1,Implant maintenance kit (plastic instruments) – 1 set,Implant removing kit – 1</p> <p>(b) Table of Contents Centralized casting lab & Ceramic Lab – Not provided.</p>
(vi)	<p>Orthodontics & Dentofacial Orthopedics:-</p> <p>(a) Dental Teaching Staff:- Deficiency of 1 Reader. Dr. Premalatha, Reader was absent on 04.08.2022 & 05.08.2022. Dr. Branavan, Lecturer was absent on 04.08.2022 & 05.08.2022. No Staff has State Dental Council renewal for current year.</p> <p>(b) Library Details:- National Journal – 1 Latest National Journal for Orthodontics & Dentofacial Orthopedics present till 2015 only.</p>
(vii)	<p>Oral & Maxillofacial Pathology and Oral Microbiology</p> <p>(a) Equipments:-</p> <p>(b) Microtome (semi automated) – 1,Steel slide racks for staining – 2,Wax block storing cabinet (10,000 capacity) – 1</p> <p>(c) Desire Equipments:- Cryostat – 1,Fluorescent microscope – 1,Hard tissue microtome – 1,Tissue storing cabinet (frozen) – 1</p> <p>(d) Table of Contents Centralized casting lab & Ceramic Lab – Not provided</p>
(viii)	<p>Pedodontics and Preventive Dentistry</p> <p>(a) Library Details:- National and International journals not available after 2019.</p> <p>(b) Equipments:- Injectable GP condenser – 1 Endodontic pressure syringe – 1</p>
(ix)	<p>Oral Medicine & Radiology:-</p> <p>(a) Equipments:- Chairs not working. More than 50% chairs have no electric connections.</p>

5(13). **Joint Inspection Report of Council's inspectors Dr. Sunil Sharma, Jaipur (Rajasthan), Dr. Manu Rathee, Rohtak (Haryana) and Dr. Balaji Manohar, Bhubaneswar (Odisha) carried out on 16th & 17th August, 2022 at Dr. R. Ahmed Dental College & Hospital, Kolkata (West Bengal)- Regarding**

To consider Periodic Joint Inspection Report of Council's inspectors Joint Inspection Report of Council's inspectors Dr. Sunil Sharma, Jaipur (Rajasthan), Dr. Manu Rathee, Rohtak (Haryana) and Dr. Balaji Manohar, Bhubaneswar (Odisha) carried out on 16th & 17th August, 2022 at Dr. R Ahmed Dental College & Hospital, Kolkata (West Bengal) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution alongwith the suggestions of the Sub-Committee (16th & 17th September 2022).

Compliance

1	University Affiliation for BDS / MDS Courses for the Academic Year 2022-23 not provided.
2	Deficiencies as per BDS Inspection report are as under:-
(i)	The following Dental Teaching Staff was absent on the days of Inspection:-
(ii)	Dr. Nabarun, MDS, Associate Professor, Prosthodontics and Crown & Bridge was absent on 17.08.2022.
(iii)	Dr. Rabiul Islam, MDS, Assistant Professor, Prosthodontics and Crown & Bridge was absent on 16.08.2022 & 17.08.2022.
(iv)	Dr. Baisakshi Mallick, MDS, Tutor, Prosthodontics and Crown & Bridge was absent on 17.08.2022.
(v)	Dr. Kritika Rajan, MDS, Tutor, Prosthodontics and Crown & Bridge was absent on 17.08.2022.
(vi)	Dr. Ishan Roy Chaudhary, MDS, Tutor, Prosthodontics and Crown & Bridge was absent on 17.08.2022.
(vii)	Prof. Dr. S.K Majumdar, Prof & HoD, Oral & Maxillofacial Surgery was absent on 16.08.2022 and 17.08.2022.
(viii)	Prof. Dr. Nupur Banerjee, Prof., MDS, Oral & Maxillofacial Surgery was absent on 16.08.2022 and 17.08.2022.
(ix)	Dr. Soumen Mondal, MDS, Tutor, Oral & Maxillofacial Surgery was absent on 16.08.2022.
(x)	Dr. D.N Chakroborty, Dental Surgeon, BDS, Oral & Maxillofacial Surgery was absent on 16.08.2022 and 17.08.2022.
(xi)	Dr. Priyanka Yadav, Assistant Professor, Public Health Dentistry was absent on 16.08.2022 and 17.08.2022.
(xii)	Dr. Indasri Das, Assistant Professor, Periodontology was absent on 16.08.2022 and 17.08.2022.
(xiii)	Dr. Somer Pal, Assistant Professor, Pedodontics and Preventive Dentistry was absent on 17.08.2022.
(xiv)	Dr. Monalisa Das, Assistant Professor, Pedodontics and Preventive Dentistry was absent on 17.08.2022.
(xv)	Prof. Dr. Prakash Roy, Prof.& HoD, Orthodontics was absent on 17.08.2022.

(xvi)	Prof. Dr. Amol Chakraboti, Professor, Orthodontics was absent on 17.08.2022.
(xvii)	Dr. Sourav Koley, Assistant Professor, Orthodontics was absent on 16.08.2022 and 17.08.2022.
(xviii)	Dr. Poulami Roy, Tutor, Orthodontics was absent on 16.08.2022.
(xix)	Dr. Pampa Adhya, Associate Professor, Conservative Dentistry and Endodontics was absent on 17.08.2022.
(xx)	Dr. Partha Sarathi Mondal, Associate Professor, Conservative Dentistry and Endodontics was absent on 17.08.2022.
(xxi)	Dr. Siddharta Das, Assistant Professor, Conservative Dentistry and Endodontics was absent on 17.08.2022.
(xxii)	Dr. Kurchi Mondal, Assistant Professor, Conservative Dentistry and Endodontics was absent on 17.08.2022.
(xxiii)	Dr. M Majumdar, HOD, Oral Medicine and Radiology was absent on 17.08.2022.
(xxiv)	Dr. A Saha, Assistant Professor, Oral Medicine and Radiology was absent on 17.08.2022.
(xxv)	Dr. Debashree Boral, Tutor, Oral Medicine and Radiology was absent on 17.08.2022.
(xxvi)	Dr. R. Ghosh, Tutor, Assistant Professor Oral Medicine and Radiology was absent on 17.08.2022.
(xxvii)	Dr. Sandip Ghose, Associate Professor, Oral Pathology was absent on 17.08.2022.
3	The following P.G Students were absent on the day of Inspection:-
(i)	Dr. Aquila Aini Anwar, 1 st year, Oral & Maxillofacial Surgery was absent on 16.08.2022 and 17.08.2022.
(ii)	Dr. Dimple J. 1 st Year, Pedodontics and Preventive Dentistry was absent on 16.08.2022.
(iii)	Dr. Mishal Md. Haris, 1 st Year, Pedodontics and Preventive Dentistry was absent on 16.08.2022 and 17.08.2022.
(iv)	Dr. Debanjana Das, 3 rd Year, Oral Pathology was absent on 16.08.2022.
(v)	Dr. Debarata Sarkar, 1 st Year, Prosthodontics and Crown Bridge, was absent on 17.08.2022.
(vi)	Dr. Anwasha Dey, 1 st Year, Orthodontics was absent on 16.08.2022 and 17.08.2022.
(vii)	Dr. Soma Mallick, 3 rd Year, Periodontology was absent on 17.08.2022.
(viii)	Dr. Sumit Kanti Podder, 1 st Year, Periodontology was absent on 16.08.2022.
(ix)	Dr. Tanya Bansal, 3 rd Year, Conservative Dentistry and Endodontics was absent on 16.08.2022 and 17.08.2022
(x)	Dr. Prajakta Vetal, 1 st Year, Conservative Dentistry and Endodontics was absent on 16.08.2022.
4	Non-Teaching Staff/Ministerial:-
	Managers/Office Suptd./ Section Officer/ Head Clerk/Estate Officer – 7, Assistants/Clerk – 13, Receptionist – 14, C.S.A (Chair Side Attendant) – 20, Dent. Tech (Dental Mechanic) – 10, Dent. Hygst – 5, Radiographer – 3, Photographer – 1, Artist – 1, Computer Programmer – 1, Data Entry Operators – 2, Physical Director – 1, Engineer – 1, Electricians – 4, Plumber – 2, Carpenter – 1, Mason – 1, A.C Tech – 1, Helpers Electrical – 3, Sweepers & Scavengers – 10, Attenders/Peon/Orderly – 25, Dept. Secretaries – 8, Driver – 5, Lab Technicians – 5.
5	Deficiency of Health Staff:-
	Female Health Assistant – 1, Extension Educator Paramedical Staff – 1, Sr. Radiographer – 1, CSSD – 2.
6	Deficiency of Engineering Staff:-

	Mechanical – 2, Electrical – 2, Engineering Aid – 4.
7	Deficiency of Other Staff:-
	Drivers – 2, Carpenter – 1, Cooks - 2, Barber – 1, Class IV including chowkidars - 55.
8	Deficiency of Administrative Staff:-
	Stenographer-1.
	Deficiencies of Major Equipments-
9	Prosthodontics and Crown & Bridge:-
	Dental casting machine - 1, Model Trimmer with Carborandum Disc-2, Dewaxing unit - 3, Hot water sterilize with compound bath-2.
	Ceramic and Cast Partial Laboratory- Duplicator-1, Model Trimmer with Diamond disc-1, Programmable porcelain furnace with vacuum pump with instrument kit and material kit-not functional and not repairable-1, Vacuum mixing machine-1, spindle grinder 24000 RPM with vacuum suction-1, wax carver-1, milling machine-1, heavy duty lathe with suction-1, palatal trimmer-1.
10	Conservative Dentistry and Endodontics:-
	Ultrasonic Cleaner-2, Amalgamator with autoclave proportion, autoclave dispenser-3, automatic developer-1, bleaching unit-1.
11	Clinical Laboratory- Model Trimmer with diamond disc-1, Model Trimmer with Heavy Duty-2, Ultrasonic cleaner minimum capacity 5 liters-1, spindle grinder-1, Porcelain furnace-1, Sandblasting Machine-1, Lab Airrotar-1, Pindex system-1, circular saw-1, vacuum mixer-1, Pneumatic chisel-1, Casting machine with motor cast/induction casting preferred-1.
12	Oral Pathology and Oral Microbiology:-
	Microtom-1, knife sharpner-1, hot plate-1, Spencer knife-1, Adequate slides projection system-1,
13	Oral & Maxillofacial Surgery:-
	A) EXODONTIA
	Dental Chairs and Units-7, Autoclaves-4, Ultrasonic Cleaner minimum capacity 13 liters with mesh bucket-2, needle burner with syringe cutter-7, minor Oral Surgery kits-5, Emergency drugs tray-1, pulse oxymeter-2, BP apparatus-1, stethoscope-1, Thermometer-2, Glucometer-1, Oxygen Cylinder-2, Oxygen mast Pedo-2, Lab micromotor with handpiece-3, High Volume suction2, Surgical straight hand piece-2,
	B) MINOR SURGERY
	Dental Chairs and Unit-5,
14	Periodontology:-
	Dental Chairs and Units-7, atleast 25% of the units should have Airpolisher- Nil, Surgical instruments sets-6, Autoclave-1, laser (soft tissue laser)-1, physio dispenser with implant kit-1, electro cautery kit-1,
15	Orthodontics:-
	Dental Chairs and Units-10, Unit mount scaler-5, Autoclave-2, Ultrasonic Cleaner minimum capacity 13 liters with mesh bucket with digital timer-2, Plaster dispenser-2, vibrator-2, micromotor heavy duty-2, lathe-1, X-ray viewer-2, Base Formers-4, Typodont-4, Set of Pliers-10, Welder with soldering attachments-1, Typhodont articulator with metal teeth wax rim of Class I, II, III-3, Pressure moulding machine-1,
16	Paediatric and Preventive Dentistry:-
	Dental Chairs and Units-9, Autoclave-1, Ultrasonic Cleaner minimum capacity 13 liters with mesh bucket with digital timer-2, needle burner with syringe cutter-2, Rubber dam kit for

	Paedodontics & Preventive Dentistry -2, Injectable gutta percha with condensation-1, Radiovisiography digital intra X-ray system with Paedodontics & Preventive Dentistry sensor and software-1, RCT instrument kit-5, automatic developer-1,
17	Pedodontics & Preventive Dentistry LAB:-
	Plaster dispenser-2, vibrator-1, lab micro motor heavy duty with Hps-3, steam cleaner-1, pressure moulding machine-1,
18	Oral Medicine and Radiology:-
	Dental Chairs and Units-3, Intra Oral X-ray Unit-1, Pulp tester digital-3, Automatic Periapical X-ray developer-1, Radiovisiography with intra Oral Camera digital intra X-ray system with one sensor and software-1, Automatic Developers/Dark Room-1, Lead Apron-1, Lead Gloves-2, Lead Collar-2, X-ray Hangers-2, Autoclave-1, Biospy Kit-1, Sailography equipment & kit-1,
19	Public Health Dentistry:-
	Dental Chair and Units-7, Autoclave-2, Ultrasonic Cleaner minimum capacity 13 liters with mesh bucket with digital timer-2, Needle burner with syringe cutter-4, Sitting space in Mobile Dental Van is inadequate only 5 people can sit against the requirement of 15 to 20 people, Intraoral x-ray portable-1, Glass bead sterilizers-1, portable dental chair-2, oxygen cylinder-1, demonstration models-5,
20	Department: Dental Anatomy, Embryology, Oral Histology and Oral Pathology
	Histopathology Room:- Microtome – 1, Wax Bath- 1, Water Bath – 1, Knife Sharpener – 1, Spencer Knife – 1, Organic Tissue Capsule Small – 2, Distilled Water Plant – 1, Loop Holder – 3, Slide Warming Table – 1, Slide Drying Tray – 1, Staining Basket SS – 1, Staining Trough SS – 1, Staining Trough Glass – 1, Slide Staining Rack SS – 1.
21	Staff Quarters:- Staff Quarter – 19.
22	Infrastructure & Functional Requirements:-
	The area of Library is 2998 sq.ft against the requirement of 8000 sq.ft.
	Photography and Artist room - area not mentioned.
	Faculty Rooms – Dental Faculty – area not mentioned.
	Faculty Rooms – Medical Basic Science – area not mentioned.
	Amenities Area to include boys and girls locker room, boys and girls common rooms, common room for non teaching staff, common room for teaching staff, change room for men, change room for women are 1135 sq.ft against the requirement of 3200 sq.ft.
	The area of room for Gas Cylinder is 120 sq.ft against the requirement of 150 sq.ft.
	Compressor and Room for Gas Plant – area not mentioned.
	The area of Auditorium is 1892 sq.ft against the requirement of 4000 sq.ft.
	The area of Pre-Clinical Prosthodontics and Dental material lab is 2907 sq.ft against the requirement of 3000 sq.ft.
	The area of Laboratories for Orthodontics and Pedodontics is 1320 sq.ft against the requirement of 1500 sq.ft.
	Anatomy dissection hall with storage for cadavers, osteology demonstration room etc. – area not mentioned
	One Laboratory for physiology with stores and preparation rooms – area not mentioned.
	Laboratory for biochemistry and Pharmacology – area not mentioned.
	Prosthodontics Cast Partial and Ceramic – area not mentioned.
	Conservative Clinical Lab – area not mentioned.
	Histopathology Lab for Oral Pathology – area not mentioned.
	Laboratories for Orthodontics and Pedodontics – area not mentioned.

	Haematology and Clinical Biochemistry - area not mentioned.
	AREB certified Radiographic Room along with Dark Room – area not mentioned.
23	Land & Infrastructure Details:-
	Whether sewage Treatment Plant is available – No.
	Whether Bio-waste incinerator is available – No.
	Whether Anatomical Act has been obtained from competent authority – No.
24	Check List for the Inspectors:-
	Has the essentiality certificate and University Affiliation been checked and found in order – No.
	Bio-Metric attendance of the faculty members and PG students not provided
	Has the details regarding “Establishment of Tobacco cessation Centres in Dental Institution and Integrated approach in India- Operational Guidelines 2018” in the Institution been checked? – No.
25	Library Details:-
	Back Volumes of all National Journal of 9 Dental Specialties – Not Available, E Journals Details - Not Available, Reception and Waiting – Not Available, Photocopying Area – Not Available, Store and Stocking Room – Not Available, Digital Library - Not Available, Chief Library Room/Assistant Library - Not Available, Students Cloak Area – Not Available.
26	Dental Chairs and Units:-
	Electrical Dental Chairs Installed with all the attachments – Shortage of Dental Chairs in UG i.e. Oral Surgery – 7, Periodontology – 7, Orthodontics – 10, Pedodontics and Preventive Dentistry – 9, Oral Medicine – 3 and Public Health Dentistry – 7.
27	Observations:-
	Shortage of non-teaching staff as per attached attendance list. There were no Dental Mechanic and Dental Hygienist in the Institute.
	Most of the dental chairs in Oral Surgery PG clinic are non functional, rusted and without spittoon and necessary attachments.
	The equipment and instruments in Endodontics, Prosthodontics and Pedodontics were kept inside the boxes stacked in the cupboards and rooms and not being used by the department concerned causing hampering in training and teaching of students.
	AERB certification was not furnished for any of the radiation devices in the institute.
	Details of Prevention of Sexual Harassment Committee were not furnished.
	Institutional Ethical Committee is not registered.
	NAAC Accreditation Certificate- not furnished.
	Anatomical act details -not furnished.
	List of special cases -not furnished.
	Research activity details- not furnished.
	Biometric machine is non functional and biometric attendance for the days of inspection was not furnished for faculty and PG students.
	The space provided for installment of dental chairs is inadequate in all the departments.
	Public Health Dentistry department is managed by Periodontics. There are 9 dental chairs and all are non-functional. There is no record of OPD in Public Health Dentistry.
	There is no canteen in the institute.
	The hostel for boys and girls is common for UG and PG Course.
	Central Compressor is not available.

	Centralized ceramic lab is not available.
	The pathology lab services, radiographic services are working on PPP model.
	Dental Lab work for Endodontics, Prosthodontics are outsourced. The photocopy of the dental lab work of Prosthodontics since June 2019 to till date is attached.
	Auditorium capacity is 150 seating.
	No examination hall available, Lecture theatre being used as examination hall.
	Lack of general cleanliness and poor housekeeping.
	Few dental students have submitted a representation during the inspection.
	Self assessment report has not submitted even after repeated reminders.
28	Deficiencies as per MDS Inspection Report:- Conservative Dentistry and Endodontics
	There are deficiencies of 2 Readers and 5 Lecturers.
	The deficiencies of following Equipments are as under:-
	Dental Chairs – 2, Endosonic Handpieces – Micro endosonic Tips, Retro Treatment – 1, Autoclaves for Handpiece sterilization – 1, Conventional VLC units one for every two chairs – 2, Ceramic finishing kits, metal finishing kits – 3, Chair Side Micro Abrasion – 1, Bleaching Unit – 1, Equipments for ceramics including induction casting machines/burnout preheat furnaces/ wax elimination furnaces – 1, Lab Micro motor/metal grinders/ sand blasters/polishing lathes/duplicator equipment/ vacuum investment equipments – 1,Face bow with semi adjustable articulator – 2.
	Clinical Material:-
	Average number of Patients in last six months – Details not furnished.
	Dental Hospital:-
	Average number of Patients in last six months – Details not furnished.
	Speciality Department Infra Structure Details:- Patient Waiting Room - Not Available.
	Library Details:- No. of Titles of Books of Central Library – Not Mentioned.
	Documents Submitted by the Principal:-
	(i) List of Research Activities – not submitted
	(ii) Details of Ethical Committee – Not Registered.
	(iii) List of Special Cases Treated By Faculty – not submitted.
	(iv) Details of Prevention of Sexual Harassment Committee – not submitted .
	(v) Centralized Casting Lab & Ceramic Lab – not submitted
	(vi) Centralized Air Compressor – not submitted
	(vii) Biometric Attendance – not submitted
	(viii) Tobacco Cessation – not submitted
	(ix) Details of AERB Norms Compliance – not submitted
	(x) AERB Certification – not submitted
	(xi) NAAC Accreditation Certificate – not submitted
29	Pedodontics and Preventive Dentistry
	There are deficiencies of One Reader and One Lecturer.
	The deficiencies of following Equipments are as under:-
	Autoclaves for bulk instrument sterilization vacuum – 1, Automatic Developer – 1, Injectable GP condenser – 1, Endodontic Pressure Syringe – 1, Formalin Chamber – 1, X-Ray Viewer – 2, Plaster Dispenser – 2, Dental Lathe – 2, Typodonts – 1, Soldering Unit – 1, Band Pinching Beak Pliers – 2, Proximal contouring pliers – 3, Crown Crimping Pliers – 3, Double Beak Pliers Anterior and Posterior – 3, Acryliser – 2, Pulse Oxymeter – 1, Phantom Head

	Table with attached light, Airtor and micro motor – 1.
	Clinical Material:-
	No. of Patients in last six months on the day of Inspection:- Not Furnished.
	Library Details:-
	There is only 1 International Journal against the requirement of 4-6.
	No. of Back Volumes in print form (8 – 10 years) of any 3 journals of concerned specialty – Not Furnished.
	List of Books:- Not Furnished.
	Last Annual Admission Details for all Specialty:- NEET Rank, NEET Score and Signature of Dr. Mishal Haris for Day 1 and Day 2 not mentioned.
	Student Academic Work:-
	Eliza Debbarne – Detail not furnished.
	Zarrin – Detail not furnished.
	Dimpleza J – Detail not furnished.
	Mishal Md. Haris – Detail not furnished.
	Anirban Biswas – Detail not furnished.
30	Prosthodontics and Crown & Bridge
	There are deficiencies of 1 Professor, 1 Reader and 1 Lecturer.
	The deficiencies of following Equipments are as under:-
	Intra Oral Camera – 1, Model Trimmer with Diamond Disc - 2, Dewaxing Unit – 2, Duplicator – 1, Model Trimmer with Diamond Disc – 2, Wax Heater – 3, Wax Carvers – 3, Milling Machine – 1, Heavy Duty Lathe with suction – 1, Ceramic kit (instrument) – 3, Ceramic Materials (Kit) – 1, Autoclave programmable for all recommended cycles - 1, Implant Removing Instrument – 1.
31	Library Details:-
	No. of Titles of Book for Central Library - Not Mentioned.
	Total No. of Books for Central Library and Department Library – Not Mentioned.
	National and International Journals not mentioned.
	No. of Back Volumes in print form (8-10 years) of any 3 Journal of concerned specialty – Send with BDS Proforma.
	Accession No. of List of Books not furnished.
	Student Academic Work - Not Provided.
32	Oral and Maxillofacial Surgery
	There are deficiencies of 2 Readers.
	The deficiencies of following Equipments are as under:-
	Dental Chair and Units - Chairs in PG Section are vested non functional and without spittoon, Autoclave – 3, Oscilating Saw – 1, Emergency Kit – 2, Trauma set including bone plating kit – 1, Implantology Kit – 2, Implantology Kit with Implants – 10, Distraction osteogenesis kit – 1, Peizo Surgical Unit – 1, Needle Destroyer – 3, Ultrasonic Cleaner capacity 3.5 Its – 1, Formalin Chamber – 1, Pulse Oxymeter - 1, Ventilator – 1, Major Operation Theatre with all facilities – 1, Recovery and Intensive Care Unit with all necessary life support equipments – 1 bed shortage, Fibroptic Light – 1, Inpatient Beds – 10 Bed Shortage, Fibre optic laryngoscope – 1.
	Clinical Material:-
	Details of No. of Patients for the last six months - Not Furnished.

	Library Details:-
	No. of Titles of Books for Central Library – Not Mentioned
	No. of Back Volumes in print form (8-10 years) of any 3 journals of concerned speciality - Not Provided
	List of Books not provided.
	Last Annual Admission Details for Specialty:- Dr. Aquila Aini Anwar was absent on both days of Inspection.
	Speciality Department Infrastructure Details:-
	Minor OT - Not Available, Male Wards – Shortage (Only 6 Beds in Male Ward), Female Wards – Shortage (Only 4 beds in Female Ward), Only One Bed for Recovery Room.
33	Periodontology
	There are deficiencies of 2 Readers and 1 Lecturer.
	The deficiencies of following Equipments are as under :-
	Dental Chairs and Units – 3, Autoclave – 2 , Formalin Chamber – 1, Pressure Sensitive Probe – 1, Routine Surgical instrument kit – 3, Mini Five Curettes – 1, Bone Fixation screw kit – 1, Bone Scrapper – 1, Bone Trephines for harvesting autografts – 1, Bone Regenerative Materials – 5, Local Drug Delivery Systems – 1, Root Conditioning Agent – 2, Osteotome – 1, Splinting Kit with Material – 3, Composite finishing kit – 1, Electrical Dental Chair and Unit – 1, Implant Kit – 2, Implants - 10, Implant Maintenance Kit – 1, Implant Guide – 1, Ultrasonic Cleaner Capacity 3.5 lts – 1, Autoclave programmable for all recommended cycles – 1, Refrigerator – 1, Surgical Kit – 2, Sinus Lift Kit – 1, Education Models – 1, Implant remaining Kit – 1
	Clinical Material:-
	Details of No. of Patients for the last six months - Not Furnished.
	Library Details:-
	Latest Journals are not available.
	Last Annual Admission Details:- Dr. Sumit Kanti Poadder, was absent on 16.08.2022.
34	Orthodontic and Dentofacial Orthopedics
	There are deficiencies of 2 Readers.
	The deficiencies of following Equipments are as under:-
	Dental Chairs an Units - 2, Vacuum – 1, Hydrogen Soldering Unit – 1, Lab Micromotor – 3, Spot Welders – 5, Model Trimmer – 3, High Intensity light curing unit – 2, Polishing lathes – 3, Tracing Tables – 5, SLR Digital Camera – 1, Scanner with transparency adapter – 1, X-ray viewer – 4, LCD Projector – 1, Needle Destroyer – 1, Dry Heat Sterilizer – 1, Ultrasonic Cleaner capacity 3.5 lts – 1, Electropolisher – 1, Typodonts with full teeth set – 2, Anatomical articulator with face bow attachments – 1, Free plane articulators - 1, Computer software for cephalometrics – 1.
	Clinical Material:-
	Details of No. of Patients for the last six months - Not Furnished.
	Dental Hospital (On the day of Inspection):- Details of No. of Patients for the last six months - Not Furnished.
	Speciality (On the day of Inspection):- Details not furnished.
	Library Details:-
	Total No. of Books of Department Library not mentioned.
	No. of Back Volumes in print form (8-10 years) of any 3 journals of concerned speciality – Details not furnished.

	List of Journals - Current Journals are not available.
	List of Books - Not Furnished.
35	Oral & Maxillofacial Pathology and Oral Microbiology
	Dental Teaching Staff – Not Furnished.
	The deficiencies of following Equipments are as under:-
	Paraffin Wax Bath – 1, Block Holders – 25, Microtome (Manual) – 1, Slide Warming Table – 1, Steel slide racks for staining - 5, Multi Head Microscope – 1, Stereo Microscope – 1, Immuno histo chemistry lab – 1, Computer with Internet connection with attached printer and scanner - 1.
	Clinical Material:-
	Details of No. of Patients for the last six months - Not Furnished.
	Last Annual Admission Details for all specialties:- Not Furnished.
	Library Details:-
	No. of Titles of Book for Central Library – Not Furnished.
	National and International Journals not mentioned.
	No. of Back Volumes in print form (8-10 years) of any 3 journals of concerned specialty – Not Furnished.
	List of Journals – Not Furnished.
	List of Books – Not Furnished.
	Clinical Work - Not Furnished.
	Scientific Presentation:- Not Furnished.

5(15). **Joint Inspection Report of Council's inspectors Dr. Sanjay Tiwari, Rohtak (Haryana), Dr. Aditya Mitra, Medinipur (West Bengal) and Dr. Mukesh Kumar Singh, Moradabad (Uttar Pradesh) carried out on 25th & 26th August, 2022 at Jaipur Dental College, Jaipur (Rajasthan)- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Sanjay Tiwari, Rohtak (Haryana), Dr. Aditya Mitra, Medinipur (West Bengal) and Dr. Mukesh Kumar Singh, Moradabad (Uttar Pradesh) carried out on 25th & 26th August, 2022 at Jaipur Dental College, Jaipur (Rajasthan) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution alongwith the suggestions of the Sub-Committee (16th & 17th September 2022).

Compliance

	Deficiency as per UG Inspection
i	Hospital
	Area Requirements (As per BIS / NABH) – Not As per BIS Norms
ii	Clinical Material
	There were 3-5 patients seen in any time in either waiting area or in department on both days of Inspection
	Hardly any works was being done in UG clinic of any dept. on both days of Inspection.
iii	Dental Teaching Staff

a.	Prosthodontics & crown Bridge
	Form 16 was not submitted by all teaching staff of the department.
	Total Service college wise in all the previous Institutes not attached appendix of teaching staff i.e. Dr. Rajesh Kumar, Professor, Dr. Gaurav Mathur, Reader, Dr. Manvendra Singh, Reader, Dr. Bharti Partani, Reader, Dr. Manjari Agarwal, Reader, Dr. Pulkit Chandra, Reader, Dr. Chitra Goyal, Reader.
	Dr. Gaurav Mathur, Reader absent on 26.08.22. Dr. Aditi Sarawgi, and Dr. Pulkit Chandra Reader both absent on both days. Dr. Rakshit srekhya, Dr. Hina Saxena, and Dr. Suhani garg, Sr. Lecturer absent on both days. Dr. Cheena jain Lecturer absent on 25.08.2022.
b.	Oral Pathology and Oral Histology
	Form 16 was not submitted by all teaching staff of of the department.
	Total Service college wise in all the previous Institutes not attached appendix of Dr. Shalabh Srivastava, Professor.
	Dr. Nida fahmi Reader absent on both days.
c.	Conservative Dentistry & Endodontics
	Form 16 was not submitted by all teaching staff of the department.
	Total Service college wise in all the previous Institutes not attached appendix of teaching staff i.e. Dr. Deepak Kumar Sharma, Professor, Dr. Gunjan Singh, Professor, Dr. Manu Bansal, Reader, Dr. Mukesh Karol, Reader, Dr. Sangeeta Nawal, Reader,
	Dr. Vikash Kumar, Sr. Lecturer and Dr. Swati Sharma Lecturer absent on both the days of Inspection.
d.	Oral & Maxillofacial Surgery
	Form 16 was not submitted by all teaching staff of
	Total Service college wise in all the previous Institutes not attached appendix of teaching staff i.e. Dr. Ankit Jain, Reader, Dr. Ashish Soni, Reader, Dr. Harsh Saini, Reader.
	Dr. Punit Chitlongia Professor absent on day 26.08.2022 and Dr. Ravindra Dhariwal Sr. Lecturer absent on both days.
e.	Periodontology
	Form 16 was not submitted by all teaching staff of the department.
	Total Service college wise in all the previous Institutes not attached appendix of all teaching staff.
	Dr. Saurabh Gupta reader, Dr. Kapil singhal, Dr. Anirudh Singh Chouhan, dr. Meghna Sharma Reader and Dr. Neha Singh Sikarwar Sr. Lecturer, Dr. Manan Kumar Bansal, Lecturer absent on 26.08.2022.
f.	Orthodontics & Dentofacial Orthopedics
	Form 16 was not submitted by all teaching staff of the department.
	Total Service college wise in all the previous Institutes not attached appendix of teaching staff i.e. Dr. Karamdeep singh, Professor, Dr. Lokendra Singh, Reader
	Dr. Shiva gupta Professor, Dr. Anisha Janu Reader, Dr. Pawan Kumar Soni, Sr. Lecturer absent on 25.08.2022.

	Dr. Poonam Punia absent on both days.
g.	Pediatric & Preventive Dentistry
	Form 16 was not submitted by all teaching staff of the department.
	Total Service college wise in all the previous Institutes not attached of teaching staff i.e. Dr. Abhishek Khairwa, Professor, Dr. Gaurav Gupta Professor, Dr.Aarti Garg, Reader, Dr. Rishabh Malhotra, Reader, Dr. Rahul Gupta, Reader, Dr. Anita Choudhary, Reader. Dr. Rahul Gupta Reader absent on 26.08.2022 Dr. Hetal Sahanadami and Dr. Shaily Garg Sr. Lecturer absent on 26.08.2022.
h.	Oral Medicine & Radiology
	Form 16 was not submitted by all teaching staff of the department.
	Total Service college wise in all the previous Institutes not attached of teaching staff i.e. Dr. Rajeev Kumar Sharma, Professor, Dr. Nidhi Chugh, Reader, Dr. Deepa Walia, Reader.
i.	Public Health Dentistry
	Form 16 was not submitted by all teaching staff of the department.
	Total Service college wise in all the previous Institutes not attached appendix of teaching staff i.e. Dr. Vikas Jeph, Professor, Dr. Swasthi Tambi, Reader.
IV	Lecturers MDS (25%)
	Form 16 was not submitted by all the Lecturers.
	Total Service college wise in all the previous Institutes not attached appendix of all the Lecturers. (Dr. Rhytm Saxena, Prosthodontics, Dr. Yogendra Malviya, Oral & Maxillfacial Surgery, Dr. Gitanjali Singh, Conservative Dentistry have attached appendix.)
	Dr. Sunil Mangal, Dr. Shilpa Sharma, Dr. Divyam Gupta, Conservative Dentistry, Dr. Anjali Singh, Conservative Dentistry affidavits not attached.
V	Tutors BDS (75%)
	Form 16 was not submitted by all the Tutors.
	Total Service college wise in all the previous Institutes not attached appendix of all theTutors.
VI	Medical Teaching Staff
a.	Anatomy
	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff.
b.	Physiology
	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff.
c.	Biochemistry
	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff. (Mr. Dinesh Jindal, Reader attached appendix).
d.	Pharmacology
	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff. (Mr. Naveen Garg, Reader attached appendix).
e.	General Pathology

	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff.
f.	Microbiology
	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff.
g.	General Medicine
	Form 16 was not submitted by all the Teaching Staff.
h.	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff.
i.	General Surgery
	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff.
j.	Anesthesia
	Form 16 was not submitted by all the Teaching Staff.
	Total Service college wise in all the previous Institutes not attached appendix of all the Teaching Staff.
VII	Central Library
	Hard copies of International Journals from 2018 – 2021 were not present except in Orthodontics department.
VIII	Dental Chairs / Units
	The Chairs and Unit are functioning and electrically operated – No.
IX	Infrastructure & Functional Requirements
	Medical Stores Cum Pharmacy 300 sq. ft. – In Hospital
X	Land & Infrastructure Details
	Bio- Waste incinerator is available – Given to Govt.
XI	Check List for the Inspectors
a.	Inspection Proforma filled completely and each page signed by both the inspectors - No
b.	Attached Hospital (100 bedded) as per the BIS/NABH norms and the teachers are posted as per MCI norms - No
c.	Percentage & daily occupancy in the attached 100 bedded hospital in the last 6 months. - No
d.	Bio-metric attendance of the faculty members and PG students – No
	Observation
1.	Oral medicine and Radiology: There were 12 dental chairs in UG section. All were manual and nonfunctional with no suction water connection and air connection, three way syringe etc. In PG section 10 electric dental chairs were present .4 IOPA one OPG and one cbct. On an average 20 IOPA x-rays are being done daily that has been verified for receipt record.
2.	Pediatric & Preventive Dentistry: 24 chairs in UG section and 14 in PG section. All 24 dental chairs in UG section were manual and most of them were nonfunctional. No dental chair in UG section has any airtor air and water connection and suction. In PG section 14 electrical dental chairs were present. In Lab out of 2 lathe 1 lathe was non functional.
3.	Orthodontics & Dentofacial Orthopedics:- 18 dental chairs in UG and 24 in PG section. All 18 dental chairs in UG section were manual and nonfunctional with no basic facilities such as

	water air connection and suction. No autoclave. No dental hygienist and dental mechanic.
4.	Conservative Dentistry and Endodontics: 42 dental chairs in UG section and 24 dental chairs in PG section. All dental chairs in UG section were manual and were lacking with basic facilities and many of them were nonfunctional. Though there were 6 phantom heads for PGS but they were nonfunctional. Autoclave for hand piece sterilization were nonfunctional. Inters had made only 6 class II cavities in their whole tenure of BDS 3rd final and internship. 3 rd year have also made only 2 class I cavities in their whole 3 rd year postings; Phantom head laboratory in UG section was nonfunctional with no airotor or air motor connection
5.	Oral & Maxillofacial Surgery: 35 dental chairs in UG section all were manual and most of them were non functional. All the chairs in UG section were lacking basis facilities such suction air and water connection. There, were 12 dental chairs in PG section 3 in minor OT and 3 in septic OT. However there was no evidence of aseptic conditions maintained in septic OT. It was being used to dump old posters and was full of dust. And such overall sterilization and infection control facilities in all department was poor still they were using boilers in all the departments. Hardly any extractions were done in oral surgery during both the days of inspection by undergraduate students. Only few PGs were doing some procedures.
6.	Public health Dentistry: 11 manual dental chairs in UG section all were nonfunctional and lacking basic facilities. In PG section there were 10 electrical dental chairs out of them two were non functional and one manual dental chairs. There was a mobile Van with one dental unit in that was functional.
7.	Prosthodontics and Crown & Bridge: In UG section 40 manual dental and 3 electrical dental chairs. All the dental chairs in UG section were. Lacking basis facilities such as suction air and water connection and three way syringe and airotor and micro motor. Most of these dental chairs in UG section were nonfunctional. In PG section there were 19 electrical and 3 manual dental chairs. Three dental mechanic, porcelain furnace induction casing machine and pressable ceramic furnace were available. In the pg sections cylinders had been kept next to dental chair and there was no fire safety norms.
8.	Periodontology: 33 dental chairs in UG section all were manual mostly non functional all the chairs in UG section were lacking basis facilities such as suction air and water connection and were full of dust. 22 dental chairs in PG section. College is also running dental hygienist course but there was no separate dental hygienist clinic present. Ultrasonic scalars have to be verified. Only 11 dental chairs in both pg and UG clinic were having functional ultrasonic scalars.
9.	Oral & Maxillofacial Pathology and Oral Microbiology: There were six dental chairs all were manual and one was non functional. All the chairs in UG section and PG section were lacking basis facilities such as suction air and water connection three way syringes.
10.	Library facilities: Library had sitting capacity of 200 persons however this library was also being utilized by Nursing BPT B Parma students. Since 2018 there has been no. Purchase of new books and journal. College has purchased international journals of year 2022 and new editions of books only few days ago and none of these new books and journals had college accession number. There were no hard copies of journal of 2017 to 2021 available in library. However these journal s were available as e journals. The connectivity of e journal's was very slow and it appears hardly any one used this facility.
11.	Hostel; 139 double seated rooms in girls hostel with 250 capacity. 69 rooms in boys hostel and 12 staff quarters. However no staff of dental college was staying in staff quarters.
12.	General hospital: There was a general hospital next to college building. However it is not as per BIS norms. Though they had shown patients lying in beds but there was no case history record, no nursing station present in wards. Out of 20 patients that were present in medicine

	ward only 8 patients had IPD slip with diagnosis of either hemorrhoid or cholelithiasis in all the patients. Doctor on duty was BHMS. Most of specialists were part time and there was no basic facility that is present in a hospital was also being utilized for nursing college. On the 2 nd day of inspection of general hospital many doctors were not present. Hardly 5 patient were sitting in OPD in general hospital at 12.15 am. However two GA OTs were present in hospital block.
13.	Patient input clinical material: Although college has shown record of high number of patient but there were hardly 3 to 4 patients seen in waiting are or in dental chairs at any time during both the days of inspection. Photographs enclosed. Even on the 2 nd day there were hardly 3 to 5 patients seen sitting in dental chairs and most of the dental chairs in all the departments were empty. In most of the departments no work was being done in undergraduate clinics. The clinical material was grossly inadequate for running MDS courses and BDS courses with 100 admissions.
14.	Fire safety norms were not adequate. Only two fire extinguisher cylinders were present in one department of Prosthodontics.
15.	Auditorium is in very bad shape no fans no ac. Many pigeons were sitting in auditorium. Photo enclosed.
16.	Phantom Head: There were 60 phantom heads in phantom head lab. They were having light but in none of the phantom head airtor three way syringe functional.
17.	The List of Missing or nonfunctional equipment are highlighted in DCI equipment list.
18.	The list of staff members absent on each day of inspection is also enclosed as separate annexure as well as in the attendance sheet.
19.	Total dental mechanic were only 3.

5(16). **Joint Inspection Report of Council's inspectors Dr. Nikhil Srivastava, Meerut (Uttar Praesh), Dr. Nidarsh D. Hegde, Imphal (Manipur) and Dr. H. Thamizh Chelvan, Chennai (Tamil Nadu) carried out on 26th & 27th August, 2022 at Chhattisgarh Dental College & Research Institute, Rajnandgaon (Chhattisgarh)- Regarding**

To consider Periodic Joint Inspection Report of Council's inspectors Dr. Nikhil Srivastava, Meerut (Uttar Praesh), Dr. Nidarsh D. Hegde, Imphal (Manipur) and Dr. H. Thamizh Chelvan, Chennai (Tamil Nadu) carried out on 26th & 27th August, 2022 at Chhattisgarh Dental College & Research Institute, Rajnandgaon (Chhattisgarh) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution alongwith the suggestions of the Sub-Committee (16th & 17th September 2022).

Compliance

1.	Deficiencies as per BDS Inspection Report
(i)	Dr. Sakshi Jain, Sr. Lecturer, Pediatric and Preventive Dentistry was absent on 26.08.2022 & 27.08.2022.
(ii)	Dr. Deepti Patel, Sr. Lecturer, Dept. of OMR – Affidavit not provided
(iii)	Dr. Poonam Agarwal, Sr. Lecturer, Dept. of Prosthodontics – Affidavit not provided
(iv)	Dr. Nikita Tiwari, Sr. Lecturer, Dept. of Endodontics – Affidavit not provided

2.	The deficiencies of following Medical Teaching Staff are as under:-			
	(i) Department of Anatomy, Lecturer – 2.			
	(ii) Department of Physiology, Lecturer – 2.			
	(iii) Department of Biochemistry, Lecturer – 1.			
	(iv) Department of Pharmacology, Lecturer – 2.			
	(v) Department of General Pathology, Lecturer – 2.			
	(vi) Department of Microbiology, Lecturer – 2.			
	(vii) Department of General Medicine - 3.			
	(viii) Department of General Surgery – 3.			
3.	The following Medical Teaching Staff were absent on the day of Inspection:-			
	(i) Dr. Satyendra Kumar Dubey, Reader, General Human Anatomy & Histology was absent on 27.08.2022 .			
	(ii) Dr. Kshitij Bansood, Lecturer/Tutor, General Human Anatomy & Histology was absent on 26.08.2022.			
	(iii) Dr. Padmini Sahu, Reader, General Human Physiology & Biochemistry was absent on 26.08.2022 & 27.08.2022.			
	(iv) Padmashree Dr. Pukhraj Bafna, Lecturer/Tutor, General Human Physiology & Biochemistry was absent on 26.08.2022.			
	(v) Dr. P.C Surya Kumar, Lecturer/Tutor, General Human Physiology & Biochemistry was absent on 26.08.2022.			
	(vi) Dr. G.D Gandhi, Lecturer/Tutor, Dental Pharmacology was absent on 26.08.2022.			
	(vii) Dr. Kamlesh Thakur, Lectuer/Tutor, General Pathology & Microbiology was absent on 26.08.2022 & 27.08.2022.			
	(viii) Dr. Vikas Gaikwad, Lectuer/Tutor, General Pathology & Microbiology was absent on 26.08.2022 & 27.08.2022.			
	(ix) Dr. Anshul Diwakar, Reader, Local and General Anaesthesia was absent on 26.08.2022 & 27.08.2022.			
	(x) Dr. Vivek Sahu, Lecturer/Tutor, Local and General Anaesthesia was absent on 26.08.2022 & 27.08.2022.			
4.	Central Library:- The Library budget of 2021-22 is only 4.72 lacs. In this Academic Year college has purchased only 12 titles, 15 journals and subscribed in 2022 e-journals of only 1.16 lacs.			
	S.No.	Amenities	Available/Not Available	Sq.ft
	1.	Staff Reading Room	Common Area	
	2.	Digital Library	Only 3 computers	
	3.	Chief Library Room/Assistant Library	Not Available	

5.	The deficiencies of following Equipments are as under:-
(i)	Prosthodontics and Crown & Bridge:-
	Dental Chairs and Units – 2, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 2, Deflasking Unit – 3, Hydraulic Press – 2, Phantom Heads – Not Available, Pre Clinical Working Tables – 40.
	Ceramic and Cast Partial Laboratory:-
	Palatal Trimmer – 1, Ultrasonic Cleaner – 1.
	Plaster Room For Pre-Clinical Work:-
	Carborandum Disc – 1, Diamond Disc – 1.
(ii)	Conservative Dentistry and Endodontics:-
	Ultrasonic Cleaner – 2.
	Clinical Laboratory:-
	Plaster Dispenser – 1, Lathe – 1, Lab Micromotor - 3, Lab Airrotor – 1, Pindex System – 1, Circular Saw – 1.
(iii)	Oral & Maxillofacial Surgery A) Exodontia:-
	Dental Chairs and Units – 3, Autoclaves – 2, Ultrasonic Cleaner – 1, Oxygen Mask Pedo – 2.
(iv)	Periodontology:-
	Dental Chairs and Units – 5, Ultrasonic Cleaner – 1, Electro Surgical Cautery – 1.
(v)	Orthodontics:-
	Ultrasonic Cleaner – 1.
(vi)	Pediatric and Preventive Dentistry:-
	Dental Chairs and Units – 1, Automatic Developer – Not Mentioned, Pressure Moulding Machine – 1.
(vii)	Public Health Dentistry:-
	Dental Chairs and Units – 4, Ultrasonic Cleaner – 2.
(viii)	Mobile Clinic:- Mobile Dental Van – 1, Dental Chair Unit – 1, Intra Oral X-Ray – 1, Portable Dental Chair – 2, Stabilizer – 1, Generator – 1.
(ix)	Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-
	Oral Pathology Reporting Station:- Microscope Trinocular – 1, Colour Printer – 1, Desktop Computer – 1. Constructed Area (Dental College Building):- Not Mentioned.
(x)	Hostel for Boys and Girls:-
	Whether hostel is shared by other colleges/institutions – Yes.
(xi)	Infrastructure & Functional Requirements:-
	Maintenance Room - 1000sq ft
	Photography and artist room - 400 sq. ft
	Laboratories for Orthodontics and Pedodontics – 1500 sq.ft
	Clinical:-
	Laboratories for Orthodontics and Pedodontics – 1500 sq.ft
	Haematology and Clinical Biochemistry – 300 sq.ft

(xii)	Department of Anatomy:-
	Dissection Hall (Dissection Table, Stainless tables with drainage for cadavers dissection) – Small & H
	Cadaver Room (Freezer Unit) – 1.
(xiii)	Department of Physiology:-
	(Hematology Lab) Microscopes – 7, Ph Meter – 1, Analytical Balance – 1, Centrifuge R4c & R8c – 1.
(xiv)	Department of Biochemistry:-
	Preparation Room (Fridge) – Shared with physio, Centrifuge – 1, Incubator – 1, Hot Air Oven – 2.
(xv)	Department of Pharmacology:-
	Instruments (Electronic Balance) – Electronic Balance – 1, Sensitive Balance – 1.
(xvi)	Department of Microbiology:-
	Clinical Lab (Microscopes Monocular) – 13, Double Door Refrigerator – 1, Anaerobic Jar – 1.
(xvii)	Library Details:-
	(i) Dental Chairs and Units – 15.
	(ii) Only 15 Journals subscribed in 2022.
	(iii) Staff Reading Room – Common Area, Digital Library – Only 3 Computers, Chief Library Room/Assistant Library – Not Available.
	(iv) College has purchased only 12 titles, 15 journals and subscribed e-journals of only 1.16 lacs.
	Man Power Requirement (Medical Staff):- Obstetrics & Gynaecology – 2, ENT – 2, Paediatrics – 2, Orthopaedics – 2, Radiologist – 1, GDMO – 1, Community Medicine – 1, Hospital Administration – 1.
(xviii)	Observations:-
	Ortho-Pedo UG Lab - not available.
	Out of 4 LTs, 2 are small and can not accommodate one batch of 100 students
	No Hematology lab in Oral Pathology Department.
	Basic Medical Departments have infrastructure deficiencies.
	Mobile Dental Van & Satellite Clinic – The College has only one satellite centre and a mobile van with only 1 chair. It requires maintenance.
(xix)	Oral Medicine and Radiology
	There were only 146 patients on 26.08.2022 and 115 patients on 27.08.2022 against the requirement of 150.
(xx)	Oral and Maxillofacial Surgery
	Last annual admission details for specialty – Signatures of the students not done.
(xxi)	Prosthodontics and Crown & Bridge
	There is a deficiency of 1 Lecturer.
	Equipment:-

	Surveyor – 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Dewaxing Unit – 1, Curing Pressure Pot – 1, Duplicator – 1, Stereo Microscope – 1, Dry Model Trimmer – 1, Unit mount light cure – 1.
(xxii)	Pediatric and Preventive Dentistry
	Equipments:-
	Dental Chairs and Units – 1, Automatic Developer – 1.
	There were only 28 patients on 26.08.2022 and 26 patients on 27.08.2022 against the requirement of 40.
(xxiii)	Orthodontics and Dentofacial Orthopedics
	Equipment:-
	Needle Destroyer – 1, Dry Heat Sterilizer – 1.
	Clinical Material:-
	There were only 19 patients on 27.08.2022 against the requirement of 30.
(xxiv)	Periodontology
	Equipments:-
	Dental Chairs and Units – 1, Surgical cassette with sterilization pouches – 4, Digital Camera – 1, Intra Oral Camera – 1, Refrigerator – 1, X-ray Viewer – 1, Sinus lift kit – 1.
	Last Annual Admission Details for specialty – Signature of the students not done.
(xxv)	Conservative Dentistry & Endodontics
	NAAC Certificate not provided.

5(18). **Joint Inspection Report of Council's inspectors Dr. Mridula Trehan, Jaipur (Rajasthan), Dr. Vinay Kumar Srivastava, Varanasi (Uttar Pradesh) and Dr. G.M. Sogi, Mullana (Haryana) carried out on 1st & 2nd September, 2022 at JKK Natrajah Dental College, Nammakal (Tamil Nadu)- Regarding**

To consider Periodic Joint Inspection Report of Council's inspectors Dr. Mridula Trehan, Jaipur (Rajasthan), Dr. Vinay Kumar Srivastava, Varanasi (Uttar Pradesh) and Dr. G.M. Sogi, Mullana (Haryana) carried out on 1st & 2nd September, 2022 at JKK Natrajah Dental College, Nammakal (Tamil Nadu) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution alongwith the suggestions of the Sub-Committee (16th & 17th September 2022)

Compliance

1	Deficiencies as per BDS Inspection report are as under:-
	Hospital:-

	Maternity Ward –, Intensive Care Services (4% of bed strength) – 4, Critical Care Services (6% of bed strength) – 4
2	Medical Staff:-
	General Surgery – Affidavits and form 16 not provided.
	General Medicine - Affidavits and form 16 not provided.
	Obstetrics & Gynaecology – List not provided.
	ENT – 2, Pediatrics – List not Provided.
	Anaesthesia – 2 Affidavits and form 16 not provided.
	Orthopaedics – List not provided.
	Pharmacologist – 1, Radiologist – 1, GDMO – 1, Community Medicine – 1, Hospital Administration - 1
	Nursing Staff - List Not Provided
	Health Staff – List Not Provided
	Engineering Staff – List Not Provided
	Other Staff – List Not Provided
	Administrative Staff – List Not Provided
3	Dental Teaching Staff :-
	Dr. D. Saisadan, Reader – Experience details not provided
	Dr. V. Monnica, Reader - Experience details not provided
	Oral Pathology and Oral Histology
	Dr. Premkumar, Reader - Experience details not provided.
	Conservative Dentistry & Endodontics
	Dr. B. Sathya Narayanan, Reader - Experience details not provided.
	Dr. N.Ragavendran, Reader - Experience details not provided.
	Dr. Chris Sussan Abraham, Reader - Experience details not provided.
	Oral & Macilofacial Surgery
	Dr. A. Kaneesh Karthik, Reader - Experience details not provided.
	Dr. J. Vijay Thiyagarajan, Reader – Form 16 & Experience details not provided.
	Periodontics
	Dr. P.K. Sasi Kumar, Professor - Experience details not provided.
	Dr. S. Santosh, Reader - Experience details not provided..
	Orthodontics & Dentofacial Orthopedics
	Dr. V. Vignesh Kumar, Professor - Experience details not provided.
	Dr. G. Divakar, Reader - Experience details not provided.
	Dr. V. Kumaran, Reader - Experience details not provided.
	Oral Medicine & Radiology
	Dr. B.Sasirekha, Prof. & HoD, did not furnish proof of residence.
	Dr. P.K. Meena Priya, Reader - Experience details not provided..
4	Lecturers MDS(25%) – Form 16 & Experience details not provided. 1. Dr. R.P. Chandrika Lecturer, Dept. of Conservative & Endodontics has not received salary for the last 4 months. 2. Dr. M.M. Prem Kumar, Lecturer, Dept. of Conservative & Endodontics has not received salary for the last 4 months.

	3. Dr. N. Jayaprakash, Lecturer, Dept. of Conservative & Endodontics has not received salary for the last 4 months.
	Tutors BDS (75%)
	Dr. N.Sowparnika, Dr.P.Nalini, Dr. P.Church Allwyn, Dr. K.Nivetha and Dr. Santhoshkumar Pallipalayam was absent and all Tutors's Form 16 & Experience details not provided.
	Medical Teaching Staff
	Anatomy
	Deficiency of 1 Lecturer.
	Dr.K.Pavithra - Form 16 & Experience details not provided.
	Dr.S.Kabilesh was absent and Form 16 & Experience details not provided.
	Physiology Teaching Staff – Form 16 & Experience details not provided of all staff.
	Biochemistry Teaching Staff -
	Dr. C.Vivekanandan, Lecturer - Form 16 & Experience details not provided.
	Dr. S.Dhanabalan - Experience details not provided.
	Pharmacology Teaching Staff -
	Dr.N.A. Murugesan Reader, Form 16 & Experience details not provided.
	Dr.S.Karthika, Lecturer, Form 16 & Experience details not provided.
	General Pathology Teaching Staff
	Dr. D.Suresh - Form 16 & Experience details not provided. Most of the chemicals in General Pathology date are expired.
	Microbiology Teaching Staff – Affidavit and form 16 not provided for all staff.
	General Medicine
	Dr.M.Natarajan Reader, Dr.T.Ashwin, Lecturer was absent and affidavit not provided
	Dr. K.Sheela, Lecturer, Dr. K.Elavarasan, Lecturer, Dr. K.S.Rishinath, Lecturer affidavit and form 16 not provided
	General Surgery
	Dr. R.M.Sudarshana Sreramashadri was absent and affidavit not provided
	Dr. R.Muthuswamy, Dr.B.Venkatesh Babu, Dr. V.Varun Guhan, Dr. J.S. Vijayakumar affidavits and form 16 not provided
	Anesthesia
	Dr. A. Senapathy affidavit and form 16 not provided
5	Non-Teaching Staff / Ministerial Staff –non-teaching staff has not signed in front of the inspectors.
6	Central Library -
	Seating Capacity 170 against the requirement of 250.
	Students Cloak Area not available.
	Dental Chairs / Units
	The Chairs and Units are functioning and electrically operated 120 against the requirement 200.
7	Major Equipments (Prosthodontics and Crown & Bridge)
	Dental Casting machine – 1, Surveying – 1
	Lab:- Dewaxing Unit – 1, Phantom heads – 18
8	Conservative Dentistry and Endodontics

	Dental Chairs and Units – More than 50% of the chairs are not functional, R.C.T. Instrument kits – 5, Autoclaves – 1, Amalgamator – 1 Amalgamator is non-functional, Pulp Tester – Digital – 1 is non-functional, Glass bead sterilizers – 1 is non functional, Automatic Developer – 1, Radiovisiography – Laptop was available, Bleaching unit – 1
	Clinical Laboratory
	Diamond disc – 1, Lab Airrotor – 1, Circular saw – 1.
9	Oral & Maxillofacial Surgery
	Dental Chairs and Units – 08 not working, Oxygen cylinder – 1
	Minor Surgery
	Dental Chairs and Units – 5
10	Periodontology
	Dental Chairs and Units – 08 not working, Surgical instrument cautery – 1, Needle burner with syringe cutter – 1, X-ray viewer (Extra Oral) – 1, Hand Scaler sub gingival – 10, Set of curettes – 2, Periodontal Surgical Kit – 3.
11	Orthodontics
	Dental chairs and Units – No air water supply.
	Ortho Lab
	Plaster dispenser – 2, Model Trimmer – 1, Lathe – 1, OPG with cephalostat – Available in Radiology, Set of Pliers – 4
12	Oral Medicine and Radiology
	Dental Chairs and Units – No air water and No airrotor & micrometer, Intra Oral X-ray Unit – 1 Only 1 AERB Certified, Automatic periapical x-ray Developer – 1, Automatic Panoramic with Cephalometric X-ray Developer – 1, Automatic Developers / Dark Room – 1
13	Public Health Dentistry
	Dental Chairs and Units – 2 (not working), Ultrasonic cleaner – 1 (not working), Mobile dental van – only 8 People can sit against the requirement of 15 to 20 people., Glass bead sterilizers – 1, Portable dental chair – 2, TV and Video Cassette player – 1
14	Staff Quarters (Separate From Hostel)
15	Principal/Dean's Bungalow – 1, Staff Quarters – 19, Guest House with minimum 3 double bed rooms – 1
16	Hostel for Boys & Girls
	Hostel is shared by other colleges / Institutions – Yes
17	Infrastructure & Functional Requirements
	Maintenance Room – 1000 sq.ft., Photography and artist room – 400 sq.ft.
	Girls & Boys common room not available. Lockers available in Corridor. No Change room for men or women.
	Wards male and female to accommodate 20 beds, central store, departmental store, major and minor O.T. etc. – Minor O.T. not available, Major O.T. in General Hospital
18	Clinical
	AREP certified Radiographic Room along with Dark Room – not AERB Certified.
19	Department of Anatomy
	Area Requirements
	Dissection Hall cum Museum –No glass Almirah.
	Histology Room – Table without granite top.

	Cadaver Room
	Freezer Unit – 1
	Histology Room
	Dissection Microscopes – 5
20	Department of Physiology
	Clinical lab – not Available
	Hematology Lab
	Stop Watches – 1, Centrifuge R4c & R8c – 1, Haematocrit Tubes – 5,
	Clinical Lab
	Spirometer – 3, Mosso's Erograph – 1, Dynamometer – 1, Perimeter – 1, Bicycle Ergrometer – 1, Sterliser – 1, Weighing Machine – 3
21	Dept of Microbiology
	Clinical Lab
	Microscopes monocular – 14 not working, Double Door Refrigerator – 1
	Preparation Room
	Centrifuge – 1
22	Dept. of General Pathology
	Clinical Lab
	Test tubes – Adequate number, Glass pipette – 25 Each, Conical Flask – 50, Coupling jar – 25, Wintrobe tubes – 20, Dropper bottles – 25, Capillary tubes – 2 pack, RBC pipette – 60, Glass rods – 50, Micropipettes – 50, Microscopes – 13 Not working, Incubator – 1, Centrifuge – 1, Water bath – 1, Electronic weigh scale – 10, ESR stand – 25, Counting chamber – 10
23	Land & Infrastructure Details -
	Pollution Control board norms are followed – No.
	Bio-waste incinerator is available – No.
	Anatomical Act has been obtained from competent Authority (DME) – No.
	Castor monoxide monitor & Audio – Visual aids not available in Tobacco Cessation Center
24	Deficiency as per MDS Report
	Conservative dentistry & endodontics
	Library Details
	International Journals – 2
	No. of Back volumes in Print form (8-10 years) of any 3 journals of concerned specialty
	Journal of endodontics – 8
	International Endodontics – 8
	Operative Dentistry – 8
	Table of contents
	Details of Ethical Committee – No
25	Periodontology
	Clinical Work Load
	There were only 41 patients on 01.09.2022 and 32 Patients on 02.09.2022 against the requirement of 60.
	PG Common Room – not available

	Library Details
	National Journals not available.
	Journal of Clinical Periodontology available only 4 years.
	Periodontology Journals available only 6 years.
	List of Journals
	Journal of Indian Society of Periodontology – Nil
	Contemporary Clinical Dentistry – Nil
	Latest National Journals available – Nil
	Internet facilities are available – Not available in Department. Available in Central Library.
	Photocopy facilities are available – Not functional.
26	Hostel facility for PG:
	Boys – Not available
	Girls – Not available
	Equipments:-
	UV Chamber – 1, Mallet – 1, Bone fixation screw kit – 1, Bone trephines for harvesting autografts – 1, Bone regenerative Materials – 5, Local drug delivery systems – 1, Root conditioning agent – 1,
27	Miscellaneous Instruments
	Composite gun with material kit – 1, Splinting kit with material – 1, Glass ionomer cement – 1, Emergency kit – 1, Refrigerator – 1, X-ray viewer – 1, computer with internet connection with attached printer and scanner – 1, Autoclave programmable for all recommended cycles – 1, RVG with x-ray machine – 1, Surgical kit – 1
	Table of contents
	Details of ethical committee – No
28	Prosthodontics and Crown & Bridge
	Equipments:-
	Ultrasonic scaler – 2, Light cures, Welder – 1, Spot welder with soldering, attachment of cable – 1, Wax heater – 1, Stereo microscope – 1, Heavy duty lathe with suction – 1, Ceramic kit (Instruments) – 2, Ceramic polishing kit – 1, Unit mount light cure -1.
29	Table of Contents:-
	Details of Ethical Committee – Not Available.
	Details of AERB Norms Compliance – Not Available.
	AERB Certification Certificate – Out of 9 IOPA machine only one have AERB Certified.
30	Orthodontics & Dentofacial Othopedics
	Specialty Department Infra Structure Details:-
	Faculty Rooms – 150sq.ft (No Reader room was available)
31	Library Details
	Back Volumes of Journals not available
	Photocopy facilities not functional.
	Equipments:-
	Model trimmer (Double disc) – 1, Autoclaves for bulk instrument Sterilization vacuum (Front loading) – 1, Needle destroyer – 1, Ultrasonic scaler – 1, Electropolisher – 1
32	Table of Contents
	Details of Ethical Committee – No.

5(21). **Joint Inspection Report of Council's inspectors Dr. Gyanendra Kumar, New Delhi, Dr. Darshan M. Dakshinadas, Nagpur (Maharashtra) and Dr. Naresh Kumar Sharma, Varanasi (Uttar Pradesh) carried out on 28th & 29th October, 2022 at D.A. Pandu Memorial R.V. Dental College, Bangalore (Karnataka) Regarding**

To consider Periodic Joint Inspection Report of Council's inspectors Dr. Gyanendra Kumar, New Delhi, Dr. Darshan M. Dakshinadas, Nagpur (Maharashtra) and Dr. Naresh Kumar Sharma, Varanasi (Uttar Pradesh) carried out on 28th & 29th October, 2022 at D.A. Pandu Memorial R.V. Dental College, Bangalore (Karnataka) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

Compliance

1	Deficiency as per BDS Inspection Report
	Dr. Revathi N., Reader, Conservative Dentistry and Endodontics was absent on 28.10.2022 & 29.10.2022.
	Dr. C.G Anandrao, Reader, General Medicine was absent on 28.10.2022 & 29.10.2022.
(i)	Staff Quarters:-
	Principal / Dean's Bungalow – Not Available.
(ii)	Infrastructure & Functional Requirements:-
	Medical Stores Cum Pharmacy – 200 sq.ft (deficient)
	Compressor and Room for Gas Plant – (deficient)
	Clinical Area - 269 sq.ft (deficient)
	Laboratories for Orthodontics and Pediatric & Preventive Dentistry – 100 sq.ft (deficient)
	Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc – 48 sq.ft (deficient)
	One Laboratory for physiology with stores and preparation rooms – 448 sq.ft (deficient)
(iii)	Land & Infrastructure Details:-
	Whether Anatomical Act has been obtained from competent Authority - NA.
(ii)	Orthodontics and Dentofacial Orthopedics
	Equipment:- Polishing Lathes – 1.
(iii)	Oral & Maxillofacial Surgery
	Equipment:- Minor Oral Surgery Kit – 1,
(iv)	Periodontology
	Equipments:- Splinting kit with material – 1, Implant Kit – 1,

	Implants – 8.
(v)	Conservative Dentistry and Endodontics
	There is a deficiency of one Lecturer.
	Equipments:- Face bow with semi adjustable articulator – 1, GP Cutter – 5, Proffin System - 1.
(vii)	Pediatric and Preventive Dentistry
	NAAC Accreditation Certification not provided.
	Details of Ethical Committee not provided.
	Centralized Casting Lab & Ceramic Lab not provided.
	Centralized Air Compressor not provided.

5(26). **Joint Verification Inspection Report of Council's inspectors Dr. Veena V. Naik, Belgaum (Karnataka), Dr. Pradeep G.L., Nashik (Maharashtra) and Dr. A. Kalyan Chakravarthy, Nizamabad (Telangana) for shifting of Rama Dental College & Hospital, Lakhanpur, Kanpur (Uttar Pradesh) to Campus of Rama University, Kanpur, Uttar Pradesh carried out on 12th & 13th August, 2022 - Regarding**

To consider Periodic Joint Verification Inspection Report of Council's inspectors Dr. Veena V. Naik, Belgaum (Karnataka), Dr. Pradeep G.L., Nashik (Maharashtra) and Dr. A. Kalyan Chakravarthy, Nizamabad (Telangana) for shifting of Rama Dental College & Hospital, Lakhanpur, Kanpur (Uttar Pradesh) to Campus of Rama University, Kanpur, Uttar Pradesh carried out on 12th & 13th August, 2022, to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution and compliance report submitted by the college authorities vide letter dated 04.06.2022 on Joint Inspection Report of the Council's Inspectors Dr. Mohammed Sagir, Palakkad, Dr. Darshan M. Dakshinadas, Nagpur and Dr. Shantanu Choudhari, Ahmedabad carried out on 7th & 8th April, 2022 alongwith the suggestions of the Sub-Committee (16th & 17th September 2022).

Compliance

- (i) Building Completion Certificate and blue prints of the specified buildings.
- (ii) Land documents, fire safety, sewerage, Pollution Control certificate also required from the college.