

DENTAL COUNCIL OF INDIA

Meeting file of the Executive Committee of the Dental Council of India held on 20.5.2022 (Friday) at 10.30 AM in the Committee Room, Dental Council of India, Aiwan-E-Ghalib Marg, Kotla Road New Delhi in respect of compliance cases. 5. Academic Section Matters, if any

5. Academic Section Matters, if any

BDS Recognition Matters

5(1). Dental Institute, Rajendra Institute of Medical Sciences, Ranchi, Jharkhand

To consider (i) Joint Inspection Report of Council's Inspectors Dr. Manish Goyal, Moradabad and Dr. Narendra Padiyar U., Jaipur, conducted on 18th & 19th April, 2022, for recognition of first final BDS exams to be conducted by Ranchi University, Ranchi, Jharkhand, in respect of BDS students of Dental Institute, Rajendra Institute of Medical Sciences, Ranchi, with 50 seats and (ii) Joint Verification Report dated 18th & 19th April, 2022 to verify the compliance with regard to the deficiencies pointed out for renewal of next batch of BDS course for the academic year 2022-23 with 50 seats.

Compliance alongwith the deficiencies pointed out in verification report if any.

Inspection conducted on 18th & 19th April, 2022 at Dental Institute, RIIMS, Ranchi

1. **University Affiliation:-** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. There is a deficiency of 4 Lecturer/Tutor.
3. There are following Medical Teaching Staff were absent on the days of inspection
Dr. Krishna Kumar Prasad Singh, Associate Professor, Anatomy was absent on 18.04.2022 & 19.04.2022.
Dr. (Mrs.) Mary Pushpa Bara, Professor, Physiology was absent on 18.04.2022 & 19.04.2022.
Dr. (Mrs.) Bela Rose Ekka, Professor, Biochemistry was absent on 18.04.2022 & 19.04.2022.
Dr. Tarique Aziz, Associate Professor, Biochemistry was absent on 18.04.2022 & 19.04.2022.
Dr. Umashankar Prasad Kesari, Professor, Pharmacology was absent on 18.04.2022 & 19.04.2022.
Dr. Kusum Kumari, Associate Professor, Pharmacology was absent on 18.04.2022 & 19.04.2022.
Dr. Kavita Topno, Tutor, Pharmacology was absent on 18.04.2022.
Dr. Anshu Jamiar, Associate Professor, General Pathology was absent on 18.04.2022 & 19.04.2022.
Dr. Ashok Kumar Sharma, Associate Professor, Microbiology was absent on 18.04.2022 & 19.04.2022.
Dr. Amber Prasad, Assistant Professor, Microbiology was absent on 18.04.2022 & 19.04.2022.
Dr. Anupama Hans, Tutor, Microbiology was absent on 18.04.2022 & 19.04.2022.
Dr. Nayan Tara, Tutor, Microbiology was absent on 18.04.2022 & 19.04.2022.
Dr. Jubie Jane Keshari, Tutor, Microbiology was absent on 18.04.2022 & 19.04.2022.
Mr. Ashish Kumar, Tutor, Microbiology was absent on 18.04.2022 & 19.04.2022.
Dr. Kumari Seema, Assistant Professor was absent on 19.04.2022.
Dr. Manju Boipai, Assistant Professor was absent on 18.04.2022 & 19.04.2022.
Dr. Vidyapati, Professor & HOD, General Medicine was absent on 18.04.2022 & 19.04.2022.
Dr. Manoj Kumar Prasad, Associate Professor, General Medicine was absent on 18.04.2022 & 19.04.2022.
Dr. Rashmi Sinha, Associate Professor, General Medicine was absent on 18.04.2022 & 19.04.2022.
Dr. Shital Malua, Professor and HOD, General Surgery was absent on 18.04.2022

& 19.04.2022.

Dr. Marshall Daud Kerketta, Associate Professor, General Surgery was absent on 18.04.2022 & 19.04.2022.

Dr. Anil Kumar Kamal, Associate Professor, General Surgery was absent on 18.04.2022 & 19.04.2022.

4. There are following deficiencies in Major Equipments of various departments are as under:-

Prosthodontics and Crown & Bridge:- Curing Unit – 1,

LAB:- Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Vacuum Mixing Machine – 1, Phantom Heads – Shared with Conservative Department, Pre-Clinical Working Tables: Gas Connection & Bunsen Burner - Bunsen Burner and Gas Connection not available.

Ceramic and Cast Partial Laboratory:- Pindex System – 1, Electro Polisher – 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Vacuum Mixing Machine – 1, **Pre-Clinical Prosthetics Laboratory:** Work Table preferably complete stainless steel fitted with light, Bunsen Burner, Air Blower, Working Stool, Adequate number of lab micro motor with attached hand piece – Seating capacity – 40, No light fitting, Bunsen burner, air blower.

Plaster Room for Pre Clinical Work:- Model Trimmer – 1, Carborandum Disc – 1, Diamond Disc – 1

Conservative Dentistry and Endodontics:- Amalgamator – 2, Automatic Developer – 1, Injectable Gutta Percha – 1.

Clinical Laboratory:- Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Pindex System – 1, Vacuum Mixer – 1,

Orthodontics: I LAB:- Model Trimmer – 1, Typodont – 2, Typodont Articulator – 3.

Paediatric and Preventive Dentistry:- Amalgamator – 1, Injectable Gutta Percha with condensation - 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Steam Cleaner – 1.

Oral Medicine and Radiology:- General X-Ray Unit – 1 (In Medical College Attached)

5. **Observations:-**

Pollution Certificate issued in 2018 but validity not mentioned.

Deficiency of International Journals in all branches.

Deficiency of Back Volumes of Journals.

The Institute is not NAAC accredited.

Instead of Plaster Dispenser, Plastic Drums are made, available in departments.

Clinical Activities:-

Orthodontics:- Clinical Book not signed with date, Deficiency of Removable appliances.

Oral Surgery:- Extractions done are 30-35 against 70 required.

Pedodontics:- Total 10 patients treated instead of 35.

Endodontics:- Total 40 restorations done against 100 required.

Prosthodontics:- Two CD's done against a requirement of 5.

There is a deficiency of 1 Reader in department of Periodontics.

Dr. Nishita Garg, Associate Professor, Pedodontics was absent on both days of Inspection.

Dr. Butta Vishwanath, Professor, Conservative Dentistry and Endodontics does not have Form-16 from previous College i.e. Mamta Dental College, Telangana. He has only 5 months experience from this college.

Dr. Sandeep Kumar, Assistant Professor, Public Health Dentistry has 4 months of experience from Sharad Pawar Dental College shown in affidavit.

There is a discrepancy in relieving certificate of Dr. Poonam K Jayprakash obtained from Rungta Dental College, Chattisgarh. The certificate is issued on 30.09.2022 but mentioning her relieving date as 31.09.2022. A past dated acceptance of relieving certificate need to be assessed by DCI as a valid or invalid document.

Discrepancy in certificates issued from Kothiwal Dental College, Moradabad are as under:-

- The offer letter identifies her as Dr. Poonam Kumari.

- The Promotion letter identifies her as Dr. Poonam K. Jay Prakash.
- The relieving experience identifies her as Dr. Poonam Jay Prakash.
- All the certificates are being issued with different names.
- Her tenure in Mithila Minority Dental College could not be verified as there is no authentic experience or relieving certificate from the college. Even her joining letter is missing.
- She has worked in KD Dental College for 5 months 20 days which is less than 1 year.
- As a profession colleague, Inspector knows she has worked in ITS Dental College after getting relieved from Kothiwal Dental College. The proof of this tenure is missing from disclosure in the affidavit which may be verified by DCI. Her affidavit copy produced during her joining in RIIMS could not be checked as was not made available to Inspectors by the Principal. According to the Principal the records are with the Director of RIIMS.

There is deficiency of 1 Reader in Periodontology

There are deficiencies of equipments in the following departments:-

Prosthodontics and Crown & Bridge:- Curing Unit-1, Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-1, Vacuum mixing machine-1

- Ceramic and Cast Partial Laboratory:- Pindex System-1, Electro-polisher-1, Model Trimmer with Carborandum disc-1, Model Trimmer with Diamond disc-1, Vacuum mixing machine-1

- Pre-Clinical Prosthetics Laboratory- Bunsen Burner, Light fitting and Air Blower not Available

- Plaster Room For Pre-Clinical Work- Plaster dispenser-2, Model Trimmer-1, Carborandum Disc-1, Diamond disc-1

Conservative Dentistry And Endodontics: Amalgamator-2, Automatic Developer-1, Injectable gutta percha-1,

- **Clinical Laboratory:** Model Trimmer with Carborandum disc -1, Model Trimmer with Diamond disc-1, Pindex System-1, Vacuum mixer-1

I LAB:- Model Trimmer-1, Typodont-2, Typodont articulator-3

Paediatric and Preventive Dentistry:- Amalgamator-1, Apex locator-1, Injectable gutta percha with condensation-1

Pedo Lab:- Model Trimmer With diamond disc-1, With Carborandum disc-1, Steam cleaner-1

Oral Medicine And Radiology- Automatic periapical X-ray Developer-1

Public Health Dentistry:- Portable dental chair-1

Periodic Inspection

5(5). Luxmi Bai Institute of Dental Sciences & Hospital, Patiala, Punjab

To consider Joint Inspection Report of the Council's Inspectors Dr. Girish Giraddi, Bangalore, Dr. Prosenjit Banerjee, Kolkata and Dr. T. Murali Mohan, Vijayawada carried out on 7th & 8th April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report.

There is deficiency of university affiliation for the current academic year.

Cont'd...

5(6). **D.J. College of Dental Sciences & Research, Ghaziabad, Uttar Pradesh**

To consider Joint Inspection Report of the Council's Inspectors Dr. Shishir Singh, Navi Mumbai, Dr. Prosenjit Banerjee, Kolkata and Dr. Anirban Chatterjee, Durg carried out on 11th & 12th April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report

1. There are following deficiencies of Major Equipments:-

Oral & Maxillofacial Surgery A) Exodontia :- Surgical Straight Hand Piece – 4

Orthodontics:- Micrometer – 3

Department of General Pathology:- Conical Flask - 50

2. Hostel is shared by other Colleges/Institutions.

3. **Deficiencies as per MDS Inspection Report**

1. **Pedodontics and Preventive Dentistry with 6 seats**

Clinical Material:- Not furnished.

2. **Oral and Maxillofacial Surgery with 3 seats**

Library Details:-

List of Journals, Availability of Year/Month up to which latest National Journals, International Journals, Library Timings, Seating Capacity, Internet Capacity and Photocopy facilities are not furnished.

Hostel Facility for PG:- (Boys & Girls)- details not furnished

Last annual admission details for all specialties:- Not furnished.

Documents Submitted by the Principal:- Not furnished.

3. **Periodontology with 6 seats**

Library Details:- Availability of Year/Month up to which latest National Journals and International Journals are not furnished.

Documents Submitted by the Principal:- Not furnished.

4. **Oral Medicine and Radiology with 3 seats**

Library Details:- Availability of Year/Month up to which latest National Journals, International Journals and Details of Library Timings and Seating Capacity are not furnished.

Documents Submitted by the Principal:- Not furnished.

5. **Public Health Dentistry with 3 seats**

Library Details:- Availability of Year/Month up to which latest National Journals, International Journals and details of Internet facilities, Photocopy facilities are not furnished.

Documents Submitted by the Principal:- Not furnished.

6. **Oral & Maxillofacial Pathology and Oral Microbiology with 6 seats**

Clinical Material:- There are only 14 patients on 11.04.2022 and 15 patients on 12.04.2022 against the requirement of 24.

Library Details:- Availability of Year/Month up to which latest National Journals, International Journals are not furnished.

7. **Conservative Dentistry and Endodontics with 6 seats**

Equipment:- Laser (preferably hard tissue) – 1.

Library Details:- Availability of Year/Month up to which latest National Journals, International Journals List of Journals, Library Timings, Seating Capacity and Photocopies facilities are not furnished.

Last Annual Admission Details:- Not furnished.

Preclinical Work:- Details of the students has not furnished.

Clinical Work:- Details of the students has not furnished.

8. **Orthodontics & Dentofacial Orthopedics with 6 seats**

Clinical Material:- No. of Patients on the day of inspection not furnished.

Library Details:-

List of Journals, Details of National and International Journals not furnished. Details of Library Timings and Seating Capacity not furnished; Availability of Internet and Photocopy facilities are not furnished.

Last Annual Admission Details for specialty:- Details not furnished.

Clinical Work:- Details of the students not furnished.

Details of Constitution of Board of Examiners:- Not furnished.

Documents Submitted by the Principal:- Not furnished.

9. **Prosthodontics and Crown & Bridge with 6 seats**

Library Details:- Number of Journals not furnished.

Last Annual Admission Details for all specialties:- Not furnished.

Details of Constitution of Board of Examiners:- Not furnished.

Documents Submitted by the Principal:- Not furnished.

5(7). **Faculty of Dentistry, Rajah Muthiah Dental College & Hospital, Annamalai Nagar, Tamil Nadu**

To consider Joint Inspection Report of the Council's Inspectors Dr. Vinay Kumar Srivastava, Varanasi, Dr. Suma, Bangalore and Dr. Rohit Adyanthaya, Jaipur carried out on 11th & 12th April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Deficiencies as per BDS Inspection Report

1. Dr. M.Mohamed Arafath, Professor, Orthodontics was absent on 11.04.2022
2. **University Affiliation:** - The University affiliation is valid for the year 2021-22 and has not provided the current University affiliation for the year 2022-23.
3. **Non Teaching Staff/ Ministerial Staff:** Managers/office suptd./S.O./Head Clerk/Estate officer – 7, Assistant/ Clerk – 10, Receptionist – 14, Librarian – 1, C.S.A. (chair side attendant)/DORA/ANM/ Para Medical staff with 6 months (minimum class 10th pass) experience in dental college/Clinic/Hospital – 17, Dent. Tech. (Dental Mechanic) – 4, Dent. Hygst – 2, Radiographer – 1, Photographer – 1, Artist – 1, Data Entry Operator – 2, Physical Director – 1, Electricians – 2, Plumber – 1, Carpenter – 1, A.C. Tech. – 1, Helpers Electrical – 3, Sweepers & Scavengers – 17, Attenders/Peon/Orderly – 25, Security Personal – 6, Dept. Secretaries – 8, Driver – 5, Nurses – 9, Lab. Technicians – 5.
4. **Hospital: (Health staff):** CSSD – 1, **(Engineering Staff):** Civil - 2, Mechanical – 2, Electrical – 2, Engineering aid – 4, **(Other Staff):** Carpenter – 1.

5. Infrastructure & functional requirements:

Sl.No.	Infrastructure	Requirement	Availability
1.	Library	8000 sq.ft.,	4050 sq.ft.,
2.	Central stores	800 sq.ft	600 sq.ft
3.	Maintenance room	1000 sq.ft	250 sq.ft
4.	Photography and artist room	400 sq.ft.	0
5.	faculty rooms (dental faculty)	2000 sq.ft.	1530 sq.ft.
6.	Amenities area to include boys and girls locker room, boys and girls common room, common room for non-teaching staff, common room for teaching staff, change room for men, change room for women	3200 sq.ft.	120 sq.ft. for girls
7.	Cafeteria	1500 sq.ft.	Nil
8.	Examination Hall	3600 sq.ft.	shared with Annalamai University
9.	Auditorium (to accommodate at least 500 people)	4000 sq.ft.	shared with Annalamai University
	CLINICAL		
10.	Histopathology lab for oral pathology	2500 sq.ft.	1003.26 sq.ft.
11.	Laboratories for orthodontics and pedodontics	1500 sq.ft.	No
12.	*Haematology and clinical biochemistry	300 sq.ft.	80

(Clinical): Histopathology lab for Oral Pathology - not as per specification, Laboratories for Orthodontics and Paedodontics – No, Hematology and clinical biochemistry - not as per specification.

6. **Land & Infrastructure:** Details not furnished as per inspection report.

7. **Central Library:** Digital Library not available.

8. **Dental Chairs:-** (i) there are shortage of 23 dental chairs.

(ii) 19 dental chairs are not functioning out of 177.

9. Major Equipments:

(Prosthodontics and crown & bridge): Dental Chairs and Units – 6 (28 out of 34 available but without attachment & non functioning), Extra Oral/ Intra oral tracer – 4, Dental casting machine – 1, Wax burnout furnace – 1, Pre heating furnace – 1, Surveying unit – 2, Autoclave (having wet and dry cycle, which can achieve 135 degree C with minimum capacity of 20 liters) – 1, Needle burner with syringe cutter – 2, **(Lab):** Plaster Dispenser – 2 (not functional), Model Trimmer with Diamond Disc – 2, Deflasking unit – 3, Dewaxing unit – 3 (not functional), Hydraulic press – 3, Mechanical press – 2 (not functional), Vacuum mixing machine – 1, Curing pressure pot – 1, Geyser – 2, Phantom heads – 30, Pre-clinical working tables (gas connection & bunsen burner) – 10.

(Ceramic and Cast Partial Laboratory): Plaster Dispenser – 2, Duplicator – 1,

Pindex System – 1, Circular saw – 1, Burn out furnace – 1, Sandblasting machine (with two containers) – 1, Electro-polisher – 1, Model Trimmer with Carborandum disc – 1, Model Trimmer with Diamond disc – 1, Induction casting machine – 1, Spot welder with soldering, attachment of cable – 1, Vacuum mixing machine – 1, Steam cleaner – 1, Spindle grinder 24,000 RPM with vacuum suction – 1, Wax Heater – 1, Wax carver – 1, Curing pressure pot – 1, Milling machine – 1, Heavy duty lathe with suction – 1, Preheating furnace – 1, Ultrasonic cleaner (5 liters capacity) – 1, Micro surveyor – 1, Pre-Clinical Prosthetics Laboratory (work table preferably complete stainless steel fitted with light, Bunsen, Burner, Air blower, Working stool) – 60, Pre-Clinical Prosthetics Laboratory (Adequate number of lab micro motor with attached hand piece) – 20, **(Plaster room for Pre-Clinical work):** Plaster dispenser – 2, Carborandum Disc – 1, Diamond disc – 1.

(Conservative Dentistry and Endodontics): Dental Chairs and Units – 4 (30 out of 34 available but without attachment & non functioning), RCT Instrument Kits – 5, Needle burner with syringe cutter – 3, Pulp tester digital – 4, Apex Locator – 2, Glass bead sterilizers – 3, Plaster dispensers – 2, Automatic Developer – 1, Endo motor (with torque control hps) – 1, Bleaching unit – 1, Injectable gutta percha – 2, Phantom lab unit – 7, **(Clinical Laboratory):** Plaster Dispenser – 2, Lathe (heavy duty) – 1, Lab Micromotor (with heavy duty handpiece) – 1, Spindle Grinder – 1, Pindex System – 1, Circular saw – 1, Vacuum mixer – 1, Pneumatic chisel – 1,

(Oral Pathology and Oral Microbiology): Dental chairs and units – 2 (2 out of 2 available but without attachment & non functioning), Microscopes – 31, Spencer Knife – 1 (non functional), Adequate slides projection system – 1,

(Oral & Maxillofacial Surgery): Dental Chairs and units – 8 (17 out of 25 available but without attachment & none functioning), Autoclave – 1 (non functional), Needle burner with syringe cutter – 2 (non functional), Glucometer – 1, Oxygen mask Pedo – 2.

(Periodontology): Dental chairs and units – 12 (22 out of 34 available but without attachment & non functioning), surgical instrument sets – 5, Autoclave – 1, Ultrasonic cleaner – 1, Needle Burner with syringe cutter – 3, Laser (soft tissue laser) – 1, Physio dispenser with implant kit – 1, X-Ray Viewer (Extra Oral) – 2, Hand Scaler Supra Gingival – 8, Hand Scaler Sub Gingival- 4, Electro cautery Kit - 1, Periodontal Surgical Kit -1.

(Orthodontics): Dental chairs and units – 18 (18 out of 18 available but without attachment & non functioning), Plaster dispenser – 1, Vibrator – 1, Micromotor (heavy duty) – 1, Set of Pliers – 1.

(Paediatric and Preventive Dentistry): Dental chairs and units – 20, Rubber dam kit for Pedo– 3, Intra Oral Camera – 1, Intra Oral Camera -1, Automatic Developer – 1, **(Pedo Lab):** Plaster dispenser – 1, Vibrator -1.

(Oral Medicine and Radiology): Dental chairs and units – 10 (2 out of 12 available but without attachment & non functioning), Intra Oral x-ray unit (AERB Certified) – 1 (non functional), Pulp testers (digital) – 3, Automatic panoramic with cephalometric x-ray developer – 1, Radiovisiography with intra oral camera – 1, Lead Gloves – 2, Lead collar – 1, X-ray Hangers – 3, Needle burner with syringe cutter – 2, Biopsy kit – 2, Sailography equipment & kit – 1.

(Public Health Dentistry): Dental chairs and units – 2 (14 out of 16 available but without attachment & non functioning), Autoclaves – 2, Ultrasonic cleaner – 2, Needle burner with syringe cutter – 4, Intraoral x-ray – 1, Portable Dental chair – 2, Generator (4kv)– 1 (non functional), Water tank (400 litres) – 1, Oxygen Cylinder – 1, Public address system – 1, TV and video cassette player – 1.

10. There is a deficiency in Academic Block for Basic Science Subjects i.e.

Department of Anatomy (Dissection Hall):- Details not furnished

Cadaver Room: Details not furnished

Histology Room: Details not furnished.

Museum: Details not furnished.

Department of Physiology: Hematology Lab: Details not furnished.

Clinical Lab: Details not furnished

Department of Biochemistry (Clinical Lab): Details not furnished.

Department of Pharmacology (Clinical Lab): Details not furnished

Department of Microbiology (Clinical Lab): Details not furnished.

Department of General Pathology (Clinical Lab): Details not furnished.

11. Staff Quarters (Separate From Hostel): Details not furnished

12. Hostel For Boys and Girls: - Details not furnished

13. **Table of contents (documents submitted by the principal):** Fire Safety not available.

Deficiencies as per MDS Inspection Report

1. Orthodontics & Dentofacial Orthopedics with 4 seats

There are deficiencies of 04 Lecturers in the department.

Clinical Work Load: 15 patients on day 01 and 23 patients on day 02 were there against the requirement of 50 (as per annexure attached.)

Library Details: Departmental library and National Journals –not furnished.

Equipments: Dental chairs and unit – 11, Hydrogen soldering unit – 1, Lab micromotor – 2, Model trimmer (double disc) – 2, High intensity light curing unit – 2, Polishing lathes -2, Tracing tables – 4, Scanner with transparency adapter – 1, x-ray viewer – 4, LCD projector -1, Autoclaves – 1, Needle destroyer – 1, Dry heat sterilizer – 1, Ultrasonic scaler – 1, Sets of orthodontic pliers – 1, Orthodontics impression trays – 1, Electropolisher – 1, Anatomical articulator with face bow attachments – 1, Free plane articulators – 1, Hinge articulators – 4, Computer software for cephalometrics – 1, Computer with internet connection with attached printer and scanner – 1.

2. Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats

Clinical Work Load: Details not furnished

List of Journals: Latest National/ International journals not available

Equipments: Leuckhart pieces – 3, Block holders – 22, Microtome – 1 (not working), Microtome (semi-automated) – 1 Stereo microscope – 1, Aluminum slide trays – 5, Surgical Kit for Biopsy -3, LCD projector – 1 (not working).

Observation:

Staff Structure not as per DCI requirements.

3. Oral and Maxillofacial Surgery with 3 seats

Clinical Work Load: details not furnished.

Last annual admission details: Signature of the students not done.

List of Journals: Latest National/ International journals not available.

Equipments: Dental Chairs and units – Not mentioned, Autoclave – 1, Implantology kit with implants (minimum 2 system) – (2)(10), Peizo surgical unit – 1, Magnifying loops – 1, Dermatome – 1, Ultrasonic Cleaner capacity 3.5 lts – 1, Ventilator – 1, Fiberoptics light – 1, Fiber optic laryngoscope – 1, Computer with internet connection with attached printer and scanner – 1, Refrigerator - 1.

4. Prosthodontics and Crown & Bridge with 4 seats

There are 06 deficiencies of Lecturers as per Inspection report.

Clinical Work Load: 37 patients on day 01 and 25 patients on day 02 against the requirement of 50 (as per annexure attached.)

Specialty Department Infra structure details: not furnished

Library Details: (Department library): not furnished

Journals: - Only 1 National Journals is available against the requirement of 2-3.

Equipment: Electrical Dental Chairs and Units – 2, Hot air oven – 1, X-ray viewer – 2, Needle destroyer – 2, Intra oral camera – 1, Digital SLR camera – 1, **(Clinical lab for prosthetics):** Plaster dispenser – 2, Model trimmer with carborandum disc – 1, Model trimmer with diamond disc – 2, High speed lathe – 3, Vibrator – 2, Hydraulic press – 1, Mechanical press – 1, Vacuum mixing machine – 1, Curing pressure pot – 1, Pressure molding machine – 1, **(Chrome Cobalt lab equipment):** Welder – 1, Model trimmer with diamond disc – 1, Model trimmer with double disc – 1, Spot welder with soldering, attachment of cable – 1, Heavy duty lathe with suction – 1, Dry model trimmer – 1, Die Cutting Machine -1, **(Ceramic lab equipment):** Ceramic kit Instruments -2 Ceramic polishing kit – 2, **(Implant equipment):** Implants – 10, Prosthetic components – 10, Unit mount light cure – 2, X-ray viewer – 2, Needle destroyer – 2, Ultrasonic cleaner capacity 3.5 lts – 1, Refrigerator – 1, Educating models – 1, Implant removing instruments – 1.

5. Conservative Dentistry & Endodontics with 2 seats

There are deficiencies of 1 Reader and 6 Lecturers as per Inspection report.
Dr. P. Manju, Tutors was not present on 11.04.2022 as per Inspection report.

Library Details: (Department Library): not furnished as per inspection report.

Journals:- only 1 international journals is available against the requirement of 4-6 and details of national journals not furnished as per inspection report.

Equipments: Mechanized rotary instruments including hand pieces and hand instruments various systems – 1, Apex locators one for every two chairs – 1, Equipments for injectable thermoplasticized gutta percha – 1 (non functional), Operating microscopes 3 step or 5 step magnification – 1, Surgical endo kits (Microsurgery) – 2, Needle destroyer – 1, Ceramic finishing kit- Nil, RVG with x-ray machine developing kit – 1, Bleaching unit – 1, Instrument retrieval kits – 1, (Equipments for casting procedures): Lab micro motor/ metal grinders/ sand blasters/ polishing lathes/ duplicator equipment/ vacuum investment equipments – 1, Laser (preferably hard tissue) – 1, Face bow with semi adjustable articulator – 1.

Observation:

Journals not available.

6. Pedodontics and Preventive Dentistry with 3 seats

Clinical Work Load: There are 09 patients on day 01 and 13 patients on day 2 against the requirement of 40.

Equipment: Dental chairs and units – 10 (5 non functioning & 5 partially functioning), Automatic developer – 1, Pulp tester – 1, Apex locator – 1 (not working), Glass bead sterilizer – 2 (not working), Ultrasonic scalers – 2 (not working), X-ray viewer – 1, Amalgamator – 1, Plaster dispenser – 1, Vibrator – 1, Soldering unit – 1, Lab micro motor – 2 (not working).

7. Periodontology with 3 seats

Clinical Work Load: There are 36 patients on day 01 and 45 patients on day 02 against the requirement of 60.

Equipments: Airoter hand pieces – 1, UV chamber – 1, Formalin chamber – 1, UNC-15 probe – 4, Pressure sensitive probe – 1, Sub gingival scaler – 1, Arkansas sharpening stone – 1, (Surgical Instruments): Surgical cassette with sterilization pouches – 4, Mini five curettes – 1, Bone traphines for harvesting autografts – 1, Local drug delivery systems – 1, Bone condenser – 1, Soft tissue laser (8 watt) – 1, Splinting kit with material – 2, Composite finishing kit – 1, Digital camera – 1, Intra oral camera – 1, Electrical dental chair and unit – 1, Physio dispenser – 1, Implant kit (at least two different systems) – 2, Implants – 10, Implant maintenances kit (plastic instruments) – 1, Implant guide – 1, X-ray viewer – 1, Ultrasonic cleaner – 1, Autoclave programmable for all recommended cycles – 1, RVG with x-ray machine – 1, Refrigerator -1, Surgical kit – 1, Sinus Lift Kit – 1, Educating models – 1, implant removing kit -1

8. Oral Medicine and Radiology with 1 seats

There is a deficiency of one Lecturer as per Inspection report.

Dr. S. Sakthivel, Reader was absent on 11.04.2022.

Clinical Work Load: - not furnished

Equipments: RVG with intra oral radiography machine (FDA Approved) – 1, Extra oral radiography machine – 1, Intra-oral camera – 1, Pulp tester – 2, Lead aprons – 1, Lead gloves – 2, Radiographic filters (Conventional and rare earth) – 1, Automatic radiographic film processors – 2, Thyroid collars – 1, Digital blood glucose tester – 1, Digital Camera – 1, Sialography cannula – 2.

Observations:

Staff structure - not furnished as per DCI requirements.

Recent Journals not available.

9. MDS Observations as per Inspection report:

Oral Surgery: - No senior lecturer post, deficient journals both online/ offline.

Oral Pathology: - Staff structure not furnished as per DCI requirement.

Cont'd...

Conservative Dentistry and Endodontics:- Staff structure not as per DCI requirement (acute shortage of staff).

Prosthodontics: Staff structure not as per DCI requirement, deficiencies in journals.

Public Health Dentistry: only one staff available with teaching experience of more than 4 years.

5(8). **K.S.R. Institute of Dental Science & Research, Tiruchengode, Tamil Nadu**

To consider Joint Inspection Report of the Council's Inspectors Dr. Rajan Gupta, Distt. Sirmour, Dr. Mohit Pal Singh, Udaipur and Dr. Anshula Deshpande, Vadodara carried out on 11th & 12th April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report:

1. **University affiliation:-** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Equipments: Department of Physiology: (Clinical Lab):-**
Spirometer (Ordinary)-3.
Mosso's Erograph-1.
Ophthalmoscope-1.
Dynamometer-1.
Perimeter -1.
Hair Aesthesiometer-2.
Bicycle Ergrometer – 1.

Deficiencies as per MDS inspection reports:

1. **Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats**

Clinical Material:- There are only 17 patients on 11.04.2022 and 11 patients on 12.04.2022 against the requirement of 18.

5(9). **Institute of Dental Studies & Technology, Kadrabad, Ghaziabad, Uttar Pradesh**

To consider Joint Inspection Report of the Council's Inspectors Dr. Ranjan Malhotra, Patiala, Dr. Sharmistha Vijay, Jaipur and Dr. Binoy Kumar Singh, Patna carried out on 25th & 26th April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

<u>Deficiencies as per BDS Inspection Report</u>	
1.	<u>University Affiliation:</u> - The University affiliation is valid for the year 2021-22 and has not provided the current University affiliation for the year 2022-23.
2.	<u>Non Teaching Staff/ Ministerial Staff:</u> Assistant/ Clerk – 8, C.S.A. (chair side attendant)/DORA/ANM/ Para Medical staff with 6 months (minimum class 10 th pass) experience in dental college/Clinic/Hospital – 5, Radiographer – 1.
3.	<u>Hospital:</u>

Cont'd...

	(Medical Staff): ENT – 1, Paediatrics – 1.
	(Nursing Staff): O.T. Nurses – 2, General Nurse – 3.
	(Health Staff): Pharmacist – 1.
	(Administrative Staff): LDC – 2.
4.	<u>Major Equipments:</u>
	(Prosthodontics and Crown & Bridge): Heavy duty hand piece (lab micromotors) – 1.
	(Ceramic and Cast Partial Laboratory): Induction casting machine – 1 (shared with Conservative), Programmable porcelain furnace with vacuum pump with instrument kit and material kit - 1 (shared with Conservative), Palatal trimmer – 1.
	(Plaster room for Pre-Clinical work): Vibrator – 1.
	(Oral & Maxillofacial Surgery): Needle burner with syringe cutter – 2, Extraction forceps sets – 3, Dental elevators – 1.
	(Periodontology): Surgical instrument sets – 1 (Sets incomplete), Needle Burner with syringe cutter – 1 (non working).
	(Orthodontics): X-ray viewers – 1.
	(Pediatric and Preventive Dentistry): Scaling instruments – 2, Restorative instruments – 1.
	(Oral Medicine and Radiology): Intra Oral x-ray unit (AERB Certified) – 1 (non functional), Diagnostic kits (Mouth mirror, dental probe, college tweezers) – 2.
	Department of Physiology: (Hematology Lab): Sphygmomanometer -3, Stop watches – 5, (Clinical Lab): Knee Hammer – 1.
	Department of Biochemistry (Clinical Lab): Micro pipettes – 1.
	Department of Pharmacology (Clinical Lab): Glass rod medium/ small – 8, Pipette 1 ml – 11, Reagent bottle with lid - narrow mouth (white NMW)125/250/500ml – 4, Reagent bottle with lid – wide mouth (white NMW)125/250/500ml) – 2, Petri dish – 2, Spirit lamp – 1.
	Department of General Pathology (Clinical Lab): Conical flask – 2, Electronic weight scale – 2, Sprit lamp – 1, Test tube stand – 2.
5.	Central Library:- 5 Dental Chairs/Units are non functional.
6.	<u>Staff Quarters (Separate From Hostel):</u> Staff Quarters – 20%
	<u>Deficiencies as per MDS Inspection Report</u>
1.	<u>Oral and Maxillofacial Surgery with 2 seats</u> - There is a deficiency of 1 Dental Chair and Units.
2.	<u>Paedodontics and Preventive Dentistry with 3 seats</u> - There is a deficiency of 1 Dental Chair and Units.
3.	<u>Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats</u> - Clinical Material: There are only 5 patients on 1 st and 2 nd day of the inspection against the requirement of 18.
4.	<u>Prosthodontics and Crown & Bridge with 5 seats</u>
	<u>Equipments:</u> High speed lathe – 1, Welder – 1, (Implant Equipments): Unit mount light cure – 1, X-ray viewer – 1.
7.	<u>Observations:</u> - Periodontics: 2 Dental chairs not connected to compressor and water.
8.	The following details in respect of the 8 PG departments viz. (i) Oral Medicine and Radiology (ii) Oral Surgery (iii) Oral pathology (iv) Conservative dentistry (v) Orthodontics (vi) Prosthodontics (vii) Pedodontics and (viii) Periodontology:- Staff assessment for publications, library details, Hostel facility for PG,

Preclinical work (for all inspections excepts starting), Students academic presentation (for all inspections excepts starting), Students academic work (for all inspections excepts starting), Clinical work (for all inspections excepts starting), Scientific presentation (for all inspections excepts starting), Details of theory & practical (Only for recognition inspections), Constitution of board of examiners (Only for recognition inspections), Observation/ Remarks of the inspectors (table of contents- documents submitted by the principal).

5(10). **SMBT Dental College & Hospital, Amrutnagar, Maharashtra**

To consider Joint Inspection Report of the Council's Inspectors Dr. Uttam Kumar Sen, Purba Medinipur, Dr. Suparna Ganguly Saha, Indore and Dr. Shitij Srivastava, Lucknow carried out on 21st & 22nd April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report:

1. **University affiliation:** - The University Affiliation for the current academic year 2022-23 not provided.
2. **The following PG student were absent on the days of Inspection:**
 - (i) Dr. Gaikwad Anand, Department of Periodontology (21.04.2022 & 22.04.2022).
 - (ii) Dr. Darade Omkar Pradeeprao, Department of Conservative Dentistry and Endodontics (22.04.2022).
3. Bio-waste incinerator is available but outsourced- document attached.

Deficiencies as per MDS inspection reports:

Oral Medicine & Radiology with 3 seats

- NAAC Accreditation Certificate not available.
- **Library Details:** National Journals not mentioned as per inspection report.

Pedodontics and Preventive Dentistry with 3 seats

- **Library Details:** Latest National and International Journals not mentioned as per inspection report.
- **Equipments:** Dental Chairs and Units -1.

Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats

- **Clinical Material:** - There were 10 patients on 2nd day of inspection against the requirement of 18.

Prosthodontics and Crown & Bridge: Equipments. (Pages/Points are not attached in the inspection report.)

5(11). **Rama Dental College, Kanpur, Uttar Pradesh**

To consider Joint Inspection Report of the Council's Inspectors Dr. Mohammed Sagir, Palakkad, Dr. Darshan M. Dakshinadas, Nagpur and Dr. Shantanu Choudhari, Ahmedabad carried out on 7th & 8th April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Cont'd...

Deficiencies as per BDS Inspection Report:

1. There are following teaching faculties were absent on the day of Inspection:
 - (i) Dr. Mridul Singh, Lecturer, Oral Medicine & Radiology (07.04.2022)
 - (ii) Dr. Sachin Kumar, Lecturer, Periodontology (07.04.2022 & 08.04.2022)
 - (iii) Dr. Atul Kumar Gautam, Lecturer, Pedodontics & Preventive Dentistry (07.04.2022)
 - (iv) Dr. Arunesh Singh, Reader, Orthodontics & Dentofacial Orthopedics (07.04.2022)
 - (v) Dr. Abhishek Shankar, Sr. Lecturer, Orthodontics & Dentofacial Orthopedics (07.04.2022)
 - (vi) Dr. Achyut Sinha, Sr. Lecturer, Prosthodontics and Crown & Bridge (07.04.2022 & 08.04.2022)
 - (vii) Dr. Saurabh Yadav, Lecturer, Prosthodontics and Crown & Bridge (07.04.2022)
 - (viii) Dr. Kumari Sabita, Lecturer, Oral & Maxillofacial Surgery (07.04.2022)
 - (ix) Dr. Swameet Singh, Lecturer, Conservative Dentistry
2. There are following Medical Teaching Staff were absent on the day of Inspection:
 - (i) Dr. Jyoti Pandey, Lecturer, Anatomy
 - (ii) Dr. Shalini Gupta, Lecturer, Anatomy
 - (iii) Dr. Mani Kant Chaudhary, Lecturer, Biochemistry
 - (iv) Dr. Parul Joshi, Reader, General Pathology
 - (v) Dr. Aayush Yadav, Lecturer, General Pathology
 - (vi) Dr. Swastika Singh Chandel, Lecturer, Microbiology
 - (vii) Dr. M. Azam, Lecturer, General Medicine
 - (viii) Dr. Mohd. Ibrahim, Lecturer, General Medicine
3. There are following PG students were absent on the day of Inspection:
 - (i) Dr. Rashi Gupta, 1st Year, Pediatric and Preventive Dentistry (07.04.2022)
 - (ii) Dr. Afshan Afreen, 3rd Year, Oral & Maxillofacial Surgery (medical leave on (07.04.2022 & 08.04.2022)
 - (iii) Dr. Santwana Tripathy, 3rd Year, Pediatric and Preventive Dentistry (medical leave on (07.04.2022)
 - (iv) Dr. Jasveen Chhabra, 3rd Year, Pediatric and Preventive Dentistry (07.04.2022)
4. There are following deficiencies of **Major Equipments** in the various departments:

Prosthodontics and Crown & Bridge: Phantom Heads-50 sharing with Conservative Dentistry.

Conservative Dentistry and Endodontics: Phantom Lab Unit: 60 shared with Prosthetics.
5. There are deficiencies of two tutors in the department of Oral Pathology.
6. Anatomical Act has not been obtained from the competent authority (DME).
7. Students were complaining about the stipend not being paid

Deficiencies as per MDS Inspection Report:**Prosthodontics and Crown & Bridge with 6 seats**

1. Dr. Prateek Tandon, Sr. Lecturer was absent on the both days of Inspection i.e. 07.04.2022 & 08.04.2022.

Conservative Dentistry & Endodontics with 6 seats

1. Dr. Swameet Singh, Sr. Lecturer was absent on the both days of

Inspection i.e. 07.04.2022 & 08.04.2022

5(13). **Adesh Institute of Dental Sciences & Research, Bathinda, Punjab**

To consider Joint Inspection Report of the Council's Inspectors Dr. Bhagvan Das Rai, Dr. Jitendra Bhagchandani, Lucknow and Dr. G.M. Sogi, Mullana carried out on 26th & 27th April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

	Deficiencies as per BDS Inspection Report
1.	Infrastructure & Functional Requirements:-
	(i) Medical Stores cum Pharmacy – In the Campus
	(ii) Auditorium – In the campus adjacent to dental college.
	(iii) Bio-waste incinerator is not available.
2.	Major Equipments:-
	(i) Oral Pathology and Oral Microbiology:- Dental Chairs and Units – 2
	(ii) Periodontology: - Dental Chairs and Units – 4.
	(iii) Orthodontics: - OPG with cephalostat – In OMDR.
	(iv) Oral Medicine and Radiology:- General X-ray Unit – In Medical Hospital in Campus.
	(v) Conservative Dentistry and Endodontics: - Dental Chairs and Unit – 1.
3.	Library Details: - all chairs and units are functioning and electrically operated except 6 chairs.
4.	Observations:-
	(i) The pollution control board certificate is not available.
	(ii) The ethical committee is not registered with Govt. agency.
	Deficiencies as per MDS Inspection Report
5.	Orthodontics and Dentofacial Orthopedics
	Observations:-
	(i) Details of Ethical Committee is not submitted.
	(ii) NAAC accreditation certificate is not submitted.
6.	Conserative Dentistry and Endodontics
	-Dr. Mini Jain has 10 publication points against the requirements of 20 publication points.
	(i) Details of Ethical Committee is not submitted.
	(ii) NAAC accreditation certificate is not submitted.

5(14). **Eklavya Dental College & Hospital, Jaipur, Rajasthan**

To consider Joint Inspection Report of the Council's Inspectors Dr. Manu Rathee, Rohtak and Dr. Abhijit Chakraborty, Kolkata carried out on 20th & 21st April, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Cont'd...

- 1 There is a deficiency of one Lecturer/Tutor.
2. **The following Dental Teaching Staff were absent on the day of inspection:-**
 - (i) Dr. Priyanki Aggarwal, Professor, Prosthodontics was absent on 20.04.2022
 - (ii) Dr. Saurabh Yadav, Reader, Conservative Dentistry was absent on 20.04.2022
 - (iii) Dr. Vineet Bhargava, Conservative Dentistry was absent on 20.04.2022.
 - (iv) Dr. Anuj Sharma, Professor, Oral Surgery was absent on 20.04.2022.
 - (v) Dr. Geetanjali Sikka, Reader, Periodontology was absent on 20.04.2022.
 - (vi) Dr. Swati Sharma, Reader, Orthodontics was absent on 20.04.2022.
 - (vii) Dr. Ekta Gupta, Reader, Orthodontics was absent on 20.04.2022
 - (viii) Dr. Navdha Chaudhary, Reader, Pedodontics and Preventive Dentistry was absent on 20.04.2022
 - (ix) Dr. Wasim Sajad Bhat, Sr. Lecturer, Public Health Dentistry was absent on 20.04.2022.
 - (x) Dr. Dinesh Deep, Sr. Lecturer, Prosthodontics was absent on 20.04.2022.
 - (xi) Dr. Sonam Dhall, Sr. Lecturer, Conservative and Endodontics was absent on 20.04.2022.
 - (xii) Dr. Rajat Ray, Tutor, Conservative and Endodontics was absent on 20.04.2022.
 - (xiii) Dr. Manisha Saini, Tutor, Oral Medicine and Radiology was absent on 20.04.2022.
 - (xiv) Dr. Vimlesh Kumar Adhana, Tutor, Oral Medicine and Radiology was absent on 20.04.2022.
 - (xv) Dr. Avantika Chaudhary, Tutor, Oral & Maxillofacial Surgery was absent on 20.04.2022.
 - (xvi) Dr. Pooja Yadav, Tutor, Oral & Maxillofacial Surgery was absent on 20.04.2022.
 - (xvii) Dr. Saurabh Gaur, Tutor, Oral & Maxillofacial Surgery was absent on 20.04.2022.
 - (xviii) Dr. Lokesh Dariya, Tutor, Oral Pathology and Microbiology was absent on 20.04.2022 and 21.04.2022
 - (xix) Dr. Rekha Saini, Tutor, Oral Pathology and Microbiology was absent on 20.04.2022.
 - (xx) Dr. Manjit, Tutor, Orthodontics was absent on 20.04.2022.
 - (xxi) Dr. Manmohan Rathore, Tutor, Orthodontics was absent on 20.04.2022.
 - (xxii) Dr. Meenu Kumari, Tutor, Orthodontics was absent on 20.04.2022.
 - (xxiii) Dr. Devendra, Tutor, Pedodontics and Preventive Dentistry was absent on 20.04.2022.
 - (xxiv) Dr. Badal Sharma, Tutor, Pedodontics and Preventive Dentistry was absent on 20.04.2022.
 - (xxv) Dr. Aashna Mathur, Tutor, Periodontics was absent on 20.04.2022.
 - (xxvi) Dr. Astha, Tutor, Periodontics was absent on 20.04.2022.
 - (xxvii) Dr. Vibhor Gupta, Tutor, Periodontics was absent on 20.04.2022.
 - (xxviii) Dr. Priyanka Yadav, Tutor, Public Health Dentistry was absent on 20.04.2022.
 - (xxix) Dr. Sachin Yadav, Tutor, Public Health Dentistry was absent on 20.04.2022.
 - (xxx) Dr. Sharda Saini, Tutor, Public Health Dentistry was absent on 20.04.2022.

(xxxi) Dr. Beauty Sharma, Tutor, Prosthodontics was absent on 20.04.2022.

(xxxii) Dr. Manoj Kumar, Tutor, Oral Pathology was absent on 20.04.2022.

3. **The following Medical Teaching Staff were absent on the days of inspection as under:-**

Dr. Bhuvnesh, Sr. Lecturer, Dept. of Anatomy was absent on 20.04.2022 and 21.04.2022.

Dr. Devender, Sr. Lecturer, Dept. of Anatomy was absent on 20.04.2022 and 21.04.2022.

Dr. Ranveer, Sr. Lecturer, Dept. of Anatomy was absent on 20.04.2022.

Dr. Mukul Adlakha, Reader, Dept. of Physiology was absent on 20.04.2022 and 21.04.2022.

Dr. Saurabh, Sr. Lecturer, Dept. of Physiology was absent on 20.04.2022.

Dr. Naveen, Sr. Lecturer, Dept. of Physiology was absent on 20.04.2022 and 21.04.2022.

Dr. Anil Gupta, Professor, Dept. of Bio Chemistry was absent on 20.04.2022.

Dr. Purnima Suthar, Sr. Lecturer, Dept. of Bio Chemistry was absent on 20.04.2022 and 21.04.2022.

Dr. Ramavatar Sharma, Sr. Lecturer, Dept. of Bio Chemistry was absent on 20.04.2022.

Dr. Garima Bansal, Reader, Dept. of Pharmacology was absent on 20.04.2022 and 21.04.2022.

Dr. Prateek, Sr. Lecturer, Dept. of Pharmacology was absent on 20.04.2022.

Dr. Amit, Sr. Lecturer, Dept. of Pharmacology was absent on 20.04.2022.

Dr. Syam Sunder, Sr. Lecturer, Dept. of Pharmacology was absent on 20.04.2022 and 21.04.2022.

Dr. Sachin Bansal, Reader, Dept. of General Pathology was absent on 20.04.2022.

Dr. Krishna Prjapat, Sr. Lecturer, Dept. of General Pathology was absent on 20.04.2022.

Dr. Jitendra Rundla, Sr. Lecturer, Dept. of General Pathology was absent on 20.04.2022.

Dr. Shilpi Bansal, Reader, Dept. of Microbiology was absent on 20.04.2022.

Dr. Rohit, Sr. Lecturer, Dept. of Microbiology was absent on 20.04.2022 and 21.04.2022.

Dr. Ashish, Sr. Lecturer, Dept. of General Medicine was absent on 20.04.2022.

Dr. Rakesh, Sr. Lecturer, Dept. of General Medicine was absent on 20.04.2022.

Dr. Krishan Kant, Sr. Lecturer, Dept. of General Medicine was absent on 20.04.2022.

Dr. Deepak Singhal, Reader, Dept. of General Surgery was absent on 20.04.2022.

Dr. Arpit, Sr. Lecturer, Dept. of General Surgery was absent on 20.04.2022.

Dr. Naresh Yadav, Sr. Lecturer, Dept. of General Surgery was absent on 20.04.2022 and 21.04.2022.

Dr. Vishnu Dutta, Reader, Dept. of Anesthesia was absent on 20.04.2022.

Dr. Kuldeep, Sr. Lecturer, Dept. of Anesthesia was absent on 20.04.2022 and 21.04.2022.

Dr. Vikas Lamba, Lecturer, Dept. of Anesthesia was absent on 20.04.2022.

4. **Infrastructure and Functional Requirements:-** Clinical Area (for different specialty departments) – Not Available, Wards Male and Female to accommodate 20 Beds, Central Store, Departmental Store, Major and Minor OT etc. – Not Available.

5. There are deficiencies of following major equipments in various

departments as under :-

- (i) **Prosthodontics and Crown and Bridge:-** Extra Oral/Intra Oral Tracer – 4, Dewaxing Unit – 1, Curing Unit – 1, Dental Casting Machine – 1, Wax Burnout Furnace – 1, Surveying Unit – 1, Autoclave – 1, **LAB:** Plaster Dispenser – 1, Acrylizer – 1, Deflasking Unit – 4, Hydraulic Press – 2, Hot Water Sterilizer – 1, Geysers – 2, Phantom Heads – Shared with Endodontic, Pre Clinical working tables – Shared with Endodontic, **Ceramic and Cast Partial Laboratory:-** Induction casting machine – 1, **Pre-Clinical Prosthetics Laboratory:** Work table preferable complete stainless steel fitted with light, Bunsen burner, air blower, working stool. Adequate number of lab micro motor with attached hand piece :- 10 (Shared with Prosthodontics).
 - (ii) **Conservative Dentistry and Endodontics:-** Dental Chairs and Units – 25 are manual, Rubber Dam Kits – 3, Autoclaves – 2, Ultrasonic Cleaner – 2, Needle Burner with syringe cutter – 2, Pulp Tester Digital – 2, Glass Bead Sterilizers – 1, Plaster Dispensers – 2, Vibrator – 2, Endo Motor – 2, Magnification Loops – 1, Injectable Gutta Percha – 1, Phantom Lab Unit – Shared with Prosthodontics, Clinical Laboratory:- Plaster Dispenser, Model Trimmer, Lathe, Lab Micromotor, Ultrasonic Cleaner, Spindle Grinder, Vibrator, Burnout Furnace, Porcelain Furnace, Sandblasting Machine, Lab Airrotor, Pindex System, Circular Saw, Vacuum Mixer, Pneumatic chisel, Casting Machine and Ceramic Unit - Shared with Prosthodontics.
 - (iii) **Oral Pathology and Oral Microbiology:** - Dental Chairs and Units – 2 are Manual, Knife Sharpener – 1.
 - (iv) **Oral and Maxillofacial Surgery A) Exodontia :-** Dental Chairs and Units – 25 are Manual, Autoclaves – 3, Ultrasonic Cleaner – 1, Needle Burner with syringe cutter – 7, Extraction forceps sets – 17, Dental Elevators – 9, Minor Oral Surgery Kits – 3, Emergency Drugs Tray – 2.
 - (v) **Periodontology:-** Dental Chairs and Units – 30 are Manual, Autoclave – 1, Periodontal Surgical Kit – 2.
 - (vi) **Orthodontics:-** Dental Chairs and Units – 18 are Manual, Plaster Dispenser – 1, Micromotor – 4, Lathe – 1, Welders – 3, Typodont – 4, Set of Pliers – 9.
 - (vii) **Pediatric and Preventive Dentistry:-** Dental Chairs and Units – 20 are Manual, , Autoclaves – 2, Ultrasonic Cleaner – 2, **PEDO LAB:** Plaster Dispenser – 2, Lab Micro Motor – 3, Steam Cleaner – 1.
 - (viii) **Oral Medicine and Radiology:-** Automatic Panoramic with cephalometric X-ray Developer – 1, General X-ray Unit – 1, Automatic Developers/Dark Room – 1, Lead Collar – 2, Autoclave – 2, Sialography Equipment & Kit - 1
 - (ix) **Public Health Dentistry:-** Dental Chairs and Units – 16 are Manual, Autoclaves – 2, Ultrasonic Cleaner – 2, Intra Oral X-ray – 1, Portable Dental Chair – 1.
6. **Department: Dental Anatomy, Embryology, Oral Histology and Oral Pathology Equipment Requirements:-**
 - A) Dental Anatomy, Dental Histology & Oral Pathology Lab :-** Television – 1 .
 - B) Histopathology Room:-** Distilled Water Plant – 1, Diamond Tip Pencil – 1.
 - C) Oral Pathology Reporting Station :-** Microscope Trinocular – 1.
 7. **Academic Block For Basic Science subjects (Department of Anatomy) Equipment Requirements:-**
 - (i) **Dissection Hall:-** Dissection Table – 4, Stainless Steel tables with drainage for cadavers dissection – 4, Educational Models – 10.
 - (ii) **Cadaver Room:-** Large Storage Tank – 1, Small Tank – 1, Freezer Unit – 1.
 - (iii) **Histology Room:-** Dissection Microscopes – 5, Monocular Microscopes – 25, Binocular Microscope – 1
 - (iv) **Museum:-** Head and neck bones set – 3.
 8. **Department of Physiology Equipment Requirement(Haematology Lab):-** Microscopes – 8, Stage Incubator – 1, Winrobes Pipettes – 20, Haemo Giobinometer – 46, Haemocytometers – 50,

Sphygmomanometer – 27, Stethoscopes – 17, Refrigerator – 1, Stop Watches – 9, Ph Meter – 1, Analytical balance – 1, Centrifuge R4c and R8c – 1, Blood Cell Counters – 1, Haematocrit Tubes – 5, Glass Wares – Nil,

Clinical Lab:- Clinical Thermometer – 5, Knee Hammer – 5, Spirometer – 3, Mosso's Erograph - 1, Ophthalmoscope – 1, Dynamometer – 1, Perimeter – 1, Hair Aesthesiometer – 2, Bicycle Ergometer – 1, Examination Couches – 5, Steriliser – 1, Weighing Machine – 3, Height Chart – 1, Snellen's Chart – 1.

9. **Department of Biochemistry (Clinical Lab):-** Glass Wares – Nil, Micro Pipettes – 5, Water Bath – 4, Distillation Apparatus – 2, Fume Cupboard – 1, **(Preparation Room):-** Balance – 3, Fridge – 1, Instrument Room – Nil, Colorimeter – 5, Microscopes – 5, Electrophoretic Apparatus – 2, Urinometer – 20, Centrifuge – 1, Incubator – 1, Hot Air Oven – 2.

10. **Department of Pharmacology(Equipment Requirement):-** Beakers – 100, China Dish – 37, Conical Flask – 5, Funnel – 25, Glass Rod Medium/Small – 100, Measuring Cylinder – 100ml = 7 Nil, Measuring Cylinder 250 ml – 5, Measuring Cylinder 500 ml – 2, Mortar and Pestle – 17, Pasteur Pipette pack of 100 – 3, Pipette 1 ml – 100, Pipette 2ml – 50, Pipette 5ml – 25, Reagent Bottle with lid Narrow Mouth (Amber NMA 125/250/500ml) – 100, Reagent Bottle with lid Narrow Mouth (White NMW 125/250/500ml) – 100, Reagent Bottle with lid Wide Mouth (Amber WMA 250ml) – 50, Reagent Bottle with lid Narrow Mouth (White WMW 125/250/500ml) – 100, Test Tubes – 50, Petri Dish – 10, Wash Bottle – 75, Dropper Bottle – 50.

Instruments:- Transparent Dispensing Box – 50, Dispensing Balance – 50, Dispensing Weight Box – 50, Electronic Balance – 1, Mechanical Pipette – 1, Sensitive Balance – 1, Sphygmomanometer – 1, Spirit Lamp – 7, Test Tube Holders – 25, Test Tube Stand – 25, Water Bath – 1, Wax Paper Bundles – 5.

11. **Department of Microbiology (Equipment Requirement) (Clinical Lab):-** Microscope Monocular – 27, Double Door Refrigerator – 1, Autoclave – 1, Electronic Balance – 1, Water Bath – 1, Anaerobic Jar – 1, Centrifuge – 1, Bio Safety Cabinet – 1, Hot Air Oven – 1, Hot Plate - 1

12. **Staff Quarters** – available 16 against the requirement of 19

13. **Library Details:-** E-Journals – Not Available

14. **Non Teaching Staff/Ministerial Staff:-**

- (i) Receptionist – 9
- (ii) Dent. Tech(Dental Mechanic) – 10
- (iii) Dent. Hygst. – 5
- (iv) Radiographer – 3
- (v) Engineer – 1
- (vi) Plumber – 1
- (vii) Nurses – 9
- (viii) Lab Technicians – 3

Inspectors Observations:-

- The MoU between dental college and attached hospital includes payment to be done yearly per student as a requisite, however, no details of any payment was furnished. The PMO of the attached hospital submitted that students of the dental college do come to the hospital. Attached hospital BIS details not furnished.

- 187 dental chairs are manual out of total 202 dental chairs.

- There was nil record of stock(non-consumable and consumables) available in dental store. There were nil register, and nil purchase vouchers of any equipment.

- 28 basic sciences staff and 10 dental staff were absent on day one of inspection and 11 basic sciences staff and 4 dental staff were absent on day two of inspection.

There was no dental mechanic and dental hygienist

No bank statement of any of the staff was furnished

The publication points are deficient with respect to Dr. Desshant, Oral Pathology, Dr. Reitesh Mahajan, PHD, Dr. Ekta Gupta, Orthodontics, Dr. Navdha Chaudhary, Pedodontics.

No record of stipend paid to interns was furnished. During interaction, interns submitted that they are not getting stipend.

There is no e-library.

The Floor area of library is 5027 sq ft as per furnished floor plan against required minimum 8000 sq ft as per proforma. The floor plan furnished does not match with the existing utilization.

No record of purchase of any book or journal during the past five years was (since 2017) furnished. The latest journal available was 2007.

There is no satellite clinic.

The labs are deficient in infrastructure and there was no lab attendant in any of the lab.

Completion Certificate from the competent authority was not furnished

Pollution Control Board permission not furnished

Bio-Medical waste management details (valid documents) not furnished.

Bio-waste incinerator is not available

Fire and safety certificate from competent authority was not furnished.

Anatomical act from competent authority has not been furnished.

AERB certified dark room is not available.

5(16). **Institute of Dental Sciences, Village Sehora, Jammu (J&K)**

To consider Joint Inspection Report of the Council's Inspectors Dr. Gaurav Singh, Lucknow and Dr. Himadri Chakrabarty, Kolkata carried out on 5th & 6th May, 2022 to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

- 1 Sr. Lecturer as Dr. Surabhi was absent on the day of Inspection
- 2 Two Dental Chairs were not functional in the department of Orthodontics. One Ultrasonic Cleaner was present of 7 liter capacity instead of desired 13 liter capacity.

Compliance Report (Periodic)

- 5(40). **Council's Recommendations on the verification report in respect of – (1) Azeezia College of Dental Sciences & Research, Kollam, Kerala, (2) Patna Dental College & Hospital, Patna, Bihar, (3) C.K.S. Teja Institute of Dental Sciences & Research, Andhra Pradesh and (4) Bharati Vidyapeeth Dental College & Hospital, Navi Mumbai, Maharashtra.**

To consider the recommendations of the General Body (by circulation) received in terms of DCI letter dated 13.04.2022 in respect of – (1) Azeezia College of Dental Sciences & Research, Kollam, Kerala, (2) Patna Dental College & Hospital, Patna, Bihar, (3) C.K.S. Teja Institute of Dental Sciences & Research, Andhra Pradesh and (4) Bharati Vidyapeeth Dental College & Hospital, Navi Mumbai, Maharashtra, on the Verification Inspection Report of the Council's Inspectors to verify the Compliance Report on the Joint Inspection Report of the Council's Inspectors.

Compliance

(1) Azeezia College of Dental Sciences & Research, Kollam, Kerala,

Medical College Staff:

- (i) Dr. Tahir MPVR, Asst. Prof., (Dept. of Ger. Surgery) who was absent on 15.04.2021 —have been relieved. Whether he has been replaced with other faculty
- (ii) Dr. Madhusoodanan Pillai, Prof., (Dept. of Anaesthesia) who was absent on 16.04.2021 —have been relieved. Whether he has been replaced with other faculty
- No separate seating room/area for faculty & PGs.
- Space between the dental chairs in Conservative Dentistry & Endodontics, prosthodontic & conservative dept. In UG Section, the space was less and is not possible to operate on two chairs
- College has one phantom head lab having 60 phantom heads shared by Prosthodontics & Crown Bridge dept.
- The phantom heads are purchased which are medium quality
- Deficiency of equipment -Laser (preferably hand tissue)-1 (Conservative Dentistry Department)
- The dental chair placed inside the van is not functional
- certain faculty rooms not available
- Some of the electric chair are not upto the standard (good)
- Orthodontics dept are not according to good standard.
- Faculty chair and PG chairs are present, but not in Column pattern in the same room

(2) Patna Dental College & Hospital, Patna, Bihar,

Deficiencies as per BDS Inspection:

1. There are following dental teaching staff were absent on the day of Inspection:
 - (i) Dr. Mukesh Kumar, Conservative Dentistry
 - (ii) Dr. Jazib Nazeer, Oral pathology & Microbiology
2. There are deficiencies of four Readers in the following departments:
 - Oral Pathology and Oral Microbiology-1
 - Prosthodontics-1
 - Conservative Dentistry and Endodontics-1
 - Oral Pathology-1
 - Periodontics-1
3. There are deficiencies of lecturer-1, Tutors-16.
4. There is deficiencies is 1 Lecturer in the department of General Medicine, 1 Reader, 2 Lecturer in the department of General Surgery, and 1 Reader, 1 Lecturer in the department of Anesthesia.
5. Non-Teaching staff / Ministerial Staff:- No new recruitments as yet.
6. **Central Library:-** No update and No purchases.
7. **Equipment deficiency:**
 - **Prosthodontics and Crown & Bridge:** Semi adjustable articulator-2 (No purchases made), Extra oral / intra oral tracer-2 (No purchases made), Hot water sterilizer-1 (No purchases made), Geyser-1 (No purchases made), Phantom heads-20 are less.

- **Conservative Dentistry and Endodontics:** Intra-oral X-ray Unit – Non functional, Radiovisiography – Not functioning.
 - **Pre Clinical Laboratory:** Phantom Lab Unit – 5, Gas cylinder and oxygen cylinder with burner-1.
 - **Clinical Laboratory:** Porcelain furnace-1, Lab airrotor-1, Casting machine-1
 - **Periodontology:** Physio dispenser with implant kit – Implant kit absent.
 - **Orthodontics:** Ultrasonic cleaner-1, OPG with cephalostat-1.
 - **Oral Medicine and Radiology:** Panoramic X-ray with cephalometric (Orthopentmogram)-1, Automatic periapical X-ray developer-1, Automatic Panoramic with X-ray developer-1, Radiovisiography with Intra Oral Camera-1, General X-ray Unit-1, Automatic Developers/Dark Room-1, Lead collar-2, Sailography equipment & Kit-1
 - **Public Health Dentistry: MOBILE CLINIC:** Mobile Dental Van with dental chairs & units-2, Autoclaves-1, Intraoral X-ray-1, Glass bead sterilizers-1, Compressor-1, Metal cabinet-1, Portable dental chair-2, Stabilizer-1, Generator-1, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1, Demonstration models-20.
 - No separate hostel for dental college.
8. Bio-metric attendance of the faculty members and PG Students: Not working at present:- Register being maintained, no other sources. Principal appointment not as per norm. Dr. Rani Kumari Gupta has received appointment order as Prof. However, the age is 66 years. Publication also not provided.
9. Clinical material in Prosthodontics. Was deficient on the day of inspection.

Deficiencies as per MDS Inspection.

1. There are deficiencies of two Readers and three Lecturers.
2. **Staff Assessment for Publications:** HOD & Professor – There is no publication & not provided.
3. **Clinical Material:** Inadequate 16 patients total
4. **Speciality Department Infra Structure details and Library details:** Not supplied any information.
5. **Internet facilities** -not available.
6. **Hostel Facility for PG:** Not separate dental hostel
7. **Equipments:** (No update) Articulators-2, Light cures-1, Hot air oven-1, Autoclave-1, Intra oral camera-1, Digital SLR camera-1, Computer with internet connection with attached printer and scanner-1, CLINICAL LAB FOR PROSTHETICS: Model trimmer with diamond disc-1, High speed lathe-1, Vibrator-1, Micro motor lab type-2, CHROME – COBALT LAB EQUIPMENT: Duplicator-1, Wax heater-1, Wax carvers (Full PKT Set)-1, Stereo microscope-1, Magnifying work lamp-1, Heavy duty lathe with suction-1, Preheating furnace-1, CERAMIC LAB EQUIPMENT: Ceramic kit (instruments)-2, Ceramic polishing kit-2, IMPLANT EQUIPMENT: Electrical dental chair and unit-1, Physio dispenser-1, Implant kit-2, Implants-10, Prosthetic components-10, Unit mount light cure-1, X-ray viewer-1, Needle destroyer-1, Ultrasonic cleaner capacity 3.5 lts-1, X-ray machine with RVG-1, Refrigerator-1, Surgical kit/prosthetic kit-2, Educating models-1, Implant removing instruments-1..
8. **Academic Observations:-**

- PG programme not upto mark.
 - PG programme not satisfactory.
 - Logbook not updated.
 - Equipments are old and deficient.
 - Supervision is insufficient.
9. **University Affiliation:-** current university affiliation not provided
- Centralized Air Compressor: Not available.
 - Biometric Attendance: Not available.
 - -Fire Safety: Supply order provided.
 - CCTV: -not in lecturer hall.
 - Details of AERB Norms:-: Not available.

(3) C.K.S. Teja Institute of Dental Sciences & Research, Andhra Pradesh

- Professor (Oral Pathology & Microbiology) was not having his bank details.
- Out of 89 non teaching staff, 71 were present absent on the day of inspection..
- Affidavit of the medical staff – As per letter dated 7.11.2017 of Govt. of Andhra Pradesh, extension of clinical attachment of medical hospital is going to expire in March, 2022.
- There is deficiency of equipments in the department of Conservative Dentistry and Endodontics: Phantom lab is shared by department of Prosthetic & Conservative,
- There is deficiency of following equipments in the department of Public Health Dentistry:-
 - (i) Mobile Dental Van was not functional
 - (ii) No Autoclave
 - (iii) No Intraoral X-ray
 - (iv) No Glass bead sterilizers
 - (v) No Metal Cabinet,
 - (vi) No Stabilizer
 - (vii) No Generator
 - (viii) No Water Tank
 - (ix) No Public address system

Inspectors Observation:

1. Disregard of Biometric attendance system:-

- I. On enquiry it was found that the institution did not follow the biometric attendance system.
- II. Upon further strenuous enquiry by the inspector, the manual attendance system (of making attendance by signing) was also not provided for 02.03.2022 even after repeated request for the same.

2. Following staff members were absent on the day of inspection:

- I. Dr. B. Indira Padmaya, Professor & HOD in Prosthodontics.
- II. Dr. A Kishore Kumar, Professor, Periodontics.
- III. Dr. Brijesh Krishna, Reader, Oral Pathology.
- IV. Dr. G. Sravanthi, Reader, Prosthodontics.
- V. Dr. N.P. Swathi, Sr. Lecturer, Prosthodontics.
- VI. Dr. Rasool, Reader, Prosthodontics.
- VII. Dr. V. Archana, Sr. Lecturer, Pedodontics.
- VIII. Dr. Kavitha, Sr, Lecturer, Oral Surgery.
- IX. Dr. Sreeja, Sr. Lecturer, Endodontics
- X. Dr. N.P. Swathi, Sr. Lecturer, Prosthodontics.
- XI. Dr. C. Sravya, Sr. Lecturer, Periodontics.

XII. Dr. Sameeulla Shaik, Reader, Oral Medicine.

3. Bank Account issues:-

- I. Dr. Sudheer Kant Prof. & HOD (less OP) could not provide his bank details and did not possess – Form -16.
- II. All newly recruited staff members also could not provide their bank account details used for salary.

4. Grave Concerns with Mobile Van:-

- Initially only chairs and compressor was there in the Mobile Van. Later arranged from somewhere by the college authorities.

(4) Bharati Vidyapeeth Dental College & Hospital, Navi Mumbai, Maharashtra,

The following teaching staff were absent on the day of Inspection:-

1. Dr. Divij Joshi – Reader – Department of Orthodontics.
2. Dr. Richa Mishra – Lecturer – Department of Orthodontics.
3. Dr. Nityanand Shetty – Lecturer – Department of Orthodontics.
4. Dr. Avantika Jadav – Lecturer – Department of Prosthodontics.
5. Dr. Harsh Unadkat – Lecturer – Department of Conservative.
6. Dr. Deepak Kolte – Lecturer – Department of Oral Surgery.
7. Dr. Agre Bhagyashree P – Tutor - Department of Oral Surgery.
8. Dr. Pallavi Kale – Tutor - Department of Oral Pathology.

On the day of Inspection the following Medical Teaching Faculty were absent:-

1. Smt. Diptika Pinjarkar – MSC Anatomy
2. Dr. Ankur Patel - Department of Anatomy
3. Dr. Anil Bhale - Department of Anatomy
4. Dr. Vinod Dhole - Department of Physiology
5. Dr. Bapu Kamble - Department of Biochemistry
6. Dr. Amol Mumbaikar - Department of General Pharmacology
7. Dr. Wankhade K A - Department of General Pharmacology
8. Dr. Yogesh Devkate - Department of General Pharmacology
9. Dr. Apoorva Mishra - Department of General Pathology
10. Dr. Swapnil Sirmukadam - Department of General Pathology
11. Dr. G. Ashok - Department of General Microbiology
12. Dr. Mayur Hedau - Department of General Microbiology
13. Dr. Anil Kumar Daxini - Department of General Microbiology
14. Dr. Subhas Phaphal - Department of General Medicine
15. Dr. Sanjay Doke - Department of General Medicine
16. Dr. Rajendra Waghela - Department of General Medicine
17. Dr. Azid Rafiyoddin Ansari - Department of General Medicine
18. Dr. Rahul Chaskar - Department of General Medicine
19. Dr. Pratima Killekar - Department of Anesthesia
20. Dr. Tarin Mithal - Department of Anesthesia

On the day of Inspection the following Post Graduate were absent:-

1. Dr. Kambee Dhanshree Pramod - Department of Conservative
2. Dr. Anusua Mitre - Department of Periodontics

GENERAL OBSERVATIONS:-

- Dental Chairs are not in working condition and not connected to compressor. Centralized compressor not present/verified.
- Typodonts are not attached to phantoms and lot of broken phantoms. No records of Typodonts issued to students.
- Major OT in Department of Oral Surgery not operational. No records of consumables (not maintained at all)
- Pollution control norms could not be verified.

- None of the department has maintained separate Under & Post Graduate allotment register.
- List of special cases were not provided.
- Nemoceph software in department of Orthodontics is not accessible to post graduate as it is installed on HOD's computer.
- Clinical material issue register is not maintained and does not match the consumption of the patients.
- Sterilization register not maintained.
- The central OPD maintaining a number of 211 is manipulated as checked at the time of visit to college. Pics taken to prove fake entries and copies attached. The entries were fakes and by mistake signed at no. 161 which was cancelled and counter signed by the inspector in original.

5(41). **Council's Recommendations on the verification report in respect of – (1) Farooqia Dental College & Hospital, Mysore, Karnataka (2) S.D.M. College of Dental Sciences & Hospital, Dharwad and (3) Maratha Mandal's Nathajirao G. Halgekar Institute of Dental Sciences & Research Centre, Belgaum.**

To consider the recommendations of the General Body (by circulation) received in terms of DCI letter dated 9.5.2022 in respect of – (1) Farooqia Dental College & Hospital, Mysore, Karnataka (2) S.D.M. College of Dental Sciences & Hospital, Dharwad and (3) Maratha Mandal's Nathajirao G. Halgekar Institute of Dental Sciences & Research Centre, Belgaum, on the Verification Inspection Report of the Council's Inspectors to verify the Compliance Report on the Joint Inspection Report of the Council's Inspectors.

Compliance

(1) Farooqia Dental College & Hospital, Mysore, Karnataka

- There is deficiency of equipments viz. Mobile Dental Van-1,
- Circular saw is shared with endodontics

(2) S.D.M. College of Dental Sciences & Hospital, Dharwad

- There is no University Affiliation (Change of University from Rajeev Gandhi University to Shri Dharmasthala Manjunatheshwara University is in process).
- There are deficiencies of Major Equipments in the following departments:-
 - **Pedodontics:-** Dental Chairs and Units -8 (only 23 against the requirement of 31 (20 for UG and 11 for PG)
 - **Prosthodontics and Crown & Bridge:-** Dental Chairs and Units – 7.
 - **Oral Pathology & Microbiology:-**Dental Chair -3(only 2 against the requirement of 5 (2 for UG and 3 for PG)

(3) Maratha Mandal's Nathajirao G. Halgekar Institute of Dental Sciences & Research Centre, Belgaum

1. Medical Teaching Staff

- There is deficiency of one Reader and one Lecturer in the department of Anatomy.
- Dr. Ajay P Kale, (MBBS) in the department of Anatomy was not present during the inspection. His resignation has not been furnished.
- There is only one Professor and one Reader in the Department of general surgery. Hence there is deficiency of one lecturer in the department of general surgery.
- Dr. Babu Metgud, M.S. (General Surgery) Reader is above 70 years of age.

2. Non – Teaching Staff / Ministerial Staff: -

Cont'd...

- There is only one dental hygienist, Ms. Pooja S. Dhamanekar, in the dental college.
- There is no physical Director in the Dental College who has appointed earlier has resigned and has been relieved.
- There is no mason in the Dental College.
There is no cloak area demarcated as per the floor plan.
Also on site there was no cloak room in the library
- **Equipments**
 - **Prosthodontics and Crown & Bridge:-** Ceramic and cast partial laboratory are shared for UG and PG
 - **Public Health Dentistry-** Intramural X-ray and Generator were not available in the mobile dental van)
 - Steriliser-1 was very old and non-functional. Bill for purchase was not furnished. There were only two examination tables in the lab. There was no clinical lab and the two examination tables were kept at the end in the lab only.
 - Clinical lab for Ortho and Pedo for UG and PG was not separate
 - There was no separate room for freezer and it was kept in the Dissection hall only
 - The storage tanks in the cadaver room were in very bad state with broken lid
 - Fire & Safety Certificate has not been obtained & renewed annually)
 - There is no Reader in the Department of Physiology
 - Dr. Bhasavaraj Tenginkai, MD, Physiology was not available. His resignation was furnished but his Relieving order was not furnished.
 - Dr.. S.V. Hiremath is above 70 years of age, hence cannot be considered towards teaching position.
 - There were two lecturers present during inspection both M.Sc. in Medical Biochemistry
 - The Ortho - Pedo combined lab does not fulfill the space requirement as per the norms.
 - No stipend is being paid to the student as verified from the PG students and The Principal.
 - Fire & Safety Certificate has not been obtained & renewed annually
 - The paucity of space was observed in clinical and laboratory areas.
 - The terms for the use of attached hospital (payment per candidate per year) have not been fulfilled. There has been nil payment for the attached hospital.
- **Conservative Dentistry & Endodontics with 5 seats**
 - There is deficiency of one dental chair
 - The OPD on 3 Mar 2022 was 50 and on 4 Mar 2022 was 99. The OPD was deficient on day one of inspection as per DCI norms.
- **Prosthodontics and Crown & Bridge with 5 seats**
 - **Clinical Material:** The OPD on 3 Mar 2022 was 50 and on 4 Mar 2022 was 52. The OPD was deficient on day one of inspection as per DCI norms. The OPD was deficient as per figure provided
- **Oral Medicine & Radiology with 3 seats**

- **Clinical Material:** The OPD on 3 Mar 2022 was 47 and on 4 Mar 2022 was 82. The OPD was deficient on day one of inspection as per DCI norms. The OPD was deficient as per figure provided

Note : Subject to the confirmation of the said Minutes in the next Executive Committee meeting