

DENTAL COUNCIL OF INDIA

Meeting file of the Executive Committee of the Dental Council of India held on 05-10-2023 in the Committee Room, Dental Council of India, Aiwan-E-Ghalib Marg, Kotla Road New Delhi.

- 5(1) **Care Dental College, Guntur, Andhra Pradesh**
Starting of MDS Course in the speciality of **Prosthodontics and Crown & Bridge with 3 seats** at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25 - regarding

The Executive Committee considered the Joint Inspection Report of the Council's Inspectors Dr. Manu Rathee, Rohtak & Dr. Shefali Singla, Chandigarh (**carried out on 20th & 21st September, 2023**) to inspect and ascertain the physical facilities such as building, space, teaching staff & their qualification and other infrastructural facilities available, as per the DCI Regulations, 2006 & 2017 for **starting** of MDS Course in the speciality of **Prosthodontics and Crown & Bridge with 3 seats** at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25 and after discussion and deliberation decided as under:-

Compliance

Prosthodontics and Crown & Bridge with 3 seats

1.	There is deficiency of 01 Reader/Associate Professor and 01 Lecturer/Assistant Professor.
2.	Dr. Krishna Chaitanya K., Reader/Associate Professor was absent on both days of inspection.
3.	Publication points of Dr. Krishna Chaitanya K., Reader/Associate Professor is not mentioned.
4.	<u>Clinical Work Load:-</u> Average number of patients in last six months are not furnished. Number of patient on first day is 15 and on second day is 10 against the requirement of 20.
5.	<u>Specialty Department Infra Structure Details:</u> No faculty rooms are available There is no space for PG Clinic Laboratory Space is not available Seminar Hall is not available Department Library is not available PG Common Room is not available Preclinical/Phantom Head Lab is not available Patient Waiting Room is not available Sterilization Room is not available No floor plan is furnished
6.	<u>Library Details:</u> Available no. of titles in Central Library –NIL Available no. of titles in Department Library –NIL National and International Journals are not available No. of back volumes are not available No new titles has been purchased in current Academic Year

Cont'd...

7.	<p>Hostel facility for PG: The hostel for PG boys is not earmarked. There was only one room for UG boys hostel with 8 occupants. Nine rooms (2 seater each) were shown as earmarked for PG girl students.</p>
8.	<p>Equipments: There are deficiencies of following equipments-</p> <ul style="list-style-type: none"> Electrical Dental Chairs and Units - 1 chair and unit per PG student Semi Adjustable Articulator with Face bow - 6 Micromotor – 2 Ultrasonic scaler - 2 Light cures - 2 Hot air oven - 1 Autoclave - 2 Surveyor - 2 Refrigerator - 1 X-ray viewer - 1 Pneumatic, Crown bridge remover - 2 Needle destroyer - 1 Intra oral camera - 1 Digital SLR camera - 1 Computer with internet connection with attached printer and scanner - 1 LCD Projector - 1 Plaster dispenser - 2 Model trimmer with carborandum disc - 1 Model trimmer with diamond disc - 1 High speed lathe - 2 Vibrator - 2 Acrylizer - 1 Dewaxing unit - 1 Hydraulic press - 1 Mechanical press - 1 Vacuum mixing machine - 1 Micro motor lab type - 2 Curing pressure pot - 1 Pressure molding machine - 1 Duplicator-1 Pindex system - 1 Burn-out furnace - 1 Welder - 1 Sandblaster - 1 Electro- polisher - 1 Model trimmer with carborandum disc - 1 Model trimmer with diamond disc - 1 Model trimmer with double disc - 1 Preheating furnace-1 Dewaxing furnace - 1 Spot welder with soldering, attachment of cable - 1 Steam cleaner - 1 Vacuum mixing machine - 1 Spindle grinder 24,000 RPM with vacuum suction - 1 Wax heater - 2 Wax carvers (Full PKT Set) - 2 Milling machine - 1 Stereo microscope - 1 Magnifying work lamp - 1

	<p>Heavy duty lathe with suction - 1 Preheating furnace - 1 Preheating furnace - 1 Dry model trimmer - 1 Die cutting machine - 1 Ultrasonic cleaner - 1 Composite curing unit - 1 Fully programmable porcelain furnace with vacuum pump - 1 Ceramic kit (instruments) - 3 Ceramic materials (kit) - 1 Ceramic polishing kit - 2 Stereo microscope - 1 Magnifying work lamp - 1 Composite curing unit - 1 Electrical dental chair and unit - 1 Physio dispenser - 1 Implant kit - 2 Implants - 10 Prosthetic components - 10 X-ray viewer - 1 Ultrasonic cleaner capacity 3.5 ltrs - 1 Autoclave - 1 X-ray machine with RVG - 1 Refrigerator - 1 Surgical kit / prosthetic kit - 2 Educating models - 1 Implant removing instruments – 1</p>
9.	<p><u>Table of Content:</u> No information furnished regarding any staff on notice period. No information furnished regarding Anti Ragging Committee. No detail furnished regarding Satellite Clinics has been checked or not. Details of Prevention of Sexual Harassment Committee were not furnished.</p>
10.	<p>Ethical Committee is not registered</p>
11.	<p>Bio waste regulation facilities are not available in the department</p>
12.	<p><u>Deficiencies :</u> Self Assessment Report is upto 2021 only. University Affiliation in Self Assessment Report been mentioned 09 Nov 2022. Two tutors have signed attendance in the chart for Prosthodontics but both the tutors namely, Dr. Shivani and Dr. N Priyanka have submitted in their affidavits that they are appointed in the department of Public Health Dentistry. No details of para-dental staff for their appointment and posting in the department of Prosthodontics was furnished. One of the B.Sc Nursing student was posted in the department of Prosthodontics. One Dental Mechanic in the</p>

	<p>Prosthodontics did not furnish his Diploma Certificate and his appointment letter is not bearing any official letter number.</p> <p>There is no record of special cases work done in the department record. Vouchers for major equipment purchase not furnished for verification.</p> <p>Tobacco Cessation Centre is not having required equipment.</p> <p>The AERB certification was not furnished for any of the radiation devices in the department.</p>
	<p>Permission for generation Biomedical waste from competent authority was not furnished.</p> <p>Details of NIRF was not furnished.</p> <p>List of special cases was not furnished.</p> <p>List of research activity was not furnished.</p> <p>Biometric attendance for the days of inspection was not furnished for faculty.</p> <p>The space earmarked for PG clinics was an empty room with few student chairs.</p> <p>Attached Medical College letter does not specify the attachment for the MDS Course.</p>

- 5(2) **Care Dental College, Guntur, Andhra Pradesh**
Starting of MDS Course in the specialty of **Oral & Maxillofacial Surgery with 3 seats** at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25 – regarding
-

The Executive Committee considered the Joint Inspection Report of the Council's Inspectors Dr. Sunil Sharma, Jaipur & Dr. Sanjeev Kumar, Haryana (**carried out on 20th & 21st September, 2023**) to inspect and ascertain the physical facilities such as building, space, teaching staff & their qualification and other infrastructural facilities available, as per the DCI Regulations, 2006 & 2017 **for starting** of MDS Course in the specialty of **Oral & Maxillofacial Surgery with 3 seats** at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25 and after discussion and deliberation decided as under:-

Compliance

Oral & Maxillofacial Surgery with 3 seats

1.	<p><u>Clinical Work Load:</u> Records and details of average major and minor surgery not provided.</p> <p>Numbers of patient on first day are 26 and on second day</p>
----	---

Cont'd...

	are 29 against the requirement of 30.
2.	There is deficiency of 01 Reader/Associate Professor.
3.	Dr. K. Naga Harini, Reader/Associate Professor was absent on both days of inspection.
4.	<u>Specialty Department Infra Structure Details:</u> Faculty rooms are not available Seminar Hall is not available Department Library is not available PG Common Room is not available.
5.	<u>Library Details:</u> PG books are not available National and International Journals are not available Back volumes are not available No new titles has been purchased in current Academic Year Full text are not available for 2023 in e-library Photocopy machine is not working
6.	<u>Hostel facility for PG:</u> Boys- Not available Girls- 9 rooms proposed
7.	<u>Equipments:</u> -There are deficiencies of following equipments- Dental Chairs and Units-6 Fumigators-1 Oscillating saw-1 General surgery kit including tracheotomy kit-2 Cleft surgery kit-1 Bone grafting kit-1 Implantology kit-1 Implantology system- 2 Number of implants-10 Distraction osteogenesis kit -1 Piezo surgical unit-1 Magnifying loops- 1 Operating microscope and microsurgery kit(Desirable)- 1 Dermatomes- 1 Fibroptic light- 1 Audio Visual System-1 Refrigerator-1
8.	<u>Table of Content:-</u> Vouchers are not provided for the infrastructure and equipment for clearance of payment to the supplier. Ethical Committee is not registered
10.	<u>Deficiency:-</u> Bio waste regulation facilities are not available in the department.

- 5(3) **Care Dental College, Guntur, Andhra Pradesh**
Starting of MDS Course in the specialty of Conservative Dentistry and Endodontics with 3 seats at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25- regarding
-

The Executive Committee considered the Joint Inspection Report of the Council's Inspectors Dr. Mithra N. Hegde, Mangalore & Dr. Aditya Mitra, West Bengal (**carried out on 20th & 21st September, 2023**) to inspect and ascertain the physical facilities such as building, space, teaching staff & their qualification and other infrastructural facilities available, as per the DCI Regulations, 2006 & 2017 **for starting of MDS Course in the specialty of Conservative Dentistry and Endodontics with 3 seats** at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25 and after discussion and deliberation decided as under:-

Compliance

Conservative Dentistry and Endodontics with 3 Seats

1. **Staff:** - There are deficiencies of 1 Reader and 2 Lecturers.
2. **Infrastructure:-** Faculty Rooms – Only HOD Room Available, Seminar Hall – Not available, Department Library – Not available, PG Common Room - Not available.
3. **Equipments:-** There are deficiencies of equipments of viz. Micro endosonic Tips, retro treatment – 1, Endomotor – 1, Apex locators – 1, Operating microscope – 1, Surgical endo kits (Microsurgery) – 2, Variable Intensity polymerization equipments VLC units – 1, Audio visual system – 1, Composite kits with different shades and polishing kits – 1, Ceramic finishing kits metal finishing kits – 2, Instrument retrieval kits - 1, Computer with internet connection with attach printer and scanner – 1, Refrigerator – 1, Laser (preferably hard tissue) – 1, Composite curing unit – 1.
4. **Clinical Work Load:-** There were only 33 patients on the 1st day of Inspection against the requirement of 35.
5. **Library:-** National Journals - 1
6. **Table of Contents:-**
 1. Has the infrastructure and equipment with the vouchers for clearance of payment to the suppliers been checked and verified as per the prescribed DCI norms – No.
 2. **Medical College / Hospital Attached:-** (Medical Teaching Staff for BDS/MDS) – No, Bed Occupancy – No
 3. Details of Ethical Committee - Not Registered.
 4. Details of Prevention of Sexual Harassment Committee – No.
 5. NAAC Accreditation Certificate – No.
 6. NIRF Ranking System – No.

- 5(4) **Care Dental College, Guntur, Andhra Pradesh**
Starting of MDS Course in the specialty of Orthodontics and Dentofacial Orthopedics with 3 seats at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25- regarding
-

The Executive Committee considered the Joint Inspection Report of the Council's Inspectors Dr. Manish Goyal, Uttar Pradesh & Dr. Virendra Vadher, Chhattishgarh (**carried out on 20th & 21st September, 2023**) to inspect and ascertain the physical facilities such as building, space, teaching

Cont'd...

staff & their qualification and other infrastructural facilities available, as per the DCI Regulations, 2006 & 2017 for starting of MDS Course in the specialty of **Orthodontics and Dentofacial Orthopedics with 3 seats** at Care Dental College, Guntur, Andhra Pradesh, for the academic session 2024-25 and after discussion and deliberation decided as under:-

Compliance

Orthodontics and Dentofacial Orthopedics with 3 seats

1.	Dr. Manjunath Madhav, Professor has only 7.5 publication points against 30.
2.	Dr. Rahamtulla Syed, Reader/Associate Professor has no publication points
3.	<u>Clinical Work Load:</u> Numbers of patient on first day are 14 and on second day are 10 against the requirement of 15.
4.	<u>Specialty Department Infra Structure Details:</u> No room available for Reader or Sr. Lecturer There is no space for PG Clinic Laboratory Space is not available Seminar Hall is not available Department Library is not available PG Common Room is not available Preclinical Lab is not available Patient Waiting Room is not available Sterilization Room is not available
5.	<u>Library Details:</u> Available no. of titles in Central Library is only 3 against the requirement of 15-20 Available no. of titles in Department Library -NIL National and International Journals are not available No. of back volumes are not available No new titles has been purchased in current Academic Year Seating capacity is only 50 Photocopy machine is not working Audio/Visual facilities are not available
6.	<u>Hostel facility for PG:</u> No separate hostel available for boys or girls but only separate rooms are available.

7.	<p>Equipments:- There are deficiencies of following equipments— Vacuum/pressure moulding unit-1 Hydrogen soldering unit-1 Lab micromotor-3 Spot welders-3 Model trimmer-2 Light curing unit-1 High intensity light curing unit -1 Polishing lathes-1 Tracing tables-3 SLR digital camera-1 Scanner with transparency adapter-1 X-ray viewer-2 LCD projector-1 Autoclaves for bulk instrument sterilization vacuum-1 Needle destroyer-1 Dry heat sterilizer-1 Ultrasonic scaler-1 Electropolisher-1 Typodonts with full teeth set-3 Anatomical articulator with face bow attachments-1 Free plane articulators-1 Hinge articulators-4 Computer software for cephalometrics-1 Computer with internet connection with attached printer and scanner-1 Refrigerator-1</p>
8.	<p>There are no special cases in this department.</p>
9.	<p>Ethical Committee is not registered.</p>
10.	<p>Deficiencies:- Dr. Manjunath Madhav, Professor – No residential proof of address Copy of passport not provided Letter of appointment of previous college not provided Relieving certificate of previous college not present Only one salary credited on 7/7/2023 i.e., 55,000 against 75,000 shown on affidavits</p>
	<p>Dr. Syad Rahumtulla, Reader- He don't have joining letter as reader No proof of salary credited in his account Bank statement is not attached TDS Certificate is not attached</p>
	<p>Dr. Mazhar Ahmed, Reader- No appointment and joining letter attached for the post of Senior Lecturer at KLG Banglore Joining letter not attached as reader TDS Certificate is not attached</p>
	<p>There is no list of research activity.</p>
	<p>Only one Sr. Lecturer, Dr. Md. Alisha is full time staff looking after all the cases.</p>
	<p>No departmental case records shown by the department.</p>
	<p>HOD and two readers come only for the inspection.</p>
	<p>Tobacco Cessation Center is not having required equipments.</p>
	<p>Dr. Abhilash D., Lecturer was absent on both days of</p>

Cont'd...

	inspection and affidavits are also not submitted by him.
	No non- teaching staff in the department.
	No floor plan of the department is furnished.

5(9) **Nair Hospital Dental, Mumbai, Maharashtra**

Recognition of MDS course for increase of seats **under EWS Category** in the specialty of **Orthodontics and Dentofacial Orthopedics from 2 to 3 seats** conducted by Maharashtra University of Health Sciences, Nashik in respect of MDS students of Nair Hospital Dental, Mumbai, Maharashtra- regarding

The Executive Committee considered the Joint Inspection Report of the Council's Inspectors Dr. Kehar Singh Negi, Shimla & Dr. Chandulal Jadav, Hyderabad (**carried out on 7th & 8th August, 2023**) (**received by email on 26.9.2023**) to evaluate the standard of the first final examination of MDS course for increase of seats **under EWS Category** in the specialty of **Orthodontics and Dentofacial Orthopedics from 2 to 3 seats** conducted by Maharashtra University of Health Sciences, Nashik in respect of MDS students of Nair Hospital Dental, Mumbai, Maharashtra and after discussion and deliberation decided as under:-

Compliance

Orthodontics and Dentofacial Orthopedics from 2 to 3 seats

1. There is deficiency of 01 Reader/Associate Professor.

5(67). **Siddhpur Dental College, Patan (Gujarat)- Regarding**

Joint Inspection Report of Council Inspectors Dr. I.K. Pandit, Yamuna Nagar (Haryana) and Dr. Santosh G., Hyderabad (Telangana) carried out on 21st & 22nd September 2023 at Siddhpur Dental College, Patan (Gujarat) to evaluate the standard of first final BDS examinations to be conducted by Hemchandracharya North Gujarat University, Patan, Gujarat in respect of BDS students of Siddhpur Dental College, Patan (Gujarat) for **recognition of BDS Course from 100 to 125 seats under EWS.**

The Executive Committee considered the Joint Inspection Report of Council Inspectors Dr. I.K. Pandit, Yamuna Nagar (Haryana) and Dr. Santosh G., Hyderabad (Telangana) carried out on 21st & 22nd September 2023 at Siddhpur Dental College, Patan (Gujarat) to evaluate the standard of first final BDS examinations to be conducted by Hemchandracharya North Gujarat University, Patan, Gujarat in respect of BDS students of Siddhpur Dental College, Patan (Gujarat) for **recognition of BDS Course from 100 to 125 seats under EWS** and after discussion and deliberation decided as under:-

Compliance

	There are following deficiencies :-
1.	University Affiliation for the AY 2023-2024 not provided.
2.	Dental Teaching Staff:-
(i)	Deficiency of 1 Professor in the Department of Oral & Maxillofacial Surgery
(ii)	Deficiency of 1 Professor in the Department of Orthodontics and Dentofacial Orthopedics
(iii)	Deficiency of 1 Reader in the Department of Prosthodontics and Crown & Bridge.

Cont'd...

(iv)	Deficiency of 1 Reader in the Department of Oral & Maxillofacial Pathology and Oral Microbiology.
(v)	Deficiency of 1 Reader in the Department of Conservative Dentistry and Endodontics.
(vi)	Deficiency of 1 Reader in the department of Oral & Maxillofacial Surgery.
(vii)	Deficiency of 1 Reader in the Department of Periodontology.
(viii)	Deficiency of 1 Reader in the Department of Orthodontics & Dentofacial Orthopedics
(ix)	Deficiency of 1 Lecturer and 17 Tutors.
3.	Medical Teaching Staff:-
(i)	Deficiencies of 1 Reader & 2 Lecturers in the Department of Anatomy.
(ii)	Deficiencies of 1 Reader & 2 Lecturers in the Department of Physiology.
(iii)	Deficiency of 1 Lecturer in the Department of Biochemistry.
(iv)	Deficiencies of 1 Reader & 2 Lecturers in the Department of Pharmacology.
(v)	Deficiencies of 1 Reader & 2 Lecturers in the Department of General Pathology
(vi)	Deficiencies of 1 Reader & 2 Lecturers in the Department of Microbiology
(vii)	Deficiencies of 1 Reader & 3 Lecturers in the Department of General Medicine
(viii)	Deficiencies of 1 Reader & 1 Lecturer in the Department of General Surgery
(ix)	Deficiencies of 1 Reader in the Department of Anesthesia
4.	Non- Teaching Staff:-
	Secretary to Dean – 1, Managers / Office Suptd. – 4, Assistants - 11, Receptionist – 6, D.S.A (Chair Side Attendant) - 7, Dental Tech. (Dental Mechanic) – 9, Dent. Hygst. – 5, Radiographer – 2, Photographer -1, Artist – 1, Data Entry Operators – 1, Physical Director – 1, Engineer – 1, Electricians – 1, Carpenter – 1, Mason – 1, Helpers Electrical – 2, Attenders – 11, Security Personal - 2, Dept. Secretaries – 9, Driver – 3, Nurses – 3, Lab Technicians - 5
5.	Manpower Requirement (As per NABC/NMC Guidelines)
(i)	Medical Staff:-
	General Surgery – 1, General Medicine – 1, ENT – 1, Orthopaedics – 1
(ii)	Engineering Staff:-
	Civil – 2, Mechanical – 1, Electrical – 1, Engineering Aid – 3
(iii)	Other Staff:-
	Carpenter – 1, Cooks – 2, Barber – 1, Class IV including chowkidars – 5
(iv)	Administrative Staff:-
	Office Superintendent – 1, Cashier – 1, LDC – 4
(v)	Land & Infrastructure Details:-
	Fire and Safety Certificate not obtained from the competent authority.

Cont'd...

6.	Infrastructure & Functional Requirements:-
(i)	Pollution Control Measures:-
	All the dental institutions shall take adequate Pollution Control Measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc. – Not available
(ii)	Central Library:-
	Atleast 1 National Journal in each subject of the 9 Dental specialties, 1 National Journal in each subject of the 8 basic medical science subjects and 1 International Journals for each 9 Dental Specialties, Atleast 5 years back volumes of National /International Journal(s) of 9 Dental Specialties - Not available
(iv)	Dental of Facilities for E-Journals:-
	All the journals of the speciality and allied subjects shall be available out of which 50 % should be in print form – Not available
7.	The following deficiencies of Major Equipments in various Departments are as under:-
(i)	Prosthodontics and Crown & Bridge:-
	Dental Chairs and Units – 3
(ii)	Conservative Dentistry and Endodontics:-
	Dental Chairs and Units – 8, Phantom Lab Unit – 10
(iii)	Oral & Maxillofacial Surgery:- A) Exodontia
	Dental Chairs and Units – 5
(iv)	Periodontology:-
	Dental Chairs and Units – 6
(v)	Orthodontics and Dentofacial Orthopedics:-
	Dental Chairs and Units – 6
(vi)	Pediatric and Preventive Dentistry:-
	Dental Chairs and Units – 6
(vii)	Oral Medicine and Radiology:-
	Dental Chairs and Units – 2
(viii)	Public Health Dentistry:-
	Dental Chairs and Units – 2, Portable Dental Chair – 2
8.	Table of Contents:-
	Has the list of special cases treated with details in the speciality for the last three years (in case of increase of seats only) been checked ? – No
9.	Deficiencies found in Inspectors Observations:-
	College has separate boys and girls hostel and staff quarters. However, the hostel areas are not covered by CCTV cameras.

5(69). **Government Dental College, Pudukkottai (Tamil Nadu) – Regarding**

Joint Inspection Report of Council's Inspectors Dr. Gaurang Mistry, Mumbai (Maharashtra) and Dr. Ujjwal Das, Kolkata (West Bengal) carried out on 26th & 27th September 2023 at Government Dental College, Pudukkottai (Tamil Nadu) to verify the achievement of the annual target for renewal of the Central Government permission for 2nd year BDS Course with 50 seats for the AY 2024-25

The Executive Committee considered the Joint Inspection Report of Council's Inspectors Dr. Gaurang Mistry, Mumbai (Maharashtra) and Dr. Ujjwal Das, Kolkata (West Bengal) carried out on 26th & 27th September 2023 at Government Dental College, Pudukkottai (Tamil Nadu) to verify the achievement of the annual target for renewal of the Central Government permission for 2nd year BDS Course with 50 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

Compliance

	There are following deficiencies:-
1	Clinical Material:-
	There are only 36 patients on day one and 41 patients on day two of the inspection against the requirement of 50
	The average OPD of last 6 months is 31 which is not according to DCI norms.
2.	Dental Teaching Staff:-
(i)	Deficiency of 1 Reader in the Department of Prosthodontics and Crown & Bridge.
(ii)	Deficiency of 1 Reader in the Department of Oral Pathology & Microbiology
(iii)	Deficiency of 1 Professor in the Department of Conservative Dentistry and Endodontics.
(iv)	There are deficiencies of 11 Tutors.
3.	The following Dental Teaching Staff were absent on the days of inspection:-
(i)	Dr. P. RVP Kumar, Associate Professor, Prosthodontics and Crown & Bridge was absent on 26.09.2023
(ii)	Dr. P. Shakuntala, Associate Professor, Conservative Dentistry and Endodontics was absent on 26.09.2023
(iii)	Dr. Dhanalakshmi J, Assistant Professor, Oral Pathology and Oral Microbiology was absent on 26.09.2023
(iv)	Dr. M. Saravana Priya, Assistant Professor, Prosthodontics and Crown & Bridge was absent on 26.09.2023
4.	Non-Teaching Staff:-
(i)	Managers – 4, Assistants – 8, Receptionist – 8, Librarian – 1, D.S.A (Chair Side Attendant) – 10, Dent. Tech. (Dental Mechanic) – 6, Dent. Hygst. – 3, Radiographer – 2, Photographer – 1, Artist – 1, Programmer – 1, Data Entry Operators – 1, Physical Director – 1, Engineer – 1, Electricians – 2, Plumber – 1, Carpenter – 1, Mason – 1, A.C. Tech – 1, Helpers Electrical – 1, Sweepers & Scavengers – 10, Attenders – 18, Security Personal – 5, Dept. Secretaries – 4, Driver – 4, Nurses – 3, Lab. Technicians – 3 Inspectors observation:- Non teaching not available in dental college medical non teaching shown
5.	Central Library:-

Cont'd...

(i)	Total number of Journals No.26 (1 National Journal in each subject of the 9 Dental Specialties) (1 International Journal for each 9 dental specialty) Back Volumes of all National Journal of 9 Dental Specialties - Not available
(ii)	E – Journals details – Not available
(iii)	Total Area (Minimum 4500 sq.ft.) – Not available
(iv)	Seating Capacity – Not available
(v)	Amenities, Reception and waiting room, Issue Counter, Photocopying area, Journal room, Staff Reading Room, Store and Stocking Room, Digital Library, Chief library Room/ Assistant Library, Students Cloak Area, Seating Area Inspectors observation: - Not available at time of inspection, new building plan is according to DCI norms not yet started working.
6.	Dental Chairs and Units:-
	Electrical Dental Chairs installed with all the attachments thereon (Required: 50 Dental Chairs) - Not functional
7.	The deficiencies of Major Equipments are as under:-
A.	Common Clinic:-
	Fully Electrical Dental Chairs Units Adult – (Including 1 for Oral Pathology) - 48, Fully Electrical Dental Chairs Units Pado – 2, Autoclave – 5, Ultra sonic Cleaner – 1, Glass bead sterilizers – 2, Diagnostic Kit – 50, Intra Oral Camera – 1, Biopsy Kit – 1, Sailography equipment & Kit – 1, OPG with cephalogram – 1, X-ray OPG viewer – 2, RVG - 1 Lead Apron – 1, Lead Gloves – 2, Emergency Medical Kit – 2, Pulse Oxymeter – 1, Oxygen Cylinder – 1, Oxygen mask adult – 1, Oxygen mask Pado – 1, Extraction forceps adult – 1, Extraction forceps Paedodontics & Preventive Dentistry – 4, Set of elevators – 3, Impaction Kit – 5, Lab micromotor with handpiece – 5, Trauma Kit – 1, High volume suction - 4, Surgical straight hand piece - 5, Hand Scaler Supragingival - 7, Hand scaler sub gingival – 7, Set of curettes – 4, Ultrasonic scaler – 5, Electro cautery Kit – 2, Periodontal Surgical Kit – 2, Spot Welder – 1, Base former – 3, Pneumatic Crown remover – 2, Rubber Dam – 5, Restorative Instruments Kit – 10, RCT instrument Kit – 5, Composite Filling Kit – 1, Amalgamator – 1, Digital Pulp Tester – 1, Apex Locator – 1, Endo motor – 2, Bleaching Unit – 1, Thermoplastic gutta percha – 2, Reduction gear hand piece – 2, Magnification loops – 1, Pressure moulding machine – 1, Micro head airrotor hand piece – 2, Mean value articulator – 3, Semi adjustable articulator – 2, Impression trays non perforated set – 9, Rubber bowl – 7, Spatula – 8, Glass Lab – 5, Cement Spatula – 3,
B.	Oral Pathology Haematology Clinic:-
	Diagnostic Set – 3, Blood Dilution Pipette -3, Blood Cell Counter – 1, Centrifuge – 1, Conical Glass Jar – 3, Coplin Jar – 3, Capillary Tube – 1, Needle Destroyer – 1, Test Tubes – 5, Test Tube Stand – 2, Timer/Stopwatch – 1, Sphygmomanometer – 1, Stethoscope – 1, Ph Meter – 1, Blotting paper – 1, Auto Calorimeter – 1, Mini Rotary Shaker –

	1, Tripod Stand – 1, Spirit Lamp – 1, Salilis Hb Meter – 3, Gluco metre - 1
C	Clinical Wet Lab:-
	Plaster Dispenser – 2, Lathe – 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Heavy duty motor with hand piece – 1, Vibrator - 1
D	Pre Clinical Prosthodontics Lab:-
	Geysers – 1, Vibrator – 3, Dewaxing unit – 2, Mechanical Press – 2, Hydraulic Press – 2, Acrylizer – 2, Model trimmer with Carborandum Disc – 2, Model trimmer with diamond disc – 2, Lab micromotor heavy duty handpiece – 6, Heavy Duty Lathe – 3, Pre-Clinical Working table - 50
E	Chrome Cobalt / Cast Partial Laboratory:-
	Plaster Dispenser – 1, Duplicator – 1, Pindex System – 1, Circular saw – 1, Burn out furnace – 1, Sandblasting machine – 1, Electro-polisher – 1, Model Trimmer with Carborandum disc – 1, Model Trimmer with Diamond disc – 1, Induction casting machine – 1, Spot welder with soldering – 1, Vacuum mixing machine – 1, Steam Cleaner – 1, Spindle Grinder 24,000 RPM with vacuum suction – 1, Wax heater - 1, Wax carver – 1, Curing pressure pot – 1, Milling machine – 1, Heavy duty lathe with suction – 1, Preheating furnace – 1, Palatal trimmer – 1, Ultrasonic cleaner – 1, Composite curing unit – 1.
F	Ceramic Lab:-
	Programmable porcelain furnace with vacuum pump with instrument kit and material kit – 1, Work table with magnifying lens – 1, Ultrasonic bath – 1, Heavy duty micromotor with porcelain finishing accessories - 1
8.	Conservative Dentistry and Endodontics:-
	Phantom Lab Unit - 30
9.	Dental College Building:-
	Basement, Ground, First, Second, Third, Fourth, Other - Building ready but not functional
10.	Hostel for Boys & Girls:-
(i)	Whether the building of Hostels for Boys & Girls is separate from the dental college building and staff quarters – Not functional
(ii)	Whether Hostels for Boys & Girls are within the campus – Not functional
(iii)	Whether hostel is shared by other colleges/ institutions – Not functional
(iv)	Whether Warden room in Boys Hostel available – Not functional
(v)	Whether Warden room in Girls Hostel available – Not functional
(vi)	Hostel facility is available for minimum 50% of total intake – Not functional
11.	Infrastructure & Functional Requirements:-
	Administrative block – 1500 sq.ft, Clinical Area (for common clinic) – 1250 sq.ft, Library – 4000 sq.ft, Lecture Halls – 4 (3200 sq.ft), Central Stores – 400 sq.ft, Maintenance room – 500 sq.ft, Photography and artist room – 150 sq.ft, Medical

	Stores cum Pharmacy - 150 sq.ft, Faculty Room – Dental - 700 sq.ft, Faculty Room – Medical Basic Science – 700 sq.ft, Amenities area – 1000 sq.ft, Boys Common Room – 300 sq.ft, Girls Common Room - 300 sq.ft, Room for Gas Cylinder (ventilated) - 150 sq.ft, Compressor Room - 300 sq.ft, Cafeteria – 1000 sq.ft, Examination hall – 1800 sq.ft, Auditorium (To accommodate at least 350 people) – 2000 sq.ft, Clinical Area (for different specialty departments) – 5000 sq.ft, Pre-clinical Prosthodontics and dental material lab - 1500 sq. ft, Pre-clinical Conservative Lab - 1250 sq. ft, Dental Anatomy, Embryology, Oral Histology and Oral Pathology Lab - 1250 sq. ft, Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc. - 1250 sq. ft, One laboratory for physiology with stores and preparation rooms. - 1000 sq. ft, Laboratory for biochemistry and with store and preparation rooms. - 750 sq. ft, One laboratory for pharmacology - 800 sq. ft, One laboratory for pathology and microbiology with stores and preparation rooms - 1500 sq. ft - New Building of Dental College ready but not functional (work going on)
12.	Laboratories:-
	Prosthodontics Cast Partial and Ceramic – 1250 sq.ft, Conservative Clinical Lab – 300 sq.ft, Histopathology Lab for Oral Pathology – 300 sq.ft, Haematology and Clinical Biochemistry – 200 sq.ft, AREB certified Radiographic Room along with Dark Room – 600 sq.ft - New Building non functional
13.	Medical Equipment Requirement:-
	Clinical Lab Glass Ware:-
	Beakers – 50 each, China Dish – 25, Conical Flask – 5, Funnel – 15 each, Glass Rod Medium/Small – 50, Measuring Cylinder – 30, Measuring Cylinder 250ml – 3, Measuring Cylinder 500ml – 1, Mortar and Pestle – 25 each, Pasteur pipette pack of 100 – 2, Pipette 1 ml – 50, Pipette 2ml – 25, Pipette 5 ml – 15, Reagent bottle with lid – Narrow Mouth Amber (NMA) 125/250/500 ml – 50, Reagent bottle with lid – Narrow Mouth White (NMW) 125/250/500 ml – 50 each 500 ml, Reagent bottle with lid – Wide Mouth – Amber (WMA) 250 ml – 25, Reagent bottle with lid – Wide Mouth White (WMW)125/250/500 ml – 50 each 500 ml – 50, Test Tubes (Medium) – 25, Petri dish – 6, Wash Bottle – 40, Dropper Bottle - 25
	INSTRUMENTS:-
	Transparent Dispensing Box – 25, Dispensing Balance – 25, Dispensing Weight box – 25, Electronic balance – 1, Mechanical pipette – 1, Sensitive Balance – 1, Sphygmomanometer – 1, Spirit lamp – 4, Test Tube Holders – 15, Test Tube Stand – 15, Water bath – 1, Wax paper bundles – 3
14.	Dental Anatomy, Dental Histology & Oral Pathology Lab:-
	Microscope – 25, Television – 1, Teaching Slides set with box – 2 Sets, Education models & dental development set - 3
	Histopathology Room:-

	Microtome -1 set, Wax Bath – 1, Water Bath – 1, Knife Sharpener – 1, Spencer Knife – 1, Disposable Blade – 1, Hot Air Oven – 1, Organic Tissue Capsule – 1, Distilled Water Plant – 1, Diamond Tip Pencil – 1, Glass Dropper Bottle – 3, Glass Bottle With Lid – 3, Wide Mouth Bottles -3, Glass Funnel – 3, Glass Pipette – 3, Glass Measuring Jar – 3, Petri Dish 4” Glass – 3, L Blocks – 2, Loop Holder – 2, Magnifying Glass – 1, Toothed Forceps – 2, Plastic Dropper – 2, Petri Dish 50mm Glass – 2, Gas burner/Spirit Lamp – 1, Processing Bottles – 3, Slide Warming Table – 1, Slide Drying Tray – 1, Slide Carrying Tray – 1, Staining Basket SS – 1, Staining Trough SS – 1, Staining Trough Glass – 1, Slide Staining Rack SS – 1, Slide Box – 1, Slides Storage Cabinet – 1, Wax Block Storing Cupboard – 1, Stop Watch - 1
	ORAL PATHOLOGY REPORTING STATION:-
	Microscope –Trinocular – 1, Colour Printer – 1, Desktop Computer - 1
15.	Land & Infrastructure Details:-
(i)	Whether Pollution Control board norms are followed - No
(ii)	Whether sewage Treatment Plant is available – No
(iii)	Whether Bio-waste incinerator is available - No
(iv)	Whether Fire and safety Certificate obtained from the competent authority – No
16.	Inspectors Observations:-
(i)	Dr. G Vimala, Principal, posted since 23.08.2023 publications not as per DCI norms, past joining and reliving orders not present.
(ii)	Dr. Rupkumar, Associate Professor, Prosthodontics last publication - 2019.
(iii)	Only 4 staff, Dr. Ramkumar, Dr. Kaveri, Dr. Bhaskar, Dr. Arun has Biometric attendance record for past 6 months in medical college other 9 staff do not have any previous attendance record such as biometric.
(iv)	No non teaching staff appointed in dental college
(v)	Central Government - No separate Library books kept in Medical Library Book in adequate.
(vi)	The dental college is now operatives from Medical College building as a department. However, the new dental college building (two) work going on and yet to be finished and not in working condition.
(viii)	103 dental chairs present in new building but not functional as infrastructure work incomplete.
(ix)	Most of major and minor equipments are not present.
(x)	Medical College infrastructure & equipments are as per DCI norms except Pharmacology department do not have any equipments for dental.
(xi)	OPD average is around 31 which is not according to DCI norms.
(xii)	Separate Boys and Girls Hostel present in New Building but not ready

5(70). **Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry – Regarding**

Joint Inspection Report of Council's Inspectors Dr. Nympha Pandit, Yamuna Nagar (Haryana) and Dr. Mousumi Biswas, Kolkata (West Bengal) carried out on 26th & 27th September 2023 at Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry for 2nd year BDS Course from 40 to 100 seats for the AY 2024-25 to verify the achievement of the annual target for renewal of the Central Government permission for 2nd year BDS Course from 40 to 100 seats for the AY 2024-25.

The Executive Committee considered Joint Inspection Report of Council's Inspectors Dr. Nympha Pandit, Yamuna Nagar (Haryana) and Dr. Mousumi Biswas, Kolkata (West Bengal) carried out on 26th & 27th September 2023 at Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry for 2nd year BDS Course from 40 to 100 seats for the AY 2024-25 to verify the achievement of the annual target for renewal of the Central Government permission for 2nd year BDS Course from 40 to 100 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

Compliance

1. **Medical Teaching Staff:** (Number of Readers):- Biochemistry – 1, Pharmacology -1, General Pathology-1,
2. **Non-Teaching Staff / Ministerial Staff:** - Manager/ Office Suptd. - 3, Assistants - 10, Receptionist - 14, D.S.A (Chair side Attendant) - 20, Dent. Tech. (Dental Mechanic) - 8, Dent. Hygst. - 4, Radiographer - 3, Photographer - 1, Artist - 1, Data Entry Operators - 2, Physical Director - 1, Plumber - 1, Carpenter – 1, Mason – 1, A.C. Tech. – 1, Helpers Electrical – 3, Attenders – 22, Dept. Secretaries – 8, Lab. Technicians – 4.
3. **Staff Quarters:** - Principal/ Dean's Bungalow – 1, Staff Quarters – not occupied, Guest House with minimum 3 double bed rooms – not occupied

5(79)S. **Government Dental College and Hospital, Paithna, Rahui, Nalanda (Bihar)- Regarding**

Renewal of the Central Government permission for 2nd year BDS Course with 100 seats at Government Dental College and Hospital, Paithna, Rahui, Nalanda (Bihar) for the AY 2024-25 – regarding

The Executive Committee considered the Joint Inspection Report of Council Inspectors Dr. Lugu Buru Murmu, Kolkata (West Bengal) and Dr. Iqbal Singh, Jammu (J&K) carried out on 26th & 27th September 2023 to verify the achievement of the annual target for renewal of the Central Government permission for 2nd year BDS Course with 100 seats at Government Dental College and Hospital, Paithna, Rahui, Nalanda (Bihar) for the AY 2024-25 and noted as under :-

Compliance

	There are following deficiencies:-
	Clinical Material:-
	There are only 60 patients on day 1 and 63 patients on day 2 of the inspection against the requirement of 100.

Cont'd...

	Dental Teaching Staff:-
	Deficiencies of 2 Readers in the Department of Prosthodontics and Crown & Bridge.
	Deficiencies of 1 Professor & 1 Reader in the Department of Oral & Maxillofacial Pathology and Oral Microbiology.
	Deficiencies of 1 Professor & 2 Readers in the Department of Conservative Dentistry and Endodontics.
	Deficiencies of 1 Professor & 2 Readers in the Department of Oral & Maxillofacial Surgery.
	Deficiencies of 1 Professor & 2 Readers in the Department of Periodontology.
	Deficiencies of 1 Professor & 1 Reader in the Department of Orthodontics & Dentofacial Orthopedics.
	Deficiency of 1 Reader in the Department of Pediatric and Preventive Dentistry.
	Deficiency of 1 Reader in the Department of Oral Medicine and Radiology.
	Deficiency of 1 Reader in the Department of Public Health Dentistry.
	Deficiencies of 10 Lecturers & 18 Tutors.
	Medical Teaching Staff:-
	Deficiencies of 2 Lecturers in the Department of Anatomy.
	The following Medical Teaching staff has not signed on the Inspection Proforma:-
	Dr. Usha Kumari, Reader, Biochemistry not signed on both days of Inspection.
	Dr. Yogesh Krishna Sahay, Lecturer, Biochemistry not signed on both days of Inspection.
	Dr. Indu Prasad, Lecturer, Biochemistry not signed on both days of Inspection.
	Dr. Rashmi Kumari, Professor, General Medicine not signed on both days of Inspection.
	Dr. Sujit Kr., Reader, General Medicine not signed on both days of Inspection.
	Dr. Abhishek Anand, Lecturer, General Medicine not signed on both days of Inspection.
	Dr. Sanjay Kumar, Lecturer, General Medicine not signed on both days of Inspection.
	Dr. Abbas Mustafa, Professor, General Surgery not signed on both days of Inspection.
	Dr. Ramanandan Sinha, Reader, General Surgery not signed on both days of Inspection.
	Dr. Lalan Kumar, Lecturer, General Surgery not signed on both days of Inspection.
	Dr. Manoj Kumar, Lecturer, General Surgery not signed on both days of Inspection.
	Dr. Munilal Gupta, Lecturer, Anaesthesia not signed on both days of Inspection.
	Dr. Nirmal Kumar, Lecturer, Anaesthesia not signed on both days of Inspection.
	Dr. Dhananjay Kumar Suman, Lecturer, Anaesthesia not signed on both days of Inspection.
	Non – Teaching Staff:-
	Administrative Officer – 1, Secretary to Dean – 1, Public Relation Officer – 1, Managers/ Office Suptd – 7, Assistants –

Cont'd...

	13, Receptionist – 14, D.S.A (Chair Side Attendant) – 20, Dent. Tech. (Dental Mechanic) – 10, Dent. Hygst. – 5, Radiographer – 3, Photographer – 1, Artist - 1, Computer Programmer – 1, Data Entry Operators – 1, Physical Director – 1, Engineer – 1, Plumber – 2, Carpenter – 1, Mason – 1, A.C. Tech – 1, Helpers Electrical – 3, Dept. Secretaries – 8, Driver – 5.
	Land & Infrastructure Details:-
	Whether Bio-Waste incinerator is available - No
	Central Library:-
	E-Consortium provision to be provided in the College Library connected with the National Medical Library – Not available.
	Total Numbers of Journals:-
	Atleast 1 National Journal in each subject of the 9 Dental specialties, 1 National Journal in each subject of the 8 basic medical science subjects and 1 International Journals for each 9 Dental specialties – Not available.
	Atleast 5 years Back Volumes of National/International Journal(s) of 9 Dental Specialties – Not available.
	Details of facilities for E- Journals:-
	All the journals of the specialty and allied subjects shall be available out of which 50 % should be in print form – Not available.
	Deficiencies of following Major Equipments are as under:-
	Prosthodontics and Crown & Bridge:-
	Dewaxing Unit – 1, Surveying Unit – 1, H.P Grinder with suction – 2, Phantom Heads – 50
	Pre-Clinical Prosthetics Laboratory:-
	Work table preferably complete stainless steel fitted with light, Bunsen Burner, Air Blower working stool – 60
	Conservative Dentistry and Endodontics:-
	Dental Chairs and Units – 34
	Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-
	Wax Bath – 1, Education Model – 5
	Histopathology Room:-
	Disposable Blade – 2 set, Organic Tissue Capsule – 1, Diamond Tip Pencil – 2, Glass Dropper Bottle – 5, Glass Dropper with lid – 5, Wide Mouth Bottles – 5, Glass Funnel – 5, Glass Pipette – 5, Glass Measuring Jar – 5, Petri Dish 4" Glass – 5, L Blocks – 3, Loop Holder – 3, Magnifying Glass – 2, Toothed Forceps - 3, Plastic Dropper – 3, Petri Dish 50mm Glass – 3, Gas Burner/Spirit Lamp – 2, Processing Bottles – 5, Slide Warming Table – 2, Slide Drying Tray – 2, Slide Carrying Tray – 2, Staining Basket SS – 2, Staining Trough SS – 2, Staining Trough Glass – 2, Slide Staining Rack SS – 2, Slide Box – 4, Slide Storage Cabinet – 2, Wax Block Storing Cupboard – 2, Stop Watch – Not available
	Oral Pathology Reporting Station:-
	Microscope Trinocular – 1, Colour Printer – 1, Desktop Computer – 1.
	Oral & Maxillofacial Surgery:-
	A) Exodontia
	Dental Chairs and Units – 4, Computer – 1,
	B) Minor Surgery:-

Cont'd...

	Dental Chairs and Units – 5
	Periodontology:-
	Dental Chairs and Units – 5, Hand Scaling instrument sets Supragingival – 1, Hand Scaling instrument sets subgingival - 8, Surgical Instrument Sets – 6, Set of Curettes – 1.
	Pediatric and Preventive Dentistry:-
	Dental Chairs and Units – 20
	Public Health Dentistry:-
	Mobile Dental Van - 1, Dental Chair and Unit – 2, Autoclaves – 1, Intraoral X-Ray – 1, Glass Bead Sterilizers – 1, Compressor – 1, Metal Cabinet – 1, Portable Dental Chair – 2, Stabilizer – 1, Generator – 1, Water Tank – 1, Oxygen Cylinder – 1, Public Address System – 1, TV and Video Cassette player (pendrive) – 1, Demonstration models (minimum) - 10
	Inspectors Observations:-
	Dental Chairs are only 101 against 200 required.
	Satellite Dental Clinics not present.
	DCI biometric not present in campus.
	Distance of attached Medical College more than permitted 10 K.M.
	Checklist for the Inspectors:-
1	Is the attached Hospital (100 bedded) as per the norms and located within 10 KMS from the Dental College ? – No
2	Has the list of special cases treated with details in the specialty for the last three years (In case of increase of seats only) been checked? – No
3	Have the Satellite Clinics been checked – No
4	DCI biometric attendance System Installed & Functional - No
5	AERB Certification – No.

Note: Subject to the confirmation of the said Minutes in the next Executive Committee meeting.