

**DENTAL COUNCIL OF INDIA**

**Compliance Cases of the Executive Committee Meeting of the Dental Council of India held on 20.4.2023 (Thursday) at 10:30 AM in the Committee Room, Dental Council of India, Aiwan-E-Galib Marg, Kotla Road, New Delhi.**

**PERIODIC INSPECTION**

**5(1). Saveetha Dental College & Hospital, Chennai (Tamil Nadu)- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Binoy Kumar Singh, Patna (Bihar), Dr. Pravesh Mehra, New Delhi and Dr. Shitij Srivastava, Lucknow (Uttar Pradesh) carried out on 16<sup>th</sup> & 17<sup>th</sup> March, 2023 at Saveetha Dental College & Hospital, Chennai (Tamil Nadu) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course(s) (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

**Compliance**

A	<b>Deficiencies as per BDS Inspection Report</b>
1.	<b>Medical College Attachment:-</b>
	Whether MOU is signed by Competent Authorities between Medical and Dental College for teaching purpose – Yes but not clearly defined
2.	<b>Infrastructure and Functional Requirements:-</b>
	MOU with PCCB checked sewage treatment plant: - details not provided.
	Staff quarter not available, 2 staff staying in Boys Hostel as per rent receipt in appointment
	Auditorium is in separate building.
3.	<b>Hostel for Boys &amp; Girls:-</b>
	Whether Hostel is shared by other colleges/Institutions - Yes shared with other colleges
4.	<b>Deficiencies as per MDS Inspection Report:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	<b>Equipments:-</b>
	Needle Destroyer – 1, High Speed Lathe – 1, Die Cutting Machine – 1.
	<b>Inspectors Observation:-</b>
	No separate registration for UG/PG clinical areas was available. Though the Dental College timing was 8 pm – 3 pm, the area were open beyond 3 pm too and till approx 8 p.m. Since faculty were posted in running shift. However the affidavits of all the staff members were shown as 8 a.m – 3 p.m duty timings. It was checked and found patients and students were available beyond 3 p.m in the clinical area.
(iii)	<b>Oral Medicine and Radiology:-</b>
	<b>Inspector Observation:-</b>
	AERB certificate for only IOPA submitted. The OPG/CBCT AERB certificate documents not submitted.
(iv)	<b>Oral &amp; Maxillofacial Surgery:-</b>
	<b>Equipments:-</b>
	Dental Chairs and Units –(Not Mentioned)
	<b>Inspectors Observation:-</b>
	The Dental College has only indoor facility for Oral & Maxillofacial Surgery including OT's. However there is no facility for a General Hospital in campus of the Dental College. No facility for blood bank or lab 24x7 was available; no manpower of medical side except for one Anesthetist was available after 3 p.m to 8 p.m. No document was submitted for operating OT's and indoor from competent authority. No separate Male/Female toilet

	in the indoor was available. No CT/MRI was available in the Dental College campus.
	The PG's were posted in the Plastic Surgery Department of the attached medical college, and were supposed to be present in the accident and emergency of the medical college. However, no duty register was available and no PG was present in the accident emergency of the Medical College when Inspectors visited on 16.03.2023 at 7:30 p.m.
	The Anti Ragging Committee was neither displayed in the Dental College campus nor in the Boys and Girls Hostel. The Ethical Committee though registered but the details of the members were not available.
	AERB certificate of X-ray (IOPA, OPG, and CBCT) was produced but no finding assurance certificate for the area where the X-ray machine was installed was produced.
(v)	<b>Public Health Dentistry:-</b>
	<b>Library Details:-</b>
	No purchase of new titles in current Academic Year.
	<b>Inspectors Observations:-</b>
	The Mobile Dental Clinic was not referred in name of Dental College but in the name of Trust.
	The NAAC and NIRF certificate were not in the name of dental college but in the name of Saveetha Institute of Medical and Technical Sciences.
	No MOU for the various satellite clinics was submitted.

5(2). **H.P. Government Dental College & Hospital (IGMC), Shimla (Himachal Pradesh)- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Balaji Manohar, Bhubaneswar (Odisha), Dr. R.K. Sharma, Rohtak (Haryana) and Dr. Pavankumar Dubey, Varanasi (Uttar Pradesh) carried out on 16<sup>th</sup> & 17<sup>th</sup> March, 2023 at H.P. Government Dental College & Hospital (IGMC), Shimla (Himachal Pradesh) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course(s) (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

**Compliance**

	<b>Deficiencies as per BDS Inspection Report:-</b>
1.	Completion Certificate furnished from the competent authority – Not available.
2.	Sewage Treatment Plant norms are followed – Not available.
3.	Bio-Waste incinerator is available – No.
4.	Fire and Safety Certificate obtained from the Competent authority – Not available.
5.	<b>Infrastructure &amp; Functional Requirements:-</b>
	<b>Hostel:-</b> Hostel faculty for girls is available on sharing bases in medical girls hostel. However boys don't have accommodation in the medical boys hostel construction for Boys Hostel has been initiated.
	<b>Play Ground: -</b> Not available.
6.	<b>Non – Teaching Staff:-</b>
	Public Relation Officer – 1, Managers/Office Suptd – 1, Receptionist – 4, Dent. Tech. (Dental Mechanic) – 1, Photographer – 1, Artist – 1, Physical Director – 1, Engineer – 1, Electricians – 2, Plumber – 1, Carpenter – 1, Mason – 1, A. C. Tech – 1, Helper Electrical – 1 (Through PWD H.P Govt.), Sweepers & Scavengers – 12 (Out Sourced.), Attenders – 3, Security Personal – 5 (Out Sourced.)
7.	<b>Central Library:-</b>
	Total Number of Journals:- 64 (There is no International Journal since 2008).
	Details of facilities for E-Journals:- Not Available.
	E-Journals facility downloaded found. (There is no International Journals belonging to any specialty since 2008).
	<b>Deficiencies of Major Equipments :-</b>

8.	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	Semi adjustable articulator – 2, Extra Oral/intra Oral Tracer – 2, Dewaxing unit – 1, Dental casting machine (Centrifugal) – 1, Wax burnout furnace – 1, Pre heating furnace – 1, Surveying unit – 1, Heavy duty hand piece – 2, Autoclave – 1, Plaster dispenser – (a) for plaster – 1, (b) for stone plaster – 1, Acrylizer – 1, Flask Press – 3, Deflasking unit – 2, Hydraulic Press – 1, Mechanical Press – 1, Vacuum Mixing Machine – 1, Lab Micro Motor – 1, Curing Pressure Pot – 1, Porcelain furnace - 1, H.P. Grinder with Suction – 1, Heavy Duty Lathe – 1, Phantom Heads – 14.
	<b>Ceramic and Cast Partial Laboratory:-</b> Circular Saw – 1, Electro-Polisher – 1, Induction Casting Machine – 1, Vacuum Mixing Machine – 1, Steam Cleaner – 1, Curing Pressure Pot – 1, Milling Machine – 1.
9.	<b>Conservative Dentistry and Endodontics:-</b>
	Rubber Dam Kits – 3, Amalgamator – 1, Glass Bead Sterilizers – 3, Automatic Developer – 1, Bleaching Unit – 1, Magnification Loops – 1, Injectable Gutta Percha – 1, Phantom Lab Unit – 19.
	<b>Clinical Laboratory:-</b> Plaster Dispenser (for plaster) – 1, Plaster Dispenser (for stone plaster) – 1, Model Trimmer – 1, Lathe – 1, Ultrasonic Cleaner – 1, Spindle Grinder – 1, Vibrator – 1, Porcelain Furnace – 1, Sandblasting Machine – 1, Lab Airrotor – 1, Pindex System – 1, Circular Saw – 1, Vacuum Mixer – 1, Pneumatic Chisel – 1, CAD CAM – 1.
	<b>Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-</b> Microscopes – 10, Wax Bath – 1, Water Bath – 1, Spencer Knife – 1, Television – 1, Teaching slides set with Box – 1 Sets.
	<b>Histopathology Room:-</b> Hot Air Oven – 1, Organic Tissue Capsule – 1, Glass Dropper Bottle – 3, Glass Pipette – 2, Magnifying Glass – 1, Plastic Dropper – 2, Slide Warming Table – 1, Staining Trough Glass – 1, Wax Block Storing Cupboard – 1.
	<b>Oral Pathology Reporting Station:-</b> Colour Printer – 1.
10	<b>Oral &amp; Maxillofacial Surgery:-</b>
	<b>A) Exodontia:-</b> Dental chairs and Units – 5, Ultrasonic Cleaner – 1.
11	<b>Periodontology:-</b>
	Surgical Motor with Physio Dispenser – 1.
12	<b>Orthodontics &amp; Dentofacial Orthopedics:-</b> Hydro Solder – 1.
13	<b>Pediatric and Preventive Dentistry:-</b>
	Dental Chairs and Units – 4, Apex Locator – 1, Radiovisio-graphy – 1, Automatic Developer – 1, Plaster Dispenser (a) for plaster – 1, (b) for stone plaster – 1, Model Trimmer (a) Diamond Disc – 1, (b) Carborandum Disc – 1, Steam Cleaner – 1, Pressure Moulding Machine – 1.
14	<b>Oral Medicine and Radiology:-</b>
	Dental Chairs and Units – 2, General X-ray Unit – 1, Intra Oral Camera – 1, CBCT – 1.
15	<b>Public Health Dentistry:-</b>
	Dental Chairs and Units – 4.
	<b>Mobile Clinic:-</b> Mobile Dental Van – (Requirement with two chairs – available with one chair), Dental Chairs with unit – 1, Portable Dental Chair – 2, Water Tank – 200 ltrs (Requirement 400 ltrs).
16	<b>Inspectors Observations:-</b>
	Self Assessment report not available.
17	<b>Check list for the inspectors:-</b>
	NAAC Accreditation Certificate – Not available
	<b>Deficiencies as per MDS Inspection Report:-</b>
18	<b>Oral Medicine and Radiology:-</b>
	<b>Dental Teaching Staff:-</b>

	There is deficiency of One Reader.
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008..
	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	<b>Deficiencies of Major Equipments:-</b>
	Extra Oral Radiography machine – 1, Pulp tester – 2, Autoclave – 1, Surgical trolley – 1, Radiographic filters (Conventional and rare earth) – 1, Digital Camera – 1, Laser soft tissue – 1, Therapeutic USG – 1, Cup & Needle Set – 1, CBCT – 1.
19	<b>Oral and Maxillofacial Surgery:-</b>
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008.
	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	List of Journals – Not available after 2008.
	<b>Deficiencies of Major Equipments:-</b>
	Oscillating saw – 1, Trauma set including bone plating kit – 1, Number of implants – 10, Operating microscope and Microsurgery kit – 1, Dermatomes – 1, Inpatient beds – 3,
20	<b>Public Health Dentistry:-</b>
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008.
	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	List of Journals – Not furnished
	<b>Deficiencies of Major Equipments:-</b>
	Pulp tester – 1, Autoclave – 1, Ultrasonic cleaner capacity 3.5 lts – 1, Portable oxygen cylinder – 1, Portable chair – 1, Refrigerator – 1.
	<b>Inspectors Observations:-</b>
	Points of Proforma (appointment, relieving certificates from the previous institutions, teaching experience, Form-16, Aadhar Card etc.) is missing from PG proformas
21	<b>Pediatric and Preventive Dentistry:-</b>
	<b>Dental Teaching Staff:-</b>
	There is deficiency of One Reader.
	<b>Clinical Work Load:- Specialty :</b>
	There were only 19 patients on 2 <sup>nd</sup> day against the requirement of 30.
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008.
	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	List of Journals – Not furnished.
	<b>Deficiencies of Major Equipments:-</b>
	Dental Chairs and Units – 6, Pedo extraction forceps & elevators sets – 3, Automatic developer – 1, Pulp tester – 1, Apex locator – 1, Spot welder – 1, Formalin chamber – 1, Plaster dispenser – 2, Acryliser – 1, Conscious sedation unit – 1,
22	<b>Orthodontics and Dentofacial Orthopedics:-</b>
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008.

	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	List of Journals – Not furnished.
	<b>Deficiencies of Major Equipments:-</b>
	Hydrogen soldering unit – 1, Lab micromotor – 2, SLR digital camera – 1, Scanner with transparency adapter – 1, Anatomical articulator with face bow attachments – 1, Computer software for cephalometrics – 1, Refrigerator – 1
23	<b>Periodontology:-</b>
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008.
	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	List of Journals – Not furnished.
	<b>Deficiencies of Major Equipments:-</b>
	UV chamber – 1, Pressure sensitive probe – 1, Marquis color coded probe – 1, Surgical Instruments (Electro surgery unit - 1), Paquette blade handle – 1, Bone fixation screw kit – 1, Bone scrapper – 1, Bone trephines for harvesting autografts – 1, Local drug delivery systems – 1, Magnifying loop (2.5 – 3.5) – 1, Bone condenser – 1, Soft tissue laser (8 watt) – 1, Physio dispenser – 1, Implant kit – 2, Implants – 10, Implant maintenance kit (plastic instruments) – 1 set, Implant guide – 1, Refrigerator – 1, Surgical kit – 2, Sinus lift kit – 1, Educating models – 1, implant removing kit – 1
24	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	<b>Dental Teaching Staff:-</b>
	There are deficiencies of 3 Lecturers.
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008.
	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	List of Journals – Not furnished.
	<b>Deficiencies of Major Equipments:-</b>
	. Electrical Dental Chairs and Units – 3, Autoclave – 2, Intra oral camera – 1, Digital SLR camera – 1, Clinical Lab for Prosthetics (Plaster dispenser - 1), Mechanical press – 1, Electro – Polisher – 1, Model trimmer with double disc (one Carborandum and one diamond disc - 1), Steam cleaner – 1, Wax heater – 1, Wax carvers (Full PKT Set - 1), Stereo microscope – 1, Magnifying work lamp – 1, Heavy duty lathe with suction – 1, Preheating furnace – 1, <b>Ceramic Lab Equipment</b> (Ceramic kit (instruments) - 2), Ceramic polishing kit – 1, Stereo microscope – 1, Magnifying work lamp – 1, Composite curing unit – 1, <b>Implant Equipment</b> (Physio dispenser - 2), Ultrasonic cleaner capacity 3.5 lts – 2, Autoclave programmable for all recommended cycles – 1, X-ray machine with RVG – 1, Educating models – 1.
25	<b>Conservative Dentistry and Endodontics:-</b>
	<b>Dental Teaching Staff:-</b>
	There is deficiency of One Reader.
	<b>Library Details:-</b>
	Books: Department Library – Not available after 2008.
	Journals: National Journals Not available after 2008.
	Not. of Back volumes in print form (8-10 volumes (years) of any 3 International Journals of concerned specialty – Not available after 2008.
	List of Journals – Not furnished.
	<b>Deficiencies of Major Equipments:-</b>
	Dental Chairs and Units – 1, Endosonic Handpieces – Micro

	endosonic Tips, retro treatment – 2, Rubber dam kit – 4, Autoclaves for hand piece sterilization – 1, Pulp tester – 2, Equipments for Injectable thermo plasticized gutta percha – 1, Ultrasonic cleaner capacity 3.5 lts – 1, Magnifying loupes one for students and one for faculty – 1, Bleaching unit – 1, Instrument retrieval kits – 1, Equipments for ceramics including induction casting machines/burnout preheat furnaces/ wax elimination furnaces – 1, Laser (preferably hard tissue) - 1
26	<b>There have been no recent publications in respect of following faculty:-</b>
	Dr. Pravesh Jhingta, Professor, Periodontology, last Publication was in 2018
	Dr. Ajay Mahajan, Professor, Periodontology, last Publication was in 2019
	Dr. Kanwaljit Singh, Professor & HOD, Periodontology, the last Publication was in 2019.
	Dr. Vishal Sharma, Professor & HOD, Conservative Dentistry and Endodontics
	Dr. Vinay Kumar Bhardwaj, Professor & HOD, Public Health Dentistry, the last Publication was in 2017.
	Dr. Shelly Fotedar, Assistant Professor, Public Health Dentistry, the last Publication was in 2018.

5(3). **College of Dental Sciences, Amargarh, Bhavnagar (Gujarat)- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Manesh Lahori, Mathura (Uttar Pradesh), Dr. Mainak Kanti Saha, Indore (Madhya Pradesh) and Dr. Rakesh A. Singh, Navi Mumbai (Maharashtra) carried out on 17<sup>th</sup> & 18<sup>th</sup> March, 2023 at College of Dental Sciences, Amargarh, Bhavnagar (Gujarat) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course(s) (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

**Compliance**

A	Deficiencies as per BDS Inspection Report:-
1.	<b>Hospital:-</b>
	Private A/C Ward not available.
	Pediatric Ward not available.
	Intensive Care Services not available.
	Critical Care Services not available.
2.	<b>Man Power Requirement:-</b>
	Medical Staff not present on Day 1 of the Inspection.
3.	<b>Nursing Staff:-</b>
	Matron – 1, Sister In-charge – 6, O.T Nurses – 6, General Nurses – 20, Labour Room Nurses – 4.
4.	<b>Health Staff:-</b>
	Female Health Assistant – 1, Extension Educator Paramedical Staff – 1, Lab Technician/Blood Bank Tech – 4, ECG Technician - 1, Pharmacist – 4, Sr. Radiographer – 1, CSSD – 2, Medical Records - 1
5.	<b>Engineering Staff:-</b>
	Civil – 2, Mechanical – 2, Electrical – 2, Engineering Aid – 4.
6.	<b>Other Staff:-</b>
	Drivers – 2, Carpenter – 1, Cooks – 2, Barber – 1, Class IV including chowkidars – 55
7.	The deficiencies of following <b>Major Equipments</b> are as under:-
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	Dewaxing Unit – 1, Curing Unit – 1, Acrylizer – 1, Deflasking Unit – 2, Dewaxing Unit – 1, Pre-clinical working tables – Not as per norms.
	<b>Ceramic and Cast Partial Laboratory:-</b>
	Circular Saw – 1, Sand Blasting Machine – 1 not working, Electro Polisher – Common with PG, Spot welder with

	soldering , attachment of cable – common with PG, Vacuum mixing machine - Common with PG, Steam Cleaner - Common with PG, Wax Heater – 1, Curing Pressure Pot – 1, Ultrasonic Cleaner 5 litres capacity – 1.
	<b>Pre-Clinical Prosthetics Laboratory:-</b>
	Adequate number of lab micro motor with attached hand piece - Not as per norms.
	<b>Plaster Room for Pre-Clinical Work:-</b>
	Plaster Dispenser – 2, Vibrator – 2, Lathe – 2, Model Trimmer – 1, Carborandum Disc – 1, Diamond Disc – 1.
(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Autoclaves – 1, Ultrasonic cleaner minimum capacity 13 liters with mesh bucket – 1, Amalgamator with autoclave proportion, autoclave dispenser – 2, Intra-oral-X-ray Unit – 1(Common with PG), Automatic Developer – 1 (Common with PG), Endo motor – 3 (Common with PG), Bleaching Unit – 1 (Common with PG), Magnification loops – 2 (Common with PG), Injectable Gutta percha – 3 (Common with PG), Phantom Lab Unit - (Common Lab for Prosthodontics and Conservative)
	<b>Clinical Laboratory:-</b>
	No separate lab present.
(iii)	<b>Oral Pathology and Oral Microbiology:-</b>
	Adequate slides projection system – 1
(iv)	<b>Oral &amp; Maxillofacial Surgery:-</b>
	<b>A) Exodontia</b>
	Autoclaves – 2, Ultrasonic Cleaner – 2.
(v)	<b>Periodontology:-</b>
	Autoclave – 1, Ultrasonic Cleaner – 2, Laser (soft tissue laser) – 1 (Common with PG)
(vi)	<b>Orthodontics:-</b>
	Dental Chairs and Units – Inadequate Space, Ultrasonic Cleaner – 2, Hydro Solder – 1
(vii)	<b>Pediatric and Preventive Dentistry:-</b>
	Ultrasonic Cleaner – 2, Injectable gutta percha with condensation – 1 (Common with PG), Automatic Developer – 1 (Common with PG)
	<b>Pedo Lab:-</b>
	Model Trimmer with diamond disc – 1, Model Trimmer with carborandum disc – 1, Lab micro motor heavy duty with Hps – 3, Dental Lathe – 1, Steam Cleaner – 1, Pressure moulding machine -1.
(viii)	<b>Oral Medicine and Radiology:-</b>
	General X-ray unit – 1, Autoclave – 1, Sailography equipment & kit – 1 (Common with PG)
(ix)	<b>Public Health Dentistry:-</b>
	Autoclaves (Having wet and dry cycle, which can achieve 135 degree celcius with minimum capacity of 20 litres) – 2, Ultrasonic Cleaner (Minimum capacity 13 litres with mesh bucked with digital timer) – 2, Mobile Clinic – Not as per norms, Autoclaves – 1, Intra-oral x-ray – 1, Portable Dental Chair – 2, Stabilizer – 1, Generator – 1, Water Tank – 1, Oxygen Cylinder – 1, Public Address system – 1, TV and Video Cassette Player – 1, Demonstration models – 5.
(x)	<b>Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-</b>
	Television – 1, Wax Block Storing Cupboard – 1, Stop Watch – Deficient.
(xi)	<b>Department of Anatomy:-</b>
	Binocular Microscopes – 1.
(xii)	<b>Department of Physiology:-</b>
	Stage Incubator – 1
	<b>Clinical Lab:-</b>
	Bicycle Ergrometer – 1
(xiii)	<b>Department of Biochemistry:-</b>

	Hot air oven for sterilization – 2
(xiv)	<b>Department of Pharmacology:-</b>
	Sensitive Balance - 1
(xv)	<b>Department of Microbiology:-</b>
	Incubator – 1, Double Door Refrigerator – 1, Autoclave – 1, Electronic Balance – 1, Water Bath – 1, Anaerobic Jar – 1, Centrifuge – 1, Bio Safety Cabinet – 1, Hot Air Oven – 1, Hot Plate – 1.
(xvi)	<b>Department of General Pathology:-</b>
	Incubator – 1, Centrifuge – 1
8.	<b>Land &amp; Infrastructure Details:-</b>
	Whether sewage treatment plant is available – No
	Whether Bio-waste incinerator is available - No
	Whether Anatomical Act has been obtained from competent Authority (DME) – No
<b>B</b>	<b>Deficiencies as per MDS Inspection Report</b>
1.	<b>Oral Medicine and Radiology:-</b>
	<b>Specialty Department Infra Structure Details:-</b>
	Clinics – PG Clinic Space inadequate.
	<b>Equipments:-</b>
	Dental Chairs and Units – 1, Radiographic filters - 1
	NAAC Accreditation Certificate not provided.
2.	<b>Periodontology:-</b>
	<b>Library Details:-</b>
	Central Library – Availability of No. of Titles not filled.
	Department Library - Availability of No. of Titles not filled.
	Availability of International and National Journal not filled.
	<b>Equipment:-</b>
	Dental Chair and Units – 1, Oschenbein Chisel Curved – 1, Implant maintenance kit (plastic instrument) – 1, Autoclave programmable for all recommended cycles – 1, Refrigerator – 1.
	<b>Documents Submitted by the Principal:-</b>
	Details of AERB Norms Compliance – No
	AERB Certification - No.
3.	<b>Pediatric and Preventive Dentistry:-</b>
	<b>Equipment:-</b>
	Dental Chairs and Units – 1, Ultrasonic Scalers – 1, X-ray viewer – 1, Phantom Head table with attached Light, Airtor and micro motor – 1
4.	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	<b>Equipments:-</b>
	Electrical Dental Chairs and Units – 1, Pneumatic, Crown and Bridge remover – 2, Digital SLR Camera – 1, Curing pressure pot – 1, Sand Blaster Micro and Macro – 1, Model Trimmer with double disc (one Carborandum and one diamond disc) – 1, Wax Carvers (Full PKT Set) – 2, Stereo Microscope – 1, Dry model trimmer – 1, Die cutting machine – 1, Autoclave programmable for all recommended cycles – 1, Refrigerator - 1
5.	<b>Conservative Dentistry and Endodontics</b>
	<b>Clinical Material:-</b>
	There were only 56 patients on 18.03.2023 against the requirement of 70.
	<b>Equipment:-</b>
	Dental Chairs and Units – 1
6.	<b>Orthodontics and Dentofacial Orthopedics:-</b>
	<b>Equipment:-</b>
	Dental Chairs and Unit – 1, Dry Heat Sterilizer – 1, Anatomical articulator with face bow attachments – 1, Computer software for cephalometrics – 1.
7.	<b>Inspector Observations:-</b>
(i)	<b>Department of Oral Pathology and Microbiology:-</b>



	<b>Faculty:-</b>
	Dr. Mohsin Ganchi, Dr. Nidhi Dhakar & Dr. Jaimin Bhatt were absent on 17.03.2023
(ii)	<b>Department of Oral &amp; Maxillofacial Surgery:-</b>
	<b>Faculty:-</b>
	Dr. Dharmendra Chandarana, Reader, Dr. Hiral Patel, Sr. Lecturer and Dr. Dhruti Pandya, Tutor were absent on 17.03.2023.
(iii)	<b>Department of Public Health Dentistry:-</b>
	<b>Faculty:-</b>
	Dr. Nairuti Dave, Tutor, Dr. Shailesh Parmar, Tutor, Dr. Sanjari Khokhar, Tutor were absent on 17.03.2023.
(iv)	<b>Department of Oral Medicine and Radiology:-</b>
	<b>Faculty:-</b>
	Dr. Guru EN (Professor & HOD), Dr. Pranay Patel, Reader, Dr. Ruchita Peter, Reader, Dr. Shachi Parekh (Sr. Lecturer) and Dr. Hiren Chavda (Sr. Lecturer) were absent on 17.03.2023.
	Dr. Bhavik Mavani was absent on & 17.03.2023 and 18.03.2023.
	<b>Post Graduates:-</b>
	Dr. Vikas Khumbani MDS III, Dr. Hazra Vaghjipuwara MDS III, Dr. Aswin Valaki MDS III, Dr. Nidhi Ghori, MDS II, Dr. Nirmal Shah, MDS II, Dr. Chintan Dobariya MDS II, Dr. Hiren Mangukia, MDS I, Dr. Ravi Gadhiya MDS I were absent on 17.03.2023.
(v)	<b>Department of Periodontology:-</b>
	<b>Faculty:-</b>
	Dr. Niraj, Motwani, Reader, Dr. Kavan Patel, Sr. Lecturer, Dr. Bandish Jhala, Sr. Lecturer, Dr. Ravi Kumar Ladani, Sr. Lecturer, Dr. Jigna Dodiya, Sr. Lect and Jaimin Sonani, Tutor were absent on 17.03.2023.
	<b>Post Graduates:-</b>
	Dr. Pruthvi Parmar, MDS II was absent on 17.03.2023
	Ankita Hans, MDS III was absent on 17.03.2023 & 18.03.2023.
(vi)	<b>Department of Pediatric and Preventive Dentistry</b>
	<b>Faculty:-</b>
	Dr. Shital Kiran, Professor & HOD, Dr. Aum Joshi, Reader, Dr. Monika Khoja, Sr. Lecturer, and Dr. Khokhar Sahil, Tutor were absent on 17.03.2023.
	Dr. Shalin Shah, Reader, Dr. Vikram Jhamb, Reader and Dr. Malay Trivedi, Sr. Lecturer were absent on 17.03.2023 & 18.03.2023.
	<b>Post Graduates:-</b>
	Dr. Shurti Dagali, MDS I , Dr. Hetvi Tanna, MDS I & Dr. Sumeet Tanurkar, MDS II were absent on 17.03.2023.
(vii)	<b>Department of Orthodontics and Dentofacial Orthopedics:-</b>
	<b>Faculty:-</b>
	Dr. Mamtha J, Professor, Dr. Lina Shenavi, Sr. Lecturer, Dr. Vinali Patel (Sr. Lecturer), Dr. Visra Bhuva, Tutor, Dr. Prateek Gandhi – Reported late, Leave enclosed.
	<b>Post Graduate:-</b>
	Dr. Prinsi Seth MDS III was absent on 17.03.2023 & 18.03.2023
(viii)	<b>Department of Conservative Dentistry and Endodontics:-</b>
	<b>Faculty:-</b>
	Dr. Deepika C. Mod, (Prof & HOD), Dr. Vikram Shetty, (Prof.), Dr. Kamlesh Bhorania, Prof, Dr. Ruchirani Shah, Prof, Dr. Vathsalya Krishna Shetty, Prof, Dr. Ankur Patel, Sr. Lecturer, Dr. Vivek Solanki, Sr. Lecturer, Dr. Nikita Patel , Sr. Lecturer, Dr. Kinjal Shah, Sr. Lecturer, Dr. Sheikh Mahinur, Tutor, Dr. Parekh Kelin, Tutor were absent on 17.03.2023.
	<b>Post Graduates:-</b>

	Dr. Shreyansh Mehta MDS I, Dr. Nikunj Sarathiya, MDS II, Dr. Yasheshwini Raol, MDS II were absent on 17.03.2023 & 18.03.2023
(ix)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	<b>Faculty:-</b>
	Dr. Sandesh Gosavi, Prof, Dr. Kaushik Adeshra, Pro, Dr. Sadrani Sannisth, Reader, Dr. Hardik Makodia, Sr. Lecturer, Dr. Mamata Senta Sr. Lecturer, Dr. Pulkit Kankotiya , Tutor, Dr. Dhruvi Vaghani, Tutor were absent on 17.03.2023.
	<b>Post Graduates:-</b>
	Dr. Twinkle Modi, MDS II was absent.
	Dr. Tarak Chavda, MDS III was absent on 18.03.2023
8.	<b>General Observations of Inspectors:-</b>
(i)	The attached general hospital is severely lacking in infrastructure. Although, the patient records provided show adequate patients, during physical verification, they could see only 2 patients in OPD & no IPD. Only 2 medical faculty were present. They did not find any other teaching faculty. Even non- teaching staff were severely deficient and list of faculty provided does not match their physical verification.
(ii)	The condition of the attached general hospital is very poor. It is a very old building and its safety parameters are questionable.
(iii)	In the library, no journals have been procured after 2020. E-Library subscription has not been renewed from 2020.
(iv)	Most of the faculty have been shown as living in staff quarters. Telephone bill has been provided as proof of residence. But many of the above bills were not in use names of the concerned faculty.
(v)	At 10 a.m., on day 1 of inspection, only 1 out of 9 PGs were present in the department of Oral Medicine.
(vi)	Tobacco Cessation Centre not functional.
(vii)	Central Casting Lab not available.
(viii)	Fire Extinguisher not installed in campus.
(ix)	AERB certificate not available.
(x)	Guest house not available.
(xi)	Staff Quarters not adequate.
(xii)	Deficiency of 1 Lecturer in Public Health Dentistry.
(xiii)	Auditorium is in poor condition.
(xiv)	Library is shared between three institutes.
(xv)	Examination hall not present.
(xvi)	No Lab in U.G Orthodontics.
9	Medical Teaching Faculty affidavits not furnished
10	<b>There have been no recent publications in respect of following faculty:-</b>
	Dr. Guru E.N, Professor, Oral Medicine and Radiology, last publication journal for the year 2018
	Dr. Motwani Kartar, Reader, Periodontology, last publication journal for the year 2018
	Dr. Gunjan Gupta, Reader, Periodontology, last publication journal for the year 2016
	Dr. Shalin Shah, Reader, Pediatric and Preventive Dentistry, last publication journal for the year 2016
	Dr. Kaushik Adeshra, Professor, Prosthodontics and Crown & Bridge, last publication journal for the year 2017
	Dr. Pratik Gandhi, Reader, Orthodontics and Dentofacial Orthopedics, last publication journal for the year 2017
	Dr. Vikram Shetty, Professor, Conservative Dentistry and Endodontics, last publication journal for the year 2015.
	Dr. Rosaiah Kanaparthi, Professor and HOD, Periodontology, last publication in 2019

	Dr. Pankajakshi Bai K., Professor & HOD, Oral & Maxillofacial Surgery, last publication in 2016
--	---

5(4). **Awadh Dental College and Hospital, Jamshedpur (Jharkhand)- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Jayanta Chattopadhyay, Kolkata (West Bengal), Dr. Sushant Mohanty, Bhubaneswar (Odisha) and Dr. Suparna Ganguly Saha, Indore (Madhya Pradesh) carried out on 20<sup>th</sup> & 21<sup>th</sup> March, 2023 at Awadh Dental College and Hospital, Jamshedpur (Jharkhand) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course(s) (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

**Compliance**

<b>A</b>	<b>Deficiencies as per BDS Inspection Report:-</b>
1.	NAAC Accreditation Certificate not provided for the Academic Year 2022-23.
2.	<b>Deficiencies of Non-Teaching Staff/Ministerial Staff as per the signed list attached:-</b>
	Managers/ Office Suptd./ Section Officer/ Head Clerk/Estate Officer – 7, Assistants/Clerk – 11, Receptionist – 8, Librarian – 1, C.S.A.(Chair side Attendant)/ DORA/ANM / Para Medical staff with 6 months (minimum Class10 <sup>th</sup> Pass) experience in dental college / Clinic / Hospital – 20, Dent. Tech. (Dental Mechanic) – 2, Dent. Hygst. – 3, Radiographer – 1, Photographer – 1, Artist – 1, Computer Programmer – 1, Data Entry Operators – 1, Physical Director – 1, Engineer – 1, Electricians – 4, Plumber – 2, Carpenter – 1, Mason – 1, A.C. Tech. – 1, Helpers Electrical – 3, Sweeper & Scavengers – 6, Attenders/Peon/Orderly – 19, Security Personal – 6, Dept. Secretaries – 8, Driver – 5, Nurses – 8.
3.	The deficiencies of following <b>Major Equipments</b> are as under:-
(i)	<b>Oral Medicine and Radiology:-</b>
	Needle Burner with syringe cutter – 1.
(ii)	<b>Infrastructure &amp; Functional Requirements:-</b>
	Faculty Rooms – Medical Basic Science – Deficiency of 1100 sq.ft
<b>B</b>	<b>Deficiencies as per MDS Inspection Report:-</b>
1.	<b>Pediatric and Preventive Dentistry:-</b>
	<b>Equipment:-</b>
	Pulp Tester – 2.
2.	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	<b>Equipments:-</b>
	Wax Heater – 2, Die cutting machine – 1, Implants – 8, Prosthetics components – 8, Unit mount light cure – 1, Needle Destroyer – 1, Surgical Kit/Prosthetic Kit – 1.
3.	<b>Oral and Maxillofacial Pathology and Microbiology:-</b>
	<b>Clinical Material:-</b>
	There was only 1 cytology/day against the requirement of 7 cytology per week.
	<b>Equipments:-</b>
	Dental Chairs and Units – 9.
4	<b>There have been no recent publications in respect of following faculty:-</b>
	Dr. Nikhil Jain, Professor & (HOD), Oral & Maxillofacial Surgery, last publication in 2016.
	Dr. Sudhanshu Singh, Professor, Oral & Maxillofacial Surgery, last publication in 2018.
	Dr. Pratheek Shetty, Professor, Prosthodontics and Crown & Bridge, last publication in 2018.
	Dr. Sarmeshta Soni, Professor & HOD, Pediatric and Preventive Dentistry, last publication in 2019.

	Dr. Padma R. Professor & HOD, Periodontology, last publication in 2014
	Dr. Pallabi Ghosh Saha, Reader, Conservative Dentistry and Endodontics, last publication in 2018
	Dr. Sauvik Mazumdar, Reader, Prosthodontics and Crown & Bridge, last publication in 2018.
	Dr. Vivek Kumar, Reader, Periodontology, last publication in 2019
	Dr. Madhavi Singh, Reader, last publication in 2017
	Dr. Rahul Sahoo, Reader, last publication in year 2017

5(5). **Maharashtra Institute of Dental Sciences & Research, Latur (Maharashtra) - Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. G.M. Sogi, Mullana (Haryana), Dr. Nidarsh D. Hegde, Imphal (Manipur) and Dr. Manu Rathee, Rohtak (Haryana) carried out on 23<sup>rd</sup> & 24<sup>th</sup> March, 2023 at Maharashtra Institute of Dental Sciences & Research, Latur (Maharashtra) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course(s) (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

**Compliance**

<b>A</b>	<b>Deficiencies as per BDS Inspection Report:-</b>
1.	<b>Clinical Activities:-</b>
	UG work done details not furnished.
2.	<b>Non-Teaching Staff/Ministerial Staff:-</b>
	Receptionist – 14, C.S.A.(Chair side Attendant)/ DORA/ANM / Para Medical staff with 6 months (minimum Class10 <sup>th</sup> Pass) experience in dental college / Clinic / Hospital – 10, Dent. Tech(Dental Mechanic) – 4, Dent. Hygst. – 3, Artist – 1, Computer Programmer – 1, Data Entry Operator – 2, Physical Director – 1, Engineer – 1, Electrician – 2, Plumber – 1, Carpenter – 1, Mason – 1, A.C. Tech – 1, Helpers Electrical – 3, Sweepers & Scavengers – 16, Attenders/Peon/Orderly – 4, Dept. Secretaries - , Driver – 4, Nurses – 8, Lab Technicians – 4.
	Mr. Manohar V. Karad, Watchman, Security Department was absent on 23.03.2023 & 24.03.2023.
3.	<b>Central Library:-</b>
	Reception and Waiting - 100 Sq. Ft.- Not Available
	Staff Reading Room - 300 Sq. Ft.- Not Available
	Store and Stocking Room - 2100 Sq. Ft. - Not Available
	Students Cloak Area - 100 Sq. Ft. - Not Available
	Seating Area - 3000 Sq. Ft - Not Available
4.	There are following deficiencies of <b>Major Equipments:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	Dental Chairs and Unit- No water in spittoon, Dewaxing Unit – 1, Curing Unit – 1, Dental Casting Machine - 1, Wax Burnout Furnace - 1, Pre heating furnace – 1, Heavy Duty Handpiece (Lab Micromotors) – 4, Autoclave – 2, Needle Burner with syringe cutter – 2, Model Trimmer with Carborandum Disc – 1, Acrylizer – 3, Deflasking Unit – 4, Hydraulic Press – 1, Mechanical Press – 2, Vacuum mixing furnace – 1, Curing Pressure Pot – 1 not filled, Hot water sterilizer – 2, Phantom Heads – 50.
	<b>Ceramic and Cast Partial Laboratory:-</b>
	Plaster dispenser – 2, Duplicator – 1, Pindex system – 1, Circular saw – 1, Sandblasting machine with two containers - 1, Electro-polisher – 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Induction Casting machine – 1, Spot welder with soldering, attachment of cable – 1, Vacuum mixing machine – 1, Steam Cleaner – 1, Spindle Grinder 24,000 RPM with vacuum suction – 1, Curing pressure pot – 1, Milling machine – 1, Heavy duty

	lathe with suction – 1, Ultrasonic Cleaner 5 litres capacity – 1, Composite curing unit – 1
	<b>Pre-Clinical Prosthetics Laboratory:-</b>
	Adequate number of lab micro motor with attached hand piece - 20
	<b>Plaster Room for Pre-Clinical Work:-</b>
	Plaster Dispenser (one each for plaster and stone plaster) – 2, Model Trimmer – 1, Carborandum Disc – 1, Diamond Disc – 1.
(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Dental Chairs and Units – 3 new chairs yet to be installed)
	<b>Clinical Laboratory:-</b>
	Lathe (Heavy Duty) – 1, Lab Micromotor (With heavy duty handpiece) – 2, Vibrator – 1
(iii)	<b>Oral Pathology and Oral Microbiology:-</b>
	Knife Sharpener – 1, Spencer Knife – 1.
(iv)	<b>Oral &amp; Maxillofacial Surgery:-</b>
	<b>A) Exodontia</b>
	Dental Chairs and Unit – 8 Chairs are not as per specification, Autoclaves (Front loading having wet and dry cycle, which can achieve 135° C with minimum capacity of 20 litres) – 4, Needle burner with syringe cutter – 3, Oxygen mask pedo – 2.
(v)	<b>Periodontology:-</b>
	Dental Chairs and Units - 18 (15 chairs are not as per specification and not working), Autoclave - 6 (Having wet and dry cycle which can achieve 135° C with minimum capacity of 20 litres) – 2, Ultrasonic Cleaner - 2
(vi)	<b>Orthodontics:-</b>
	Dental Chairs and Units – 14 (Not as per specification and not working), Unit mount scaler – 5, Autoclave – 1, Ultrasonic Cleaner – 2
	<b>Ortho Lab:-</b>
	Plaster Dispenser – 2, Vibrator – 1, Model Trimmer – 1, Lathe – not filled, X-ray viewers – 1, OPG with cephalostat - not filled, Welders – 2
(vii)	<b>Pediatric and Preventive Dentistry:-</b>
	Autoclaves – 2, Ultrasonic cleaner – 2, Needle burner with syringe cutter – 2, Amalgamator – 1, Pulp Tester Digital – 1, Rubber dam kit for pedo – 5, Apex locator – 1, Endo motor – Not filled, Injectable gutta percha with condensation – 1, Intra Oral Camera – 1, Scaling instruments – 10, Restorative instruments – 10, Extraction forceps – 10, Intra Oral X-ray – 1, RCT instruments kits – 5, Automatic developer – 1
	<b>Pedo Lab:-</b>
	Plaster Dispenser – 2, Model Trimmer with diamond disc – 1, Welder with soldering attachments -1, Vibrator – 1, Lab micro motor heavy duty with Hps – 3, Dental Lathe – 1, Steam cleaner – 1, Pressure moulding machine – 1.
(viii)	<b>Oral Medicine and Radiology:-</b>
	Dental Chairs and Units – 12 (not as per specification), Intra Oral X-ray Unit – 1, Pulp Tester Digital – 1, Automatic Periapical X-ray Developer – 1, Radiovisigraphy with Intra Oral Camera – 1, General X-ray Unit – 1, Automatic Developers/Dark Room – 1, Lead Gloves – 2, Lead Collar – 2, X-ray Hangers – 4, Biopsy kit – 1, Autoclave – 2, Needle burner with syringe cutter – 1, Biopsy Kit - 2, Sailography – equipment & kit – 1
(ix)	<b>Public Health Dentistry:-</b>
	Dental Chairs and Units –12 (7 chairs are not as per specification), Autoclaves – 1, Ultrasonic Cleaner – 2, Needle burner with syringe cutter – 2.
	<b>Mobile Clinic:-</b>
	<b>Mobile Dental Van:-</b> No space for sitting, Autoclaves – 1,

	Intraoral x-ray Portable – 1, Glass bead sterilizers – 1, Portable Dental Chair – 2, Oxygen cylinder – 1, TV and video cassette player – 1
7.	<b>Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-</b>
(i)	Television with USB port for displaying slide – 1,
(ii)	Histopathology Room:-
	Knife Sharpener – 1, Spencer Knife – 1, Hot Air Oven – 1, Distilled Water Plant – 1, Glass Dropper Bottle – 5, Glass Bottle with Lid – 5, Wide Mouth Bottles 5, Glass Funnel – 5, Glass Pipette – 5, Loop Holder – 3, Magnifying Glass – 1, Toothed Forceps – 4, Gas Burner/Spirit Lamp – 1, Staining Trough SS – 1, Staining Trough Glass – 1, Slide Staining Rack SS – 1
8.	<b>Staff Quarters (Separate Room Hostel):-</b>
	<b>Hostel For Boys &amp; Girls:-</b>
	Hostel is shared by other colleges/institutions
9.	<b>Infrastructure and Functional Requirements:-</b>
	<b>Land &amp; Infrastructure Details:-</b>
	Whether Bio-waste management is followed as per PCBI – No.
	Whether Bio-waste incinerator is available.
	Whether Fire and Safety Certificate obtained from the competent authority – No.
	Whether anatomical act has been obtained from competent authority – No.
	Academic Block for basic science subjects not furnished as per DCI periodic proforma.
<b>B</b>	<b>Deficiencies as per the MDS Inspection Report:-</b>
1.	<b>Periodontology:-</b>
	<b>Specialty Department Infrastructure Details:-</b>
	Laboratory Space – Deficiency of 100 sq.ft
	Department Library – Deficiency of 100 sq.ft
	Preclinical Lab - Deficiency of 100 sq.ft
	<b>Hostel Facility for PG(Boys and Girls):-</b>
	Not available (Boys and Girls common with Medical College)
	<b>Research Facility:-</b>
	Not provided
	<b>Stipend for PG students - No</b>
	<b>Equipments:-</b>
	Airoter hand pieces – 2, UV chamber – 1, Formalin chamber – 1, Pressure sensitive probe – 1, Arkansas sharpening stone – not filled, Gracey's currettes – 1, Bone regenerative materials – 5, Local drug delivery systems – 1, Root conditioning agent – 2, Magnifying Loop – 1, Composite gun with material kit - 1, Splinting Kit with material – 2, Composite finishing kit – 1, Glass Ionomer filling instruments – 1, Digital Camera – 1, Intra Oral Camera – 1, Emergency kit – 1, LCD Projector – 1, Electrical dental chair and unit – 1, Implant guide – 1, Ultrasonic cleaner – 1, Autoclave programmable for all recommended cycles – 1, RVG with x-ray machine – 1, Surgical Kit – 1, Sinus lift kit - 1
	Bio Medical Waste – Not available
	Fire Safety Certificate- Not available
	Shortage of one CCTV
2.	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	<b>Equipments:-</b>
	Dental Chairs and Units – 3, Micromotor – 2, Hot air oven – 1, Autoclave – 2, X-ray viewer – 1, Pneumatic Crown bridge remover – 1, Plaster Dispenser -1, Model Trimmer with carborandum disc – 2, Model Trimmer with diamond disc – 2, High speed lathe – 2, Vibrator – 1, Hydraulic Press – 1,

	Mechanical Press – 1, Burnout furnace – 1, Welder – 1, Sand Blaster (Micro and Macro) – 1, Model Trimmer with diamond disc – 1, Model Trimmer with double disc (one carborandum disc and one diamond disc) - 1, Spot welder with soldering, attachment of cable – 1, Wax heater – 1, Wax carvers – 2, Heavy duty lathe with suction – 1, Preheating furnace – 1, Ultrasonic cleaner – 1, Ceramic kit – 2, Ceramic polishing kit – 1, Unit mount light cure – 1, X-ray viewer – 1, Autoclave programmable for all – 1.
	No PG Staff in PG shared Hostel
	Publications of the Faculty not available
	<b>Oral &amp; Maxillofacial Surgery:-</b>
	<b>Equipments:-</b>
	Dental Chair and Unit – 3 new chairs were not installed and it is in the process of installation.
3.	<b>Orthodontics and Dentofacial Orthopedics:-</b>
	<b>Infrastructure Details:-</b>
	Seminar Room - Deficiency of 100 sq.ft
	Department Library – Deficiency of 110 sq.ft
	Mr. Rahul L Dhumal, Dental Technician- absent
	<b>Hostel Facility for PG:-</b>
	Common with Medical + Dental + Nursing + Physiotherapy
	<b>Equipments:-</b>
	Dental Chair and Units – 4, Lab Micromotor – 3, Spot welder – 2, Model Trimmer (Double Disc) – 1, High Intensity light curing unit – 1, Polishing Lathe – 1, Tracing Tables – 2, X-ray viewer – 1, LCD projector – 1, Autoclaves for bulk instrument sterilization vacuum – 1, Dry heat sterilizer – 1, Orthodontic impression trays – 2, Typhodonts with full teeth set – 3, Computer software for cephalometrics – 1, Computer with internet connection with attached printer and scanner - 1
	<b>Conservative Dentistry and Endodontics:-</b>
	<b>Equipments:-</b>
	Dental Chair and Units - 3 new chairs are in the process of installation).
	<b>Pediatric and Preventive Dentistry:-</b>
	<b>Infrastructure Details:-</b>
	No certified details are furnished.
	<b>Equipments:-</b>
	Dental Chairs and Units – 3, Autoclaves for bulk instrument sterilization vacuum – 1, Automatic Developer – 1, Glass bead sterilizer – 1, Spot welder – 1, X-ray viewer – 1, Dental Lathe – 1, Vibrator -1 , Double beak pliers anterior and posterior – 1, Lab micro motor – 3, Pulse oxymeter – 1 not filled, Computer with internet connection with attached printer and scanner – 1 without scanner.
4.	<b>There have been no recent publications in respect of following faculty:-</b>
	Dr. Amol Doiphode, Professor, Oral & Maxillofacial Surgery, last publication in 2018.
	Dr. Sheeraz Badal, Professor & HOD, Oral & Maxillofacial Surgery, last publication in 2018.

5(6). **MNDV Dental College & Hospital, Solan (H.P.) Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Vinay Kumar Srivastava, Varanasi (Uttar Pradesh) and Dr. Kiran Kumar N., Bangalore (Karnataka) carried out on 27<sup>th</sup> & 28<sup>th</sup> March, 2023 at MNDV Dental College & Hospital, Solan (H.P.) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution and complaint verification report on the complaint email dated 09.12.2021 from students of MNDV Dental College with regard to the termination of the services of HOD's of various departments.

## Compliance

Sr. No.	Deficiencies as per Inspection report:-
1.	<b>Medical Hospital:-</b>
	<b>Manpower Requirement:-</b>
	<b>Medical Staff:-</b>
	General Surgery – 2, Paediatrics – 1, Pharmacologist – 1, Community Medicine – 1, Hospital Administration - 1
	<b>Nursing Staff:-</b>
	Sister In-charge – 1, O.T. Nurses – 3
	<b>Health Staff:-</b>
	Female Health Assistant – 1, Extension Educator Paramedical Staff – 1, ECG Technician – 1, CSSD – 2, Medical Records – 1
	<b>Engineering Staff:-</b>
	Civil – 2, Mechanical – 2, Electrical – 2, Engineering Aid – 4
	<b>Other Staff:-</b>
	Drivers – 2, Carpenter – 1, Cooks – 2, Barber – 1, Class IV including Chowkidars – 37
	<b>Administrative Staff:-</b>
	Cashier – 1, Stenographer – 1, UDC – 2, LDC – 4
2.	<b>Land &amp; Infrastructure Details:-</b>
	Sewage Treatment Plant is not available.
	Bio-Waste incinerator is not available.
	Anatomical Act has not been obtained from Competent Authority.
3.	<b>Infrastructure &amp; Functional Requirements:-</b>
	Lecture Halls – deficiency of 2 Lecture Halls as only two Lecture Halls are functional and ICT enabled.
	<b>Seminar room:-</b>
	Small department stores – not available (having in almira only)
	Maintenance Room – Not available
	Medical Stores (Stocked with all the necessary drugs usually prescribed in a dental hospital)– Not available
	Amenities Area – Not available
	Pollution Control Measures – Applied but not issued by competent authority.
	Staff Quarters – one for teaching staff and one only for non-teaching staff.
	Play Ground – Not available.
4.	<b>Deficiencies of Dental Teaching Staff:-</b>
	One Reader in Oral & Maxillofacial Pathology and Oral Microbiology.
	One Professor and One Reader in Conservative Dentistry and Endodontics.
	One Reader in Oral & Maxillofacial Surgery.
	One Reader in Periodontology.
	One Professor & One Reader in Orthodontics & Dentofacial Orthodontics.
	One Professor in Paediatric and Preventive Dentistry.
	One Professor in Oral Medicine Radiology.
	One Reader in Public Health Dentistry.
	Deficiency of 25 Tutors.
5.	<b>Deficiencies of Medical Teaching Staff:-</b>
	Anatomy – 1 Reader and 2 Lecturers
	Physiology - 1 Reader and 2 Lecturers
	Biochemistry - 1 Reader and 2 Lecturers
	Pharmacology - 1 Reader and 2 Lecturers
	General Pathology - 1 Reader and 2 Lecturers
	Microbiology - 1 Reader and 2 Lecturers
	General Medicine - 2 Lecturers
	Anesthesia - 1 Reader and 1 Lecturers
	General Surgery - 2 Lecturers



6.	<b>Deficiencies of Non -Teaching Staff:-</b>
	Public Relation officer – 1, Managers / Office Suptd – 3, Assistants – 8, Receptionist – 7, D.S.A. (Chair side Attendant) – 6, Dent. Tech. – 3, Dent. Hygst. – 3. Radiographer -1, Photographer – 1, Artist -1, Computer Programmer -1, Data entry Operators – 1, Physical Director – 1, Engineer – 1, Electricians – 1, A.C. Tech. – 1, Helpers Electrical – 1, Sweepers & Scavengers – 5, Attenders – 11, Security Personal – 1, Dept. Secretaries – 4, Nurses – 4, Lab. Technicians – 1
7.	<b>Central Library:-</b>
	Postgraduates & staff reading room – Not available.
	Journal room – Not available.
	Audio-visual room – Not available.
	Stores and stocking area – Not available.
	E-Consortium provision to be provided in the College Library connected with the National Medical Library – Not available.
	Details of Facilities for E-Journals – Not available.
8.	<b>Major Equipments:-</b>
	<b>Oral &amp; Maxillofacial Surgery:-</b>
	<b>A) Exodontia:-</b>
	Needle Burner with Syringe cutter – 2, Extraction Forceps Sets – 2, Minor Oral Surgery Kits – 1
	<b>B) Minor Surgery:-</b>
	Dental Chairs and units – 1
	<b>Periodontology:-</b>
	Surgical Instrument Sets – 3, Needle burner with syringe cutter – 2
	<b>Orthodontics &amp; Dentofacial Orthopedics:-</b>
	Unit Mount Scaler – 2
	<b>Paediatric &amp; Preventive Dentistry:-</b>
	Intra Oral Camera (with high resolution) – 1, Automatic Developer – Non Functional.
	<b>Oral Medicine and Radiology</b>
	Automatic Periapical X-ray Developer – 1, Automatic -1, Diagnostic Kits – 15, Intra Oral Camera – 1,
	<b>Public Health Dentistry:-</b>
	Dental Chairs and Units – 1, Ultrasonic Cleaner – 1, Needle Burner with Syringe Cutter – 2
	<b>Mobile Clinic:-</b>
	Autoclaves – 1, Intraoral X-Ray – 1, Glass Bead Sterilizers – 1, compressor – 1, Metal Cabinet – 1, Portable Dental Chair – 1, Stabilizer – 1, Generator – 1, Water Tank – 1, Oxygen Cylinder – 1, Public Address System – 1, TV and Video – 1, Demonstration Models – 1
9.	<b>Check list for the Inspectors:-</b>
	<b>Medical College / Hospital Attached</b>
	Clinical Material (New Patients Per day) Requirement for BDS with 60 seats – (Minimum 90 to 120) – 75 for Both day of Inspection.
	No fire and safety certificate been obtained and renewed annually.
	CCTV Camera been checked and found not in order.
	DCI Biometric Attendance System not Installed.
	No NAAC Accreditation Certificate.
	The College has not participated in NIRF Ranking System.
10	<b>Observations:-</b>
	The DAV College management has decided to close MN DAV Dental College and hospital, Tatul, Solan. In this regard the college authorities have produced letters and documents given to the Director of Medical Education, Government of Himachal Pradesh. The Director of Medical education has directed the college to run the institution till the last batch has passed out.
	They are left with two batches after the examination conducted by HP university in Oct/Nov, 2021. BDS Final year

	twenty six students, final year in supplementary batch twenty two students BDS Third year nine students. There are total Thirty One Interns.
	The reasons given for taking such drastic steps were, <b>1.</b> Reduced admission of students resulting in financial burden, <b>2.</b> Problem with non teaching staff union, <b>3.</b> Shortage of teaching staff and <b>4.</b> Administrative and technical issues, <b>5.</b> Legal issues with non- teaching staff. As a result the college has stopped admission from last three years.
	The infrastructure and equipments are found to be adequate and few deficiencies noticed are mentioned in the inspection Performa. The library facility, books and journals are adequate for undergraduate teaching program.
	The clinical material is inadequate. The patient intake is around 25 to 30 per day as per the outpatient department records of oral medicine department. First day the OPD had 33 patients and second day there were 42 patients.
	When we visited Anatomy, Physiology, biochemistry, Microbiology, Pharmacology and Pathology department, it was found to be non functional and closed from last three years. Faculty members were not available in these departments.
	This dental college has been affiliated to Government District Hospital, Solan, Himachal Pradesh. This is located around 10 kms from the college premises. The faculties of general medicine and general surgery, Dr Adya A K and Dr Ravikanth Sood informed that they visit college twice a week and two days in hospital Solan and rest of days they are not coming to the collage that shows their visiting faculty.
	Dr Garish Kumar, Professor in Oral Pathology is the officiating Principal. The college has three Professors one in Oral Pathology, one in Prosthodontics and one in Oral Surgery.
11	<b>There have been no recent publications in respect of following faculty:-</b>
	Dr. Garish Kumar, Professor, Officiating Principal, last publication in 2014.

5(7). **NIMS Dental College, Jaipur (Rajasthan)- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Rajan Gupta, Sirmour (Himachal Pradesh), Dr. Gyanendra Kumar, New Delhi and Dr. Harakh Chand Baranwal, Varanasi (Uttar Pradesh) carried out on 28<sup>th</sup> and 29<sup>th</sup> March, 2023 at NIMS Dental College, Jaipur (Rajasthan) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Course(s) (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

**Compliance**

	<b>Deficiencies as per BDS Inspection Report:-</b>
1	<b>Whether Bio Waste management is followed by PCBI –</b> The validity of certificate has been expired on 31.03.2023.
2	<b>Whether college has participated in NIRF Ranking System – No</b>
	<b>Deficiencies as per MDS Inspection Report:-</b>
3	<b>Pediatric and Preventive Dentistry:-</b>
	<b>Equipment:-</b>
	X-ray viewer – 1.
4	<b>Oral &amp; Maxillofacial Pathology &amp; Oral Microbiology</b>
	<b>Clinical Material:-</b>
	Details are not provided according to the Inspection proforma i.e. (Biopsy + Cytology + Hematology per week )
5	<b>There have been no recent publications in respect of following faculty:-</b>

	Dr. Anuroop Rai, Professor, Oral and Maxillofacial Surgery, Last publication journal for the year 2017.
	Dr. Dhawal Goyal, Professor, Oral and Maxillofacial Surgery, Last publication journal for the year 2019.
	Dr. Alok Bhardwaj, Reader, Oral and Maxillofacial Surgery, Last publication journal for the year 2012.
	Dr. Rohit Sharma, Professor & HOD, Oral Medicine and Radiology, Last publication journal for the year 2013.
	Dr. Shradha Shetty, Professor, Periodontology, Last publication journal for the year 2015.
	Dr. Deepesh Prajapati, Reader, Pediatric and Preventive Dentistry, Last publication journal for the year 2017.
	Dr. Parvind Gumber, Reader, Oral & Maxillofacial Pathology and Oral Microbiology, Last publication journal for the year 2016
	Dr. Sumit Sabharwal, Reader, Conservative Dentistry and Endodontics, Last publication journal for the year 2019.

## **BDS RECOGNITION**

### **5(23). PDM Dental College & Research Institute, Bahadurgarh (Haryana)- Regarding**

To consider Joint Inspection Report of Council's inspectors Dr. Shalu Rai, Kadrabad, Modinagar (Uttar Pradesh) and Dr. Shashikanth Hedge, Mangalore (Karnataka) carried out on 24<sup>th</sup> & 25<sup>th</sup> March, 2023 at PDM Dental College & Research Institute, Bahadurgarh (Haryana) to evaluate the standard of first final BDS examination to be conducted by PDM University, Bahadurgarh, (Haryana) in respect of BDS students of PDM Dental College & Research Institute, Bahadurgarh (Haryana) for recognition of BDS Course with 100 seats.

#### Compliance

<b>A</b>	<b>Deficiencies as per BDS Recognition Report:-</b>
1.	NAAC Accreditation Certificate not provided for Academic Year 2022-23.
2.	Dr. Monika Ahlawat, Reader, Conservative Dentistry and Endodontics was absent on 24.03.2023 and 25.03.2023.
3.	Dr. Nadeem Ahmed, Lecturer, Microbiology was absent on 24.03.2023 and 25.03.2023.
4.	Dr. Nandy Monomoy, Lecturer, General Medicine was absent on 24.03.2023 and 25.03.2023.
5.	Dr. Alam MD Nasar, Lecturer, General Surgery was absent on 24.03.2023 and 25.03.2023.
6.	<b>Whether MOU is signed by Competent Authorities between Hospital and Dental College for teaching purpose – Renewal is due.</b>
7.	<b>Land &amp; Infrastructure Details:-</b>
	<b>Whether Anatomical Act has been obtained from Competent Authority - No.</b>
8.	<b>Non-Teaching Staff:-</b>
	Managers/ Office Suptd. – 1, Assistants – 3, Receptionist – 1, D.S.A (Chair Side Attendant) – 2, Dent. Tech – 2, Attenders – 5, Driver – 1, Nurses – 2, Lab Technicians – 1.
9.	There are deficiencies of following <b>Major Equipments:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	Dewaxing Unit – 1, Acrylizer – 2, Ultrasonic Cleaner – 1, Hot Water Sterilizer – 1, Phantom Heads – 50 Shared with Conservative Dentistry and Endodontics.
	<b>Pre-Clinical Prosthetics Laboratory:-</b>
	Adequate number of Lab Micro Motor with attached Hand Piece – 50 shared with Conservative Dentistry and Endodontics.
(ii)	<b>Orthodontics and Dentofacial Orthopedics:-</b>
	<b>Ortho Lab:-</b>
	Plaster dispenser for plaster and for stone plaster - 1, Vibrator - 2, Model Trimmer - 2 Micromotor – Heave Duty - 4, Lathe - 2, X-ray viewers - 2, OPG with cephalostat - 1, Blow Torch - 1, Base Formers - 4, Set of Pliers - 10, Soldering Torch - 1, Spot Welder - 1, Hydro solder - 1, Typhodont Articulator - 4, Pressure moulding machine – 1 - All are shared with Oral

	Medicine Radiology
(iii)	<b>Public Health Dentistry:-</b>
	Ultrasonic Cleaner (minimum capacity 13 litres with mesh bucket with digital timer) – 1.

(Vikas Chawda)  
Secretary I/c  
Dental Council of India