

DENTAL COUNCIL OF INDIA

Meeting File of the Executive Committee of the DCI held on 14th December 2021 (Tuesday) in the Committee Room, Dental Council of India, Aiwan-E-Ghalib Marg, Kotla Road New Delhi in respect of Compliance cases.

BDS Renewal

5(10). **Government Dental College, Silchar, Assam**

To consider the matter for granting 4th year renewal permission under EWS Scheme in BDS Course with increase intake from 50 to 63 seats at Govt. Dental College, Silchar, Assam for the academic year 2022-23.

AND

To consider the Joint Inspection Report of the Council's Inspectors Dr. Suma, Bangalore and Dr. Rahul Nagrath, Mathura (Carried out on 6th & 7th December, 2021) (received by email) to verify the achievement of the annual target for renewal of the Central Government permission for 5th batch BDS Course available with 50 seats at Government Dental College, Silchar, Assam for the academic session 2022-2023.

Compliance

1. There are deficiencies of two Readers i.e Conservative Dentistry & Endodontics – 1 and Public Health Dentistry – 1.
2. There are deficiencies of Lecturers/Tutor – 6.
3. The following Dental Teaching Staff were absent on the day of Inspection:-
 1. Dr. Manjula Das, Prof., Prosthodontics (6.12.2021)
 2. Dr. Indrani Das, Lecturer, Prosthodontics, On Maternity Leave, (6.12.2021 & 7.12.2021)
 3. Dr. Alak Bhattacharya, Lecturer, Prosthodontics, COVID Suspect (6.12.2021 & 7.12.2021)
 4. Dr. Ipsita Saikia, Lecturer, Prosthodontics (6.12.2021)
 5. Dr. Rubi Katak, Professor, Conservative Dentistry (06.12.2021 & 07.12.2021)
 6. Dr. Mukut Seal, Reader, Conservative Dentistry (06.12.2021)
 7. Dr. Subhash Chandra Debnath, Professor, Oral Surgery (06.12.2021)
 8. Dr. Anndom Changmai, Reader, Oral Surgery (06.12.2021)
 9. Dr. Dhritiman Pathak, Lecturer, Oral Surgery (06.12.2021)
 10. Dr. B.K Roy, Professor, Orthodontics (06.12.2021 & 07.12.2021)
 11. Dr. Debojyoti Roy, Reader, Orthodontics (06.12.2021 & 07.12.2021)
 12. Dr. Dip Jyoti Baruah, Lecturer, Orthodontics (06.12.2021 & 07.12.2021)
 13. Dr. S.J Das, Professor, Periodontics (6.12.2021 & 7.12.2021)
 14. Dr. Purobi Choudhary, Reader, Periodontics (6.12.2021 & 7.12.2021)
 15. Dr. Pranamee Barua, Reader, Pedodontics (6.12.2021 & 7.12.2021)

16. Dr. Anuve Hrishi Phukan, Lecturer, Pedodontics (6.12.2021)
 17. Dr. Sanjay Dutta, Reader, Oral Medicine, (6.12.2021 & 7.12.2021)
 18. Dr. Karabi Das, Lecturer, Oral Medicine (6.12.2021)
 19. Dr. Devdoot Kakoti, Lecturer, Public Health Dentistry, (6.12.2021)
 20. Dr. Angshuman Nag, Tutor (06.12.2021)
 21. Dr. Nandita Das, Tutor (06.12.2021)
 22. Dr. Richa Dutta, Tutor (06.12.2021)
4. The following Medical Teaching Staff were absent on the Day of Inspection:-
1. Dr. Shrabani Barman, Reader, Physiology, Letter By Dean, (6.12.2021 & 7.12.2021)
 2. Dr. Dhruva Jyoti Nath, Lecturer, Physiology, (6.12.2021 & 7.12.2021)
 3. Dr. Biswadeep Choudhary, Reader, Biochemistry (6.12.2021 & 7.12.2021)
 4. Dr. Anirudha Debnath, Lecturer, General Pathology, (6.12.2021 & 7.12.2021)
 5. Dr. Asik Iqbal Mazumder, Lecturer, General Surgery (6.12.2021 & 7.12.2021)
 6. Dr. Ismatara Begum, Reader, Anesthesia, (6.12.2021 & 7.12.2021)
5. **There are deficiencies of Non Teaching Staff/Ministerial Staff i.e.** Managers / Office Supdt. / Section Officer / Head Clerk / Estate Officer - 2, Assistants/Clerk - 1, Receptionist - 7, C.S.A - 10, Dent. Tech (Dental Mechanic) - 6, Dent. Hygst. - 3, Computer Programmer - 1, Data Entry Operator - 1, Physical Director - 1, Engineer - 1, Electrician - 1, Plumber - 1, Carpenter - 1, Mason - 1, A.C Tech - 1, Helpers Electrical - 1, Sweepers & Scavengers - 5, Attendance/Peon/Orderly - 13, Security Personal - 5, Dept. Secretaries - 4, Nurses - 3.
6. **Dental Chairs/Units:** 102 Dental Chairs available, 51 dental chairs are functional.
7. There are following deficiencies of Major Equipments in the various departments:
- Prosthodontics and Crown & Bridge:-** Dental Chairs and Units - 9, Extra Oral/ Intra Oral Tracer - 2, Curing Unit - 1, Autoclave - 1, Needle burner with syringe, **LAB:** Flask Press - 4, Deflasking Unit - 2, Hot Water sterilizer - 2, Geysers - 2, Pre Clinical Working tables - 50 **Ceramic and Cast Partial Laboratory:-** Circular Saw - 1, Platal Trimmer - 1, **PRE-CLINICAL PROSTHETICS LABORATORY:** Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool - 30, Adequate number of lab micro motor with attached hand piece - Space Not Available.
- Conservative Dentistry and Endodontics:-** Restorative Instruments Kits - 2, R.C.T instrument kits - 5, Ultra Sonic Cleaner - 1, Needle Burner with syringe cutter - 3, Amalgamator - 1, Pulp Tester - Digital - 1, Glass Bead

Sterilizers – 3, Intra Oral X Ray Unit – 1, Automatic Developer – 1, Magnification Loops – 1, **Pre Clinical Laboratory: Phantom Lab Unit** – Required 30, 60 available but 20 installed and 40 uninstalled, Wax Burnout Furnace – 1, Centrifugal Casting Machine – 1, Heavy Duty Micromotor – 1, Gas Cylinder and Oxygen cylinder with burner – 1, **Clinical Laboratory** :- Model Trimmer with Diamond Disc – 1, Lathe – 1, Lab Micromotor – 2, Ultrasonic Cleaner – 1, Spindle Grinder – 1, Vibrator – 1, Burnout Furnace – 1, Porcelain Furnace – 1, Lab Airrator – 1, Pindex System – 1, Circular Saw – 1, Vacuum mixer – 1, Pneumatic chisel – 1, Casting Machine – 1.

Oral Pathology: Slides Boxes – 3, Microscopes – 5, Wax Bath – 1, Water Bath – 1, Knife Sharpener – 1, Hot Plate – 1, Spencer Knife – 1, Adequate Slides projection system – 1.

Oral & Maxillofacial Surgery :- Needle Burner with syringe cutter – 3, Extraction forceps sets - 7, Minor Oral Surgery Kits – 3, Pulse Oxymeter – 1, Thermometer – 1, Glucometer – 1, Oxygen mask adult – 1, Oxygen mask pedo – 1, Impaction kit – 1, Lab Micro Motor with hand piece – 1, Trauma Kit – 1, High volume suction - 1, Surgical Straight Hand Piece – 1.

Periodontology:- Dental Chairs and Units – 4, Surgical Instrument sets – 3, Ultrasonic Cleaner – 1, Electro Surgical Cautery – 1, Needle burner with Syringe cutter – 3, Laser – 1, Physio dispenser with implant kit - 1, Hand Scaler Sub gingival – 5, Set of curettes – 1, Electrocautery Kit – 1, Perodontal Surgical Kit – 2.

Orthodontic:- Unit mount Scaler – 3, X Ray viewers – 1, Ultrasonic Cleaner – 1, **I Lab:** Vibrator – 2, Micromotor – 1, Lathe – 1, OPG with cephalostat – 1, Welders – 2, Blue Torch – 1, Base Formers – 2, Typodont – 2, Set of Pliers – 5, Hydro Solder – 1, Typhodont Articulator - 3, Pressure moulding machine – 1, Soldering torch – 1, Spot Welder - 1.

Pediatric Dentistry:- Ultrasonic Cleaner – 1, Needle Burner with syringe cutter - 2 Amalgamator - 1, Rubber Dam kit for Paedodontics & Preventive Dentistry Rubber Dam kit for Pedo – 3, Apex Locator – 1, Endo Motor – 1, Radiovisiography – 1, Scaling Instruments – 5, Restorative Instruments - 3, Extraction forceps – 5, Intra Oral X-Ray – 1, **Pedo Lab:** Welder with soldering attachments - 1, Vibrator – 2, Dental Lathe – 1, Steam Cleaner – 1, Pressure moulding machine - 1 .

Oral Medicine and Radiology:- Panoramic X-Ray with Cephalometric (Orthopentmogram) - 1, Intra Oral X-ray Unit – 1, Pulp Testers – 2, Automatic Panoramic with Cephalometric X-ray Developer – 1, Radiovisiography with Intra Oral Camera – 1, General X-ray Unit – 1, Automatic Developers / Dark Room – 1, Lead Collar – 2, Diagnostics kits – 10, Lead Screen – 1, Biopsy Kit – 1, Needle Burner with syringe cutter - 2, Biopsy Kit – 1, Sailography equipment & kit – 1.

Public Health Dentistry:- Ultrasonic Cleaner – 1, Needle Burner with syringe cutter - 2, **Mobile Clinic:** Mobile Dental Van – 1, Dental chair with unit - 2, Autoclaves – 1, Intraoral x-ray – 1, Glass bead sterilizers – 1, Compressor – 1, Metal Cabinet – 1, Portable dental chair – 2,

Cont'd...

Stabilizer – 1, Generator – 1, Water tank – 1, Oxygen cylinder – 1, Public address system – 1, TV and video cassette player – 1, Demonstration models – 20.

8. **Total Constructed Area 31622 (sq.ft):-** Deficient.

9. **Infrastructure & Functional Requirements:-**

Infrastructure	Requirement	Availability
Administrative block	2000 sq. ft.	616 sq.ft
Clinical Area (for common clinic)	1250 sq.ft.	
Library	4000 sq. ft.	672 sq.ft
Lecture Halls – 4	3200 sq. ft.	2764 sq.ft(4 rooms)
Central Stores	400 sq. ft.	672 sq.ft
Maintenance room	500 sq. ft.	NIL
Photography and artist room	150 sq. ft.	NIL
Medical Stores cum Pharmacy	150 sq. ft.	NIL
Faculty Rooms – Dental	700 sq. ft.	560 sq.ft
Faculty Rooms – Medical Basic Science	700 sq. ft.	NIL
Amenities Area	1000 sq. ft.	560 sq.ft
Room for Gas Cylinder (ventilated)	150 sq. ft.	NIL
Compressor Room	300 sq. ft.	NIL
Cafeteria	1000 sq. ft.	NIL
Examination hall	1800 sq. ft.	1885 sq.ft
Auditorium (To accommodate at least 250 people)	2000 sq. ft. (aprox.)	NIL
Wards Male and Female to accommodate 20 Beds, Central Store, Departmental Store, Major and Minor O.T. etc.	Remaining Area (7500 sq. ft.)	Not Available
Pre-clinical Prosthodontics and dental material lab	1500 sq. ft.	Not Available
Pre-clinical conservative lab	1300 sq. ft.	Not Available
Oral Biology and Oral Pathology Lab	1300 sq. ft.	Not Available
Laboratories for Orthodontics and Pedodontics	800 sq. ft.	Not Available
Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc.	1500 sq. ft.	Not Available
One laboratory for physiology with stores and preparation rooms.	1500 sq. ft.	Not Available

Cont'd...

Laboratory for biochemistry and Pharmacology	1500 sq. ft.	Not Available
Clinical Area (for different specialty department)	5000 sq.ft	4255 sq.ft.
Pre-Clinical Prosthodontics and dental material lab	1500 sq.ft	1100 sq.ft (approx)
Pre –Clinical Conservative Lab	1250 sq.ft	520 sq.ft
Dental Anatomy, Embryology, Oral Histology and Oral Pathology Lab	1250 sq.ft	Non Available
Anatomy dissection hall with storage for acadavers, osteology, demonstration room etc.	1250 sq.ft	Non Available
One laboratory for physiology with stores and preparation rooms.	1000 sq.ft	Non Available
Laboratory for biochemistry and with store and preparation	750 sq.ft	Non Available
One Laboratory for Pharmacology	800 sq.ft	Non Available
One Laboratory for pathology and microbiology with stores and preparation rooms	1500 sq.ft	Non Available
Prosthodontics Cast Partial and Ceramic	1250 sq. ft.	Non Available
Conservative Clinical Lab	300 sq. ft.	Non Available
Histopathology Lab for Oral Pathology	300 sq. ft.	Non Available
Laboratories for Orthodontics and Pedodontics	200 sq. ft.	Non Available
Haematology and Clinical Biochemistry	600 sq. ft.	Non Available

10. Academic Block for Basic Science Subjects:

Department of Anatomy: Educational Models – 6.

Department of Physiology: Haemocytometers – 2.

Department of Pharmacology:- China Dish – 3.

Department of General Pathology: Test Tube – Nil, Centrifuge – 1.

11. Dental Anatomy, Dental Histology & Oral Pathology: Microscope – 5, Television – 1, Education Models & dental developmental set (Nissan like model) – 3.

Histopathology Room: Wax Bath – 1, Water Bath – 1, Knife Sharpener – 1, Spencer Knife – 1, Disposable Blade – 1, Hot Air Oven – 1, Organic Tissue Capsule – 1, Distilled Water Plant – 1, Diamond Tip Pencil – 1, Glass Dropper Bottle – 3, Glass Bottle with Lid – 3, Wide mouth Bottles – 3, Glass Funnel - 3, Glass Pipette – 3, Glass Measuring Jar – 3, Petri Dish 4" Glass - 3, L Blocks – 2, Loop Holder – 2, Magnifying Glass – 1, Toothed Forceps – 2, Plastic Dropper – 2,

Cont'd...

Petri Dish 50 mm Glass – 2, Gas Burner/Spirit Lamp – 1, Processing Bottles – 3, Slide Warming Table – 1, Slide Drying Tray – 1, Slide Carrying Tray – 1, Staining Basket SS – 1, Staining Trough SS – 1, Staining Trough Glass – 1, Slide Staining Rack SS – 1, Slide Box – 1, Slided Storage Cabinet - 1, Wax Block Storing Cupboard – 1.

Oral Pathology Reporting Station: Microscope Trinocular – 1, Colour Printer – 1, Desktop Computer – 1.

12. Whether completion Certificate furnished from the competent authority – No
13. Whether Fire and Safety Certificate obtained from the competent authority – No
14. Whether Anatomical Act has been obtained from competent Authority (DME) – No
15. **Observations:-**

1. Clinical material, Library, Space for clinical & Lab Data, Starting Pattern for BDS are deficient.
2. Staff appointed as Professors in Conservative & Endodontics, Oral Pathology, Orthodontics & Dentofacial Ortho are deficient.
3. Staff as Readers - Conservative, Pedo, Public Health, Oral Medicine and Orthodontics & Dentofacial Orthopedics are deficient.
4. CCTV, Biometric – Not Functional. (Letters Attached)

5(11). **Tirumala Institute of Dental Sciences & Research Centre, Nizamabad Distt., Telangana**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Srinivasa Prasad T., Chennai and Dr. Nitin Gautam, Jammu (Carried out on 6th & 7th December, 2021) (received by email) to verify the achievement of the annual target for renewal of the Central Government permission for 3rd year BDS Course available with 100 seats at Tirumala Institute of Dental Sciences & Research Centre, Nizamabad Distt., Telangana for the academic session 2022-2023.

Compliance

1. Dr. P. Pramod Kumar working as Senior Lecturer in department of Oral and Maxillofacial Surgery was absent on both days of inspection (6th & 7th Dec. 2021).
2. There is a deficiency of one Professor in the department of Periodontics.
3. **Infrastructure & Functional requirements:-**

Infrastructure	Requirement	Availability
Clinical Area (for different specialty department)	25000 sq.ft (200 Dental Chairs x 125 sq.ft/per chair)	12500 sq.ft.

BDS Recognition**5(15). Kusum Devi Sunder Lal Dugar Jain Dental College and Hospital, Kolkata, West Bengal**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Sunil Sharma, Jaipur and Dr. Jagat Bhushan, Chandigarh (Carried out on 3rd & 4th December, 2021) to evaluate the standard of first final BDS examination to be conducted by West Bengal University of Health Sciences, Kolkata, West Bengal in respect of BDS Students of Kusum Devi Sunder Lal Dugar Jain Dental College and Hospital, Kolkata, West Bengal for Recognition of BDS Course with 100 seats.

Compliance

1. Number of beds in Hospital does not provide by the college authorities.
2. **Major Equipment:-**
Prosthodontics and Crown & Bridge (Ceramic and Cast Partial Laboratory):- Wax carver – PKT carver set available (electronic carver not available).

Clinical Laboratory:- Casting Machine (Motor cast / induction casting preferred) – no only centrifuged available.

Oral & Maxillofacial Surgery:- Exodontia:-

Autoclaves (front loading having wet and dry cycle, which can achieve 135° C with minimum capacity of 20 Litres) - packed on wooden box, Trauma Kit- not available

Orthodontics:-

Hydro solder – non functional

Oral Medicine & Radiology:-

Automatic Periapical X-ray Development - not available, Automatic Panoramic with Cephalometric X-ray Developer – not available (digital Printer available), General X-ray Unit – not available.

Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-

Education models & dental developmental set (Nissan like model) – 3 not available

3. Principal / Dean's Bungalow is under renovation.
4. Infrastructure & Functional requirements:- Wards male and female to accommodate 20 beds, Central Store, Departmental Store, Major and Minor O.T. etc. – Major O.T. not available.
5. Sewage treatment plant is not available.
6. Bio – waste management is not available.

Observation:-

1. Following dental teaching staffs were absent on both the days of inspection.

Cont'd...

- i. Dr. Durga Kshitish Kothuru, Reader, Periodontics.
 - ii. Dr. Varnana Kothuru, Reader, Orthodontics
 - iii. Dr. Siddhartha Chatterjee, Lecturer, Oral Surgery.
2. Biometric attendance of 26.10.2021 shows total 46 teaching faculty, while 64 faculty members were present during inspection, it means that 18 staff members were appointed just one month before, the inspection & their salary amount is also not mentioned in the appointment orders.
 3. Dr. SSRL Prasad, Prof., Periodontics, Dr. N. Raghavendra, Prof., Periodontics and Dr. R. Kolkappan, Reader, Oral Medicine are residing in staff quarters in the campus, but could not produce address proofs as per DCI guidelines.
 4. Currents Journals & back volumes of Dentals & Medical specialities are not available in the library.
 5. There is shortage of non-teaching & ministerial staff as per attached attendance sheet.
 6. Trauma Kit & Major Surgery equipments are not available in department of Oral & Maxillofacial Surgery & no record of major equipments was produced.
 7. Water Supply connection was not there in tumbler & spittoon in many dental chairs.
 8. Shortage of general x-ray unit in department of Oral Medicine & Radiology.
 9. One lab for Orthodontics & Paedodontics department (shared).
 10. The State Council registration of Dr. N. Raghavendra, Professor, Periodontics was not renewed.
 11. Bio – waste segregation at departmental level is not being done properly & needs improvement.

BDS Recognition Matters

5(27)S. Shravathi Dental College & Hospital, Shimoga, Karnataka

To consider the Joint Inspection Report of the Council's Inspectors Dr. Rohit Adyanthaya, Jaipur and Dr. Ramakrishna Yeluri, Moradabad (carried out on 8th & 9th December, 2021) to evaluate the standard of first final BDS examination to be conducted by Rajiv Gandhi University of Health Sciences, Karnataka in respect of BDS students of Shravathi Dental College & Hospital, Shimoga, Karnataka for Recognition of BDS Course from 40 to 100 seats.

Compliance

1. Three (03) Phantom Heads in Pre-Clinical Conservative Section are non functional.
2. One (01) Sand Blaster in Ceramic & Cast Partial Laboratory was non functional.

Note : Subject to the confirmation of the said Minutes in the next Executive Committee meeting