

DENTAL COUNCIL OF INDIA

Meeting file of the Executive Committee of the Dental Council of India held on 22nd December, 2021 (Wednesday) in the Committee Room, Dental Council of India, Aiwan-E-Ghalib Marg, Kotla Road New Delhi at 11.00 a.m. in respect of compliance cases.

5(2). St. Gregorios Dental College, Kothamangalam, Kerala

To consider Joint Inspection Report of the Council's Inspectors Dr. Ashu Gupta, Shimla and Dr. Manu Rathee, Rohtak (Carried out on 7th & 8th December, 2021) to inspect and ascertain the physical facilities such as building, space, teaching staff their qualifications & experience, equipments and other infrastructural facilities available as per DCI Regulations for **Increase of Seats** of BDS Course in the name of St. Gregorios Dental College, Kothamangalam, Kerala from **40 to 50 seats** for the academic session 2022-23.

Compliance

1. The following Dental Teaching Staff were absent on both days of Inspection:-
 1. Dr. Deaby Miriam Aby, Sr. Lecturer, Orthodontics.
 2. Dr. Jaikumar S, Associate Professor, Pharmacology
 3. Dr. Ajas C Haroon, Lecturer, General Medicine.
 4. Dr. Shabana Shanavas, Lecturer, General Medicine.
 5. Dr. Merin K. Joseph, Sr. Lecturer, Orthodontics.

2. There is deficiency in nursing staff:-
Class IV including chowkiders -7

3. **Major Equipments:-**
Oral & Maxillofacial Surgery:-
 Needle burner with syringe cutter – 1

Periodontology:-
 Autoclave (having wet and dry cycle, which can achieve 135 C with minimum capacity of 20 litres) – 1, Ultrasonic cleaner (minimum capacity 13 liters with mesh bucket) – available but 3.5 liters.

Orthodontics:-
 LAB I –
 Vibrator -1, Micromotor (heavy duty) – 1,

Paediatric and Preventive Dentistry:-
 Ultrasonic cleaner (minimum capacity 13 liters with mesh bucket with digital timer) – available but 3.5 liters.

Oral Medicine and Radiology:-
 General X-ray Unit- 1

4. **Constructed Area:-**
Basement, Third and Fourth Floor (area in sq.ft.) – not available
5. **Department of Physiology:-**
Hematology Lab:- Stethoscope - 3, Analytical Balance -1, Blood Cell Counter -1

Clinical Lab:-
Spirometer (Ordinary) -2, Mosso's Erograph -1, Ophthalmoscope -1, Dynamometer – 1, Examination Couches – 1.
6. **Department of Biochemistry:-**
Clinical Lab:- Distillation Apparatus -1
7. **Department of Pharmacology:-**
Clinical Lab: - Measuring Cylinder 500ml -1
Instrument: - Wax paper bundles -3
8. **Department of Microbiology:-**
Preparation Rooms – Water Bath -1, Hot plate – 1
9. **Department of General Pathology**
Centrifuge-1, Clinical thermometer -1
10. **Department of Histopathology:-**
Distilled water plant – 1, Slide Warming table -1,
11. **Department of Oral Pathology Reporting system**
colour printer- 1, desktop computer -1
12. NAAC Accreditation Certificate of the college is not available.

5(3). **Government Dental College, Dibrugarh, Assam**

To consider Joint Inspection Report of the Council's Inspectors Dr. Sanjay Gupta, Lucknow and Dr. Prosenjit Banerjee, Kolkata (Carried out on 6th & 7th December, 2021) to verify the achievement of the annual target for renewal of the Central Government permission for **5th batch** BDS Course available with 50 seats at Government Dental College, Dibrugarh, Assam for the academic session 2022-2023 and the matter for granting 4th year renewal permission under EWS Scheme in BDS Course with increase intake from 50 to 63 seats at Govt. Dental College, Dibrugarh, Assam, for the academic year 2022-23.

Compliance

1. There is a deficiency of Two Readers i.e. Prosthodontics and Crown & Bridge – 1 & Orthodontics – 1.
2. The following Dental Teaching Staff were absent on the day of Inspection:-

Contd...

1. Dr. Atrayee Barman, Lecturer, Orthodontics.
 2. Dr. Zina Raja, Professor, Prosthodontics, On Leave.
 3. Dr. Bhaskar Dip Gogoi, Tutor, Prosthodontics.
 4. Dr. Proxima Bora, Lecturer, Conservative Dentistry & Endodontics.
 5. Dr. Pradeep Kumar Sharma, Reader, Oral & Maxillofacial Surgery.
 6. Dr. Pratiksha Bordoloi, Lecturer, Periodontics.
 7. Dr. Mousumi Paul, Tutor, Public Health Dentistry.
3. The following Medical Teaching Staff were absent on the Day of Inspection:-
4. **There are deficiencies of Non Teaching Staff/Ministerial Staff i.e.**
Managers / Office Supdt. / Section Officer / Head Clerk / Estate Officer - 3, Assistants/Clerk – 7, Receptionist – 6, C.S.A – 8, Dent. Tech (Dental Mehcanic) - 5, Dent. Hygst. – 3, Radiographer – 1, Engineer – 1, Electrician – 1, Plumber – 1, Carpenter – 1, Mason – 1, A.C Tech – 1, Helpers Electrical – 1, Sweepers & Scavengers – 7, Attendance/Peon/Orderly - 18, Security Personal – 2, Dept. Secretaries – 3, Driver - 3 Nurses – 1, Lab Technicians – 1.
 5. **Dental Chairs/Units:** 22 Dental Chairs are available out of 100 Dental Chairs.
 6. **Central Library:**
 1. Very few books present against the minimum requirement of 400.
 2. No journal has been seen against the requirement of 26.
 7. **E-Journals Details Total Area (Minimum 4500 sq.ft.) Seating Capacity:-** Reception and waiting – Not Available, Issue Counter – Not Available, Photocopying Area – Not Available, Journal Room – Not Available, Staff Reading Room – Not Available, Store and Stocking Room – Not Available, Digital Library – Not Mentioned, Chief Library Room/Assistant Library – Not Available, Students Cloak Area – Not Available, Seating Area – Not mentioned.
 8. There are following deficiencies of Major Equipments in the various departments:
Prosthodontics and Crown & Bridge:- Dental Chairs and Units – 17, Semi adjustable articulator - 2, Extra Oral/ Intra Oral Tracer – 2, Dewaxing Unit – 1, Curing Unit – 1, Dental Casting Machine – 1, Wax burnout furnace - 1, Pre heating furnace – 1, Surveying Unit - 1, Heavy duty hand piece - 3, **LAB:** Model Trimmer with Diamond Disc – 1, Acrylizer – 2, Lathe – 1, Flask press – 4, Deflasking Unit – 4, Dewaxing Unit – 2, Hydraulic Press – 2, Mechanical Press – 1, Vaccum Mixing Machine – 1, Lab Micromotor – 3, Pre clinical working tables – 20, **Ceramic and Cast Partial Laboratory:-** Duplicator – 1, Pindex System – 1, Circular Saw – 1, Burn out furnace – 1, Sandblasting Machine – 1, Electro-polisher - 1, Model Trimmer with Carborandum disc – 1, Model Trimmer with Diamond Disc – 1, Induction casting machine – 1, Programmable porcelain furnace with

vacuum pump with instrument kit and material kit – 1, Spot Welder with soldering, attachment of cable – 1, Vacuum Mixing Machine – 1, Steam Cleaner – 1, Spindle Grinder 24,000 RPM with vacuum suction – 1, Wax heater – 1, Wax carver – 1, Curing Pressure Pot – 1, Milling Machine – 1, Heavy Duty lathe with suction – 1, Preheating furnace – 1, Preheating trimmer – 1, Ultrasonic cleaner – 1, Composite curing unit – 1, Micro surveyor - 1

PRE-CLINICAL PROSTHETICS LABORATORY: Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool – 30, Adequate number of lab micro motor with attached hand piece – 10, **Plaster Room for Pre-Clinical:** Plaster Dispenser – 2, Vibrator – 2, Lathe – 2, Model Trimmer – 1, Carborandum Disc – 1, Diamond Disc – 1.

Conservative Dentistry and Endodontics:- Dental Chairs and Units – 13, Rubber Dam Kits – 4, Restorative Instruments Kits – 3, Autoclaves – 1, Needle Burner with syringe cutter – 3, Amalgamator – 2, Magnification Loops – 1, **Pre Clinical Laboratory: Phantom Lab Unit** – Wax Burnout Furnace – 1, Centrifugal Casting Machine – 1, Heavy Duty Micromotor – 1, Gas Cylinder and Oxygen cylinder with burner – 1, **Clinical Laboratory :-** Plaster Dispenser – Not filled, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Carborandum Disc – 1, Lathe – 1, Lab Micromotor – 2, Ultrasonic Cleaner – 1, Spindle Grinder – 1, Burnout Furnace – Not filled, Porcelain Furnace – Not filled, Sandblasting Machine – 1, Pindex System – Not filled, Circular Saw – Not filled, Vacuum mixer – 1, Pneumatic chisel – 1, Casting Machine – 1.

Oral Pathology: Dental Chairs and Units – Not filled, Slides – 100, Slides Boxes – Not filled, Microscopes – 5, Wax Bath – 1, Water Bath – 1, Knife Sharpener – 1, Hot Plate – Not filled, Spencer Knife – 1, Adequate Slides projection system – Not filled.

Oral & Maxillofacial Surgery :- Dental Chairs and Units – Not filled, Autoclaves – 2, Ultrasonic Cleaner – 1, Needle Burner with syringe cutter – 3, Extraction forceps sets - 5, Dental elevators – Not filled, Minor Oral Surgery Kits – 3, Emergency drugs Tray – 1, Oxygen cylinder – 1, Oxygen mask adult – 1, Oxygen mask pedo – 1, Impaction kit – 1, Lab Micro Motor with hand piece – 1, Trauma Kit – 1, High volume suction - 1, Surgical Straight Hand Piece – 1.

Periodontology:- Dental Chairs and Units – 14, Surgical Instrument sets – Not filled, Autoclave – 2, Ultrasonic Cleaner – 1, Electro Surgical Cautery – 1, Needle burner with Syringe cutter – 4, Laser – 1, Physio dispenser with implant kit - 1, X-ray viewer (Extra Oral) – 1, Hand Scaler Supra gingival – 5, Hand Scaler Sub gingival – 5, Set of curettes – 1, Electro cautery Kit – 1, Periodontal Surgical Kit – 2.

Orthodontics:- Dental Chairs and Units – 7, Unit mount Scaler – Not filled, Autoclave – 1, X Ray viewers – 2, Ultrasonic Cleaner – 1, **I Lab:**

Plaster dispenser – 2, Vibrator – Not filled, Model Trimmer – 1, Micromotor – 2, Lathe – 1, OPG with cephalostat – 1, Welders – 2, Blue Torch – Not filled, Base Formers – Not filled, Typodont – 2, Set of Pliers – Not filled, Welder with soldering attachments – 1, Hydro Solder – 1, Typodont Articulator - 3, Pressure moulding machine – 1, Soldering torch – 1, Spot Welder - 1.

Pediatric Dentistry:- Dental Chairs and Units – 9, Ultrasonic Cleaner – Not filled, Needle Burner with syringe cutter – 2, Amalgamator – Not filled, Pulp Tester Digital – 1, Rubber Dam kit for Pedo – Not filled, Apex Locator – 1, Endo Motor – Not filled, Radiovisiography – 1, Restorative Instruments – Not filled, Extraction forceps – 5, **Pedo Lab:** Plaster Dispenser – 2, Model Trimmer with diamond disc – 1, Model Trimmer with carborandum disc – Not filled, Welder with soldering attachments – 1, Vibrator – not filled, Lab Micro Meter – 2, Dental Lathe – Not filled, Steam Cleaner – 1, Pressure moulding machine – 1.

Oral Medicine and Radiology:- Dental Chairs and Units – 4, Panoramic X-Ray with Cephalometric (Orthopentmogram) - 1, Intra Oral X-ray Unit – 1, Intra Oral X-Ray (AERB Certificate) – 1 (Certificate Not Available), Pulp Testers – 2, Automatic Periapical X-ray Developer – 1, Automatic Panoramic with Cephalometric X-ray Developer – 1, X-Ray Viewer – 2, Biopsy Kit – 1, Autoclave – 1, Needle Burner with syringe cutter - 2, Biopsy Kit – 1, Sailography equipment & kit – 1.

Public Health Dentistry:- Dental Chairs and Units – 7, Autoclaves – 1, Ultrasonic Cleaner – 1, Needle Burner with syringe cutter - 2,

Mobile Clinic: Mobile Dental Van – 1, Dental chair with unit - 2, Autocalves – 1, Intraoral x-ray – 1, Glass bead sterilizers – 1, Compressor – 1, Metal Cabinet – 1, Portable dental chair – 2, Stabilizer – 1, Generator – 1, Water tank – 1, Oxygen cylinder – 1, Public address system – 1, TV and video cassette player – 1, Demonstration models – 20.

3. **Total Constructed Area 60,000 (sq.ft):-** Under Construction (As per DCI Norms).
4. **Staff Quarters (Separate from Hostel):-** Under Construction (As per DCI Norms).
5. **Hostel for Boys & Girls Building:-** Under Construction (As per DCI Norms)
6. **Infrastructure & Functional Requirements:-**

Infrastructure	Requirement	Availability	Remarks
Administrative block	2000 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Library	4500 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Lecture Halls – 4	3200 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Central Stores	400 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Maintenance room	600 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Photography and artist room	250 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Medical Stores cum Pharmacy	200 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Faculty Rooms – Dental Faculty	2000 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Faculty Rooms – Medical Basic Science	1500 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Amenities Area	2000 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Room for Gas Cylinder (ventilated)	150 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Compressor and Room for Gas Plant	200 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Cafeteria	800 sq. ft.	Under Construction as	Under Construction as

		per DCI Norms	per DCI Norms
Examination hall	1800 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Auditorium (To accommodate at least 250 people)	2000 sq. ft. (aprox.)	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Clinical Area (for different specialty departments)	12500 sq.ft. (100 Dental Charis X 125 sq.ft./ per chair)	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Wards Male and Female to accommodate 20 Beds, Central Store, Departmental Store, Major and Minor O.T. etc.	Remaining Area (7500 sq. ft.)	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Pre-clinical Prosthodontics and dental material lab	1500 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Pre-clinical conservative lab	1300 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Oral Biology and Oral Pathology Lab	1300 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Laboratories for Orthodontics and Pedodontics	800 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc.	1500 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
One laboratory for physiology with stores and preparation rooms.	1500 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Laboratory for biochemistry and Pharmacology	1500 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
CLINICAL			
Prosthodontics Cast Partial and Ceramic	1300 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms

Conservative Clinical Lab	300 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Histopathology Lab for Oral Pathology	400 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Laboratories for Orthodontics and Pedodontics	200 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
Haematology and Clinical Biochemistry	200 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms
AREB certified Radiographic Room along with Dark Room	600 sq. ft.	Under Construction as per DCI Norms	Under Construction as per DCI Norms

7. **Land & Infrastructure Details:-**

Survey Numbers – Not present.

8. Whether completion Certificate furnished from the competent authority – No.

9. **Observations:-**

1. Department not segregated.
2. As of now campus is not only and separated by 4.8 k.m.
3. No hostel for boys/girls/and faculty member.
4. Library - Only few books are present, E-Journal not available and photocopy machine not present.
5. CCTV not present.
6. Biometric is not function due to COVID -19 because of State Government Regulation.
7. As mentioned because of the State Government Regulations the college both UG equipments that are kept in store could not be installed due to lack of space.

Note : Subject to the confirmation of the said Minutes in the next Executive Committee meeting