

## DENTAL COUNCIL OF INDIA

Meeting file of the Executive Committee of the Dental Council of India held on 14<sup>th</sup> December, 2020 (Monday) in the Committee Room, Dental Council of India, Aiwan-E-Galib Marg, Kotla Road New Delhi at 12:00 noon onwards. in respect of compliance cases.

### **5. Academic Section Matters, if any**

#### **BDS Renewals Matters**

#### **5(3) Care Dental College, Guntur, Andhra Pradesh**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Pankaj Datta, Sahibabad and Dr. Ashtha Arya, Gurgaon (carried out on 4<sup>th</sup> & 5<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for admitting 5<sup>th</sup> batch of students in BDS Course with 50 seats at Care Dental College, Guntur, Andhra Pradesh for the academic year 2021-22.

#### Compliance

1. University Affiliation valid upto 2019-20.
2. The following Dental teaching faculty were absent/leave on the day of inspection:
  - (i) Dr. Yerramsetti Bharath Kumar, Reader, Prosthodontics & Crown Bridge (4.12.2020 & 5.12.2020)
  - (ii) Dr. Kolluru Krishna Chaitanya, Reader, Prosthodontics & Crown Bridge (4.12.2020)
  - (iii) Dr. Naesh Dondapati, Tutor, Prosthodontics & Crown Bridge (4.12.2020 & 5.12.2020)
  - (iv) Dr. M.S. Rama Rao, Professor, Conservative Dentistry & Endodontics (4.12.2020)
  - (v) Dr. Md. Arif, visiting faculty, Conservative Dentistry & Endodontics (4.12.2020), Residence-400 Km from college
  - (vi) Dr. Yamini Chandra, Tutor, Conservative Dentistry & Endodontics (4.12.2020)
  - (vii) Dr. Raisa Saeda, Tutor, Conservative Dentistry & Endodontics (4.12.2020 & 5.12.2020)
  - (viii) Dr. Subba Naidu N, Professor, Oral & Maxillofacial Surgery (4.12.2020)
  - (ix) Dr. Kakumani Naga Harini, Lecturer, Oral & Maxillofacial Surgery (4.12.2020)
  - (x) Dr. Gladson Bandi, Reader, Periodontics (4.12.2020 & 5.12.2020)
  - (xi) Dr. Chakvarathy M., Lecturer, Periodontics (4.12.2020)
  - (xii) Dr. C. Manjunatha Reddy, Professor & HOD, Orthodontics (4.12.2020)
  - (xiii) Dr. Manjunath Madhav, Reader, Orthodontics (4.12.2020)
  - (xiv) Dr. Mazher Ahmed MD, Lecturer, Orthodontics (4.12.2020 & 5.12.2020)
  - (xv) Dr. Syed Rahamtulla, Lecturer, Orthodontics (4.12.2020 & 5.12.2020)
  - (xvi) Dr. Dedeepya P, Reader, Pedodontics (4.12.2020), TDS Certificate not there.
  - (xvii) Dr. Syed Mohammad Ali, Tutor, Pedodontics (4.12.2020)

*ASD*  
*ASD*

- (xviii) Dr. Sandhya Sree, Reader, Public Health Dentistry (4.12.2020)
- (xix) Dr. Hekali Rao, Public Health Dentistry (4.12.2020 & 5.12.2020)
- (xx) Dr. Venkata Chalpath, Reader, Oral Pathology (4.12.2020)
- (xxi) Dr. Sania Azmi, Tutor, Oral Pathology, (4.12.2020 & 5.12.2020)
- (xxii) Dr. Bhagavi (4.12.2020)
- (xxiii) Dr. P Venkat Rao, Tutor, Lecturer, Community Dentistry (4.12.2020 & 5.12.2020)
- (xxiv) Dr. Tadiboyena Bhargavi, Sr. Lecturer, Oral Medicine & Radiology (4.12.2020 & 5.12.2020)
- (xxv) Dr. Adarsh Anumula, Sr. Lecturer, Oral Medicine & Radiology (4.12.2020 & 5.12.2020)
- (xxvi) Dr. Saranya Alaparathi, Sr. Lecturer, Oral Medicine and Radiology (4.12.2020)

3. Central Library not present.

4. There are following deficiencies of Major Equipments in the various departments:

**Department of Prosthodontics and Crown & Bridge:-** Dental casting machine-1, **Lab:** Plaster Dispenser-2, Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-1, Acrylizer-2, Lathe-1, Flask Press-4, Deflasking Unit-1, Dewaxing Unit-1, Hydraulic Press-2, Mechanical Press-1, Vacuum mixing machine-1, Lab Micromotor-3, **Ceramic and Cast Partial Laboratory:** There is a deficiency of Spot welder with soldering, attachment of cable-1,( No area for above equipments)

**Orthodontic:-** Blue Torch-1, OPG with Cephalostat-1, Soldering Torch-1.

**Paediatric and Preventive Dentistry:-** Injectable gutta percha with condensation-1, Welder with soldering attachments-1.

**Oral Medicine and Radiology:-** There is a deficiency of Automatic Panoramic with Cephalometric X-ray Developer-1, General X-ray Unit-1, Lead collar-1.

**Public Health Dentistry :-** Generator-1, Public address system-1.

5. **Staff Quarters (Separate from Hostel):** Not Available.

6. **Hostel for Boys and Girls :** Boys Hostel not available.

7. **Infrastructure & Functional Requirements:**

- (i) Library doesn't fulfil the DCI norms.
- (ii) Central Stores is not as per DCI norms
- (iii) Maintenance Room is not available
- (iv) Photography and artist room are not available,
- (v) Dental Faculty rooms is inadequate
- (vi) Amenities Area of include boys and girls locker room, boys and girls common rooms, common room for non-teaching staff, common room for teaching staff, Examination hall does not have an inadequate seating capacity.
- (vii) Auditorium is not available, system-1.

Cont'd...

**Clinical**

AREB certificate Radiographic Room along with Dark Room-  
Inadequate

**8. Observation:**

None of Faculty has 6 months of salary statement.

**Library:**

1. E-Library not there
2. Titles of book not as per requirement

**Equipments:**

1. All Labs non functional
2. All Hand instruments-unused, parked
3. No clinical work done
4. Pedodontics-No x-ray Room
5. Prostodontics-No Clinical Labs
6. None of the X-ray Room have boundary or Paint lead sheet protection as per AERB.

**Clinical Material**

1. No stock Register
2. No Indent proofs
3. No Deptt. Stock of Material

**Dental Faculty**

1. 10 affidavits of dental faculty could not be verified as they were absent on both the days of inspection
2. 16 faculty members were not present on first day of inspection
3. 10 faculty members absent on both days of inspection.

**5(5) Government College of Dentistry, Indore**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Sonahita Agarwal, Lucknow and Dr. K. Satya Narayana Naik, Raichur (carried out on 7<sup>th</sup> & 8<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with increase intake capacity from 40 to 50 seats at Government College of Dentistry, Indore for the academic year 2021-22.

**Compliance**

- (1) There are following deficiencies of Major Equipments in the various Department:

**Oral & Maxillofacial Surgery :- Minor Surgery:-** Dental Chairs and Units-3, **Pedo Lab:** Plaster dispenser-01, Lab micro motor-1, Pressure moulding machine-1.

**Public Health Dentistry :** Dental Chairs and Units-4, **Mobile Clinic:** Mobile Dental Van-1, Dental Chairs with Unit-2, Glass Bead Sterilizers-1, Compressor-1, Metal Cabinet-1, Portable Dental chair-2, Stabilizer-1, Generator-1, Water tank-1, Oxygen Cylinder-1, TV and video cassette Player-1.

- (2) **Non-Teaching Staff/Ministerial Staff:-**Receptionist-Recruitment is under process by MP Govt.-8, D.S.A. (Chair

Cont'd...

*Handwritten signature*

side Attendant)-Out source Attenders-10, Dent. Tech. (Dental Mechanic)-3, Dental Hygienist-3, Radiographer-1, Photographer-1, Electricians-1 Attenders- Are Out sourced-2, Dept. Secretaries-2, Driver-4

(3) The following dental teaching faculty were absent/leave on the day of inspection:

- (i) Dr. Yojna Atram, Tutor, Orthodontics-on study leave
- (ii) Dr. Neha Verma, Lecturer, Prosthodontics & Crown Bridge-on leave
- (iii) Dr. Sheetal Singar, Tutor, Oral Pathology and Oral Histology- on study leave
- (iv) Dr. Shraddha Pawar, Tutor, Conservative Dentistry & Endodontics-on leave
- (v) Dr. Rashi Yadav, Lecturer, Oral & Maxillofacial Surgery-on leave
- (vi) Dr. Triveni Patil, Tutor, Oral & Maxillofacial Surgery-on study leave
- (vii) Dr. Swati Shrivastav, Tutor, Periodontics- on study leave
- (viii) Dr. Divya Menon, Tutor, Oral Medicine- on study leave
- (ix) Dr. Priyanka Nikose, Tutor, Oral Medicine- on study leave
- (x) Dr. Vrinda Saxena, Professor, Public Health Dentistry-on deputation.
- (xi) Dr. Vidhatri Tiwari, Lectuer, Public Health Dentistry – on Maternity Leave.
- (xii) Dr. Manoj Jain, Tutor, Public Health Dentistry-on study leave.
- (xiii) Dr. Neelima Pagare, Tutor-on study leave

5(6) **Jawahar Lal Nehru Institute of Dental Sciences, Imphal, Manipal**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Manesh Lahori, Mathura and Dr. Yogesh T.L., Bangalore (carried out on 9<sup>th</sup> & 10<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with 50 seats at Jawahar Lal Nehru Institute of Dental Sciences, Imphal, Manipal for the academic year 2021-22.

Compliance

1. There is deficiency of 1 Reader in Oral & Maxillofacial Surgery Department.
2. There is deficiency of 1 Reader in Orthodontics Department.
3. There is deficiency of 1 Lecturer/Tutor.

**Major Equipments:**

**Prosthodontics and Crown & Bridge:-** Semi adjustable articulator-2, Extra oral/intra oral tracer-2, Curing unit-1, Needle burner with syringe cutter-1, Model Trimmer with Diamond Disc-1, Acrylizer-1, Flask press-2, Hydraulic Press-1, Vacuum mixing machine-1

**Ceramic and Cast Partial Laboratory:** Model Trimmer with Diamond disc-1, Induction casting machine-1, Spot welder with soldering, attachment of cable-1, Vacuum mixing machine-1,

Cont'd...

Curing pressure pot-1, Heavy duty lathe with suction-1, Palatal trimmer-1, Composite curing unit-1, Micro surveyor-1, **PLASTER ROOM FOR PRE-CLINICAL WORK:** Plaster dispenser-1, Vibrator-1, Lathe-1, Diamond disc-1.

**Conservative Dentistry and Endodontics:** Autoclaves-1, Pulp Tester-Digital-1, Glass bead sterilizers-1, Automatic Developer-1, **Pre Clinical Laboratory:** Gas cylinder and Oxygen cylinder with burner-1, **Clinical Laboratory:** Plaster Dispenser-1, Model Trimmer with diamond disc-1, Ultrasonic cleaner-1, Porcelain furnace-1, Circular saw-1, Pneumatic chisel-1.

**Oral & Maxillofacial Surgery:** Autoclaves-1, Needle Burner with Syringe cutter-2, Pulse Oxymeter-1, Glucometer-1, Oxygen Cylinder-shifted to Covid ward, Oxygen mask adults- shifted to covid ward, Oxygen mask pedo- shifted to Covid ward.

**Periodontology:** Autoclave-1, Needle burner with syringe cutter-2, Hand scaler Supra gingival -2, Hand scaler Supra gingival - 2, Hand scaler Sub gingival -3, Periodontal Surgical Kit-1, **Pedo Lab:** Plaster Dispenser-2, Model Trimmer with diamond disc-1, Pressure moulding machine-1.

**Orthodontics:** Unit mount scaler - 3, Autoclave-1, X-ray viewers-1, **I LAB:** Plaster dispenser-1, Micromotor-1, Lathe -1, Blue Torch-1, Hydro solder-1, Pressure moulding machine-1, Soldering torch-1.

**Paediatric and Preventive Dentistry:** Autoclaves-1, X-ray Hangers-6, Autoclave-1.

**Public Health Dentistry:** Autoclaves-1.

**MOBILE CLINIC:** Mobile Dental Van-1, Dental chairs with units-2, Autoclaves-1, Intraoral x-ray-1, Glass bead sterilizers-1, Compressor-1, Metal Cabinet-1, Portable dental chair-2, Stabilizer-1, Generator-1, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1, Demonstration models-20.

**Histopathology Room:** Disposable blade -1, Hot air Oven -1, Organic Tissue Capsule -1, Distilled water plant-1, Diamond Trip Pencil - 1, Glass Dropper Bottle -3, Glass bottle with Lid -3, Wide Mouth Bottle -3, Glass Funnel -3, Glass Pipette -3, Glass Measuring Jar - 3, Petri Dish 4" Glass - 3, L Blocks -2, Loop Holder - 2, Magnifying Glass -1, Toothed Forceps - 2, Plastic Dropper - 2, Petri Dish 50mm Glass - 2, Processing Bottles - 3, Slide Carrying Tray - 1, Staining Basket SS - 1, Staining Trough SS - 1, Staining Trough Glass - 1, Slide Staining Rack SS - 1, Slides Storage Cabinet - 1, Wax Block Storing Cupboard -1, **Oral Pathology Reporting Station** Microscope Trinocular with all attachments - 1.

**Check list for the Inspectors:-**

- a. Bio-Metric attendance of the faculty members and PG students - Installed but not functional.

**Observations:-**

Cont'd...

*Atm*  
*Atm*

1. Dr. Ahmed Danish reported to college on 2<sup>nd</sup> day of Inspection on 10.12.2020 at 3:00 P.M and has been marked absent.
2. Dr. Sunayana Manipal relieving order is not proper. As per records she joined present institution in March, 2020 but relieved from previous institution in July/August 2020. Last six months salary certificate not submitted.
3. As medical college is closed as only limited faculty member reported for signature. Most of non teaching could not come to college on 10.12.2020 due to Chief Minister visit in campus, Most of non-teaching staff are transferred from medical whenever required. Dental College as such as deficiency of non- teaching staff/ technicians/ hygienist.
4. Five Agreements: not provided.
5. **Tobacco Cessation Centre:** Carbon Monoxide Analyzer is not available and no education pamphlets present.
6. **Library:** Books and journal are deficient.

5(8) **ESIC Dental College, Gulbarga, Karnataka**

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Vidya M. Dodwad, Sangli and Dr. A.Kalyan Chakravarthy, Nizamabad (carried out on 10<sup>th</sup> & 11<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with 50 seats at ESIC Dental College, Gulbarga, Karnataka for the academic year 2021-22.

Compliance

1. **Dental Teaching Staff:-**

There is deficiency of 3 Professor in following department:-

- a. Oral Pathology & Microbiology of faculty – One Professor.
- b. Conservative Dentistry & Endodontics – One Professor.
- c. Orthodontics & Dentofacial Orthopedics – One Professor.

2. There is deficiency of 4 Reader in following department:-

- a. Prosthodontics and Crown & Bridge – One Reader.
- b. Oral Pathology & Microbiology – One Reader.
- c. Oral & Maxillofacial Surgery – One Reader.
- d. Orthodontics & Dentofacial Orthopedics – One Reader.

3. **Equipments:-** There is deficiency of equipments viz **Pre-Clinical Prosthetics Laboratory** – 30 tables were with granite top without light and air blowers, **Conservative Dentistry & Endodontics** Autoclaves – 1, **Oral Pathology & Microbiology** Knife sharpener - 1,

Cont'd...

ASW  
gk

Spencer knife – 1, Adequate slides projection system – 1, **Oral & Maxillofacial Surgery** Autoclaves – 1, **Orthodontics & Dentofacial Orthopedics** Autoclave – 1, I lab OPG with cephalostat – 1, **Oral Medicine & Radiology** Panoramic X-ray with Cephalometric – 1, Intra Oral X-ray Unit **AERB Certified** – 2 available, **AERB Not available**, Automatic Panoramic with Cephalometric X-ray Developer – 1, Sialography equipment & Kit – 1, **Public Health Dentistry** Autoclaves – 1, **Mobile Clinic** Mobile Dental Van – 1, Dental Chair with unit – 2, Auto claves – 1, Intraoral x-ray – 1, Metal Cabinet – 1, Generator – 1, Water tank – 1.

4. **Non- Teaching Staff:-** There are deficiencies of following staff viz. Managers/ Office Suptd./Section Officer/Head Clerk/ Estate Officer – 3, Librarian – 1, Dental Mechanic – 5, Dental Hygst. – 3, Photograbher – 1, Physical Director – 1, Engineer – 1, Dept. Secretaries – 4, Driver – 2.
5. **Audit Balance Sheet of the Society:-** Not Submitted.
6. Biometric Attendance was not available.
7. CCTV camera installed but not functional.
8. The staff appointment is only for three months

5(9) **Tirumala Institute of Dental Sciences & Research Centre, Nizamabad, Telangana**

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Bhagwan Das Rai, Udaipur and Dr. Vikas Dhupar, Goa (carried out on 9<sup>th</sup> & 10<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for 2<sup>nd</sup> Year BDS Course with 100 seats at Tirumala Institute of Dental Sciences & Research Centre, Nizamabad, Telangana for the academic year 2021-22.

**Compliance**

1. **Central Library:** (i) Total Number of Journals is 6 out of No.26 (ii) Back Volumes of all National journal of 9 Dental Specialities- Nil, and (iii) E- Journals details-No internet in Library.
2. **Dental Chairs/Units:** Out of 100 dental chairs only 37 dental chairs are available. No Phantom Heads
3. There are following deficiencies of Major Equipments in the Various Departments:  
**Common Clinic:-** Fully Electrical Dental Chairs Units Adult- (Including 2 for Oral Pathology)-60, Fully Electrical Dental Chairs Units Paedodontics and Preventive Dentistry-2, Extraction forceps adult-2  
**Conservative Dentistry And Endodontics:-** Phantom Lab Unit-Ordered  
**Dental Anatomy, Embryology, Oral Histology And Oral Pathology:-** (c) **Oral Pathology Reporting Station-** Microscope –Trinocular-Nil
4. **Constructed Area:-** Staff Quarters –Under Construction
5. **Hostel For Boys & Girls-** Boys and Girls- 1<sup>st</sup> Batch admission still under process
6. **Infrastructure & Functional Requirements**

Cont'd...

Handwritten signature and initials.

Infrastructure	Requirement	Remarks of Inspector
Lecture Halls – 4	6400 sq. ft.	under renovation
Examination hall	3600 sq. ft.	under renovation
Auditorium (To accommodate at least 700 people)	4000 sq. ft.	under renovation
Clinical Area (for different specialty departments)	10000 sq. ft.	under Construction

### 7. **Observations**

- (i) The Clinical Space for Various dept. are under renovation and is not ready.
- (ii) Staff quarters under construction.
- (iii) Auditorium 100 seats not available
- (iv) 3 Lecturer halls under renovation.
- (v) Self Assessment details for DCI website not available and details not uploaded.

### 5(10) **Shravathi Dental College & Hospital, Shimoga, Karnataka**

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Arvind Shetty, Navi Mumbai and Dr. S.K. Mehra, Aligarh (carried out on 11<sup>th</sup> & 12<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with increase intake capacity from 40 to 100 seats at Shravathi Dental College & Hospital, Shimoga, Karnataka for the academic year 2021-22.

### Compliance

#### 1. **Non-Teaching Staff/Ministerial Staff:-**

- a. There is deficiency of Electricians – 3.

#### 2. **Equipments:-**There is deficiency of Equipments in the following department.

- a. **Department of Anatomy:-** Equipment Requirements - Dissection Hall - Dissection table Stainless-Steel tables with drainage for cadavers dissection – 2 small.
- b. **Department of Physiology:-** Hematology Lab – Refrigerators – 1, Analytical Balance – 1, Centrifuge R4c & R&c – 1, Blood Cell Counters – 1, **Clinical Lab** – Dynamometer – 1, Perimeter -1, Hair Aesthesiometer – 2.
- c. **Department of Biochemistry:-** Clinical Lab – Fume Cupboard – 1, **Preparation Room** – Electrophoretic Apparatus – 2, Incubator – 1, Hot air oven – 2.
- d. **Department of Microbiology:-** Clinical Lab – Incubator – 1.

Cont'd...

*Handwritten signature*



5(11) Dental Institute, Rajendra Institute of Medical Sciences, Ranchi Jharkhand

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Satish B.N.V.S., Gulbarga and Dr. Gaurav Beohar, Bhopal (carried out on 11<sup>th</sup> & 12<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with 50 seats at Dental Institute, Rajendra Institute of Medical Sciences, Ranchi Jharkhand for the academic year 2021-22.

## Compliance

1. There are deficiencies of 3 Readers i.e. (i) Prosthodontics-1  
(ii) Conservative Dentistry-1 and Periodontics-1
2. **The following teaching faculty were Leave on the day of inspection:**
  - (i) Dr. Priyanka Kumari, Clinical Tutor, Periodontics- (on 11.11.2020 & 12.11.2020)
  - (ii) Dr. Subhash Chandra, Associate Professor, Orthodontics, (on 11.12.2020)
3. **Non-Teaching Staff/ Ministerial Staff:-**Managers/ Office Suptd./ Section Officer/ Head Clerk/ Estate Officer-3, Assistants/Clerk-6, C.S.A.(Chair side Attendant)/ DORA/ANM / Para Medical staff with 6 months (minimum Class10th Pass) experience in dental college / Clinic / Hospital-6(+10 Dental Chair Side Assistant students), Dent. Tech. (Dental Mechanic)-1, Drive-1, Nurses-2.
4. There are following deficiencies of Major Equipments in the Various Departments:

**Prosthodontics and Crown & Bridge:-** Extra oral/intra oral tracer-2, Curing unit-1, Surveying unit-1, Plaster Dispenser-2, Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-1, Acrylizer-1, Vacuum mixing machine-1, Lab Micromotor-2, Geysers-2, Pre-clinical working tables-50.

**Ceramic and Cast Partial Laboratory:-** Plaster Dispenser-2, Pindex System-1, Sandblasting machine-1, Electro-polisher-1, Model Trimmer with Carborandum disc-1, Model Trimmer with Diamond disc-1, Vacuum mixing machine-1, Ultrasonic cleaner-1, **Pre-Clinical Prosthetics Laboratory-** Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-30, Adequate number of lab micro motor with attached hand piece.

-10, **Plaster Room For Pre-Clinical Work-**Plaster dispenser-2, Model Trimmer-1, Carborandum Disc-1, Diamond disc-1.

**Conservative Dentistry And Endodontics:** Ultrasonic cleaner-1, Amalgamator-2, Automatic Developer-1, Injectable gutta percha-1, Gas cylinder and Oxygen cylinder with burner-1.

Clinical Laboratory: **Plaster Dispenser-2, Model Trimmer Carborandum disc -1, Diamond disc-1, Ultrasonic cleaner-1, Burnout furnace-1, Lab Airrotor-1, Pindex System-1, Vacuum mixer-1,**

Cont'd...

Oral Pathology And Oral Microbiology:- **Microtome-1, Wax bath-1, Water bath-1, Knife sharpner-1, Hot plate-1, Spencer knife-1, Adequate slides projection system (Preferable)-1.**

Oral & Maxillofacial Surgery: **Ultrasonic Cleaner-1, Glucometer-1,**

**Periodontology:-** Ultrasonic Cleaner-1, Electro surgical cautery-1, Electro autery Kit-1.

**Orthodontics:-** Ultrasonic Cleaner-1, **I LAB:-** Plaster dispenser-2, Model Trimmer-1, Blue Torch-1, Base Formers-2, Typodont-2, Typhodont articulator-3, Soldering torch-1.

**Paediatric and Preventive Dentistry:-** Ultrasonic cleaner-1, Amalgamator-1, Apex locator-1, Injectable gutta percha with condensation-1, **Pedo Lab:-** Plaster dispenser-2, Model Trimmer With diamond disc-1, With Carborandum disc-1, Steam cleaner-1.

**Oral Medicine And Radiology:** Automatic periapical X-ray Developer-1, Automatic Developers/Dark Room-1, Lead Gloves-1, Sailography equipment & Kit-1.

**Public Health Dentistry:-** Ultrasonic cleaner-1, Glass bead sterilizers-1, Portable dental chair-1, Demonstration models-1.

5. **Clinical:**

- (i) Conservative Clinical Lab- Under Construction
- (ii) Histopathology Lab for Oral Pathology- Under Construction
- (iii) Laboratories for Orthodontics and Pedodontics- Under Construction

6. **Equipment Requirements-** (i) **Histopathology Room:** Shared with RIMS (ii) **oral pathology reporting station-** Colour Printer- Nil

7. **Observation:**

- (i) The Public Health Department van was on servicing, hence it was not physically verified and inspected
- (ii) It has been observed that library has been temporarily shifted due to maintenance issue.
- (iii) There is deficiency of four Readers.
- (iv) There is no Dark Room in the Department of Oral Medicine and Radiology.
- (v) There is no Laboratory in the Department of Orthodontics.
- (vi) The CCTV Camera were not installed.

5(12) **Government Dental College, Silchar, Assam**

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Manohar Bhat, Jaipur and Dr. Vishwanath Patil, Gulbarga (carried out on 9<sup>th</sup> & 10<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for 4<sup>th</sup> year BDS Course with 50 seats at Government Dental College, Silchar Assam for the academic year 2021-22.

Compliance

- 1. Furnish the list of teaching faculty as sought for by DCI in its letter No.DE-15(37)/Academic-MDS/2020/4529 dated 11.12.2020

Cont'd...

*Handwritten signature*

2. Furnish the comments on the complaint made by Shri Rupam Baishya (copy enclosed).
3. Compliance report on fulfillment of the deficiencies pointed out by DCI vide letter No. DE-3(338)/Academic (BDS)/2020/102 dated 30.4.2020 as the GOI has vide letter dated 14.10.2020 conveyed its permission for 3<sup>rd</sup> year BDS Course with original intake capacity of 50 seats and for 2<sup>nd</sup> year BDS Course with increased intake capacity from 50 to 63 seats for the academic session 2020-2021, on the basis of undertaking which was to be furnished by the State Govt to DCI within month from the issuance of GOI letter as the same has still not been received by DCI.
4. State University Affiliation certificate is not renewed for the year 2020-21.
5. There are deficiencies of two Professors i.e. Prosthodontics-1 and Oral Pathology-1.
6. There are deficiencies of 19 Lecturers/ Tutors.
7. There are following Dental Teaching Staff were absent/leave on the day of Inspection:
  - (i) Dr. Mitali Bora, Principal/Dean, Orthodontics (9.12.2020)
  - (ii) Dr. Manjural Das, Reader, Prosthodontics & Crown Bridge (on leave 9.12.2020)
  - (iii) Dr. Amritaksha Bhattacharya, Reader, Oral Pathology and Oral Histology (9.12.2020 & 10.12.2020) and experience details not submitted.
  - (iv) Dr. Chandana Kalita, Professor, Conservative Dentistry & Endodontics (9.12.2020)
  - (v) Dr. Mukul Seal, Reader, Conservative Dentistry & Endodontics (9.12.2020)
  - (vi) Dr. Akash Narayan Dutta Baruah, Lecturer, Conservative Dentistry & Endodontics (9.12.2020 & 10.12.2020) and experience details not submitted.
  - (vii) Dr. Subhas Debnath, Professor, Oral & Maxillofacial Surgery (9.12.2020 & 10.12.2020) and experience details not submitted.
  - (viii) Dr. Madhurjaya, Reader, Oral & Maxillofacial Surgery (9.12.2020) and experience details not submitted.
  - (ix) Dr. S.J. Das, Professor, Periodontics (9.12.2020)
  - (x) Dr. Trailokya Bharali, Reader, Orthodontics (9.12.2020)
  - (xi) Dr. Pranami Baruah, Reader, Pedodontics (9.12.2020)
  - (xii) Dr. Sanjay Dutta, Reader, Oral Medicine (9.12.2020)
  - (xiii) Dr. Karabi Das, Lecturer, Oral Medicine (9.12.2020)
  - (xiv) Dr. Ramen Haloi, Reader, Public Health Dentistry (9.12.2020)
8. There are following Medical Teaching Staff were leave on the day of Inspection:
  - (i) Dr. Prasantu Kumar Baruah, Reader, General Pathology (9.12.2020)
9. **Non-Teaching Staff / Ministerial Staff:** Managers/Office Suptd./Section Officer / Head Clerk, Estate Officer-4, Assistant / Clerk-8, Receptionist-8, Librarian-1, C.S.A. (Chair side Attendant)/DORA/ANM/Para Medical Staff with 6 months (minimum Class 10<sup>th</sup> pass) experience in dental college / Clinic / Hospital-10, Dent. Tech. (Dental Mechanic)-6, Dent. Hygst.-3, Radiographer-2, Photographer-1, Artist-1, Computer Programmer-1, Data Entry Operators-1, Physical Director-1, Engineer-1, Electrician-2, Plumber-1, Carpenter-1, Mason-1,

Cont'd...

A.C.Tech.-1, Helper Electrical-1, Sweepers & Scavengers-10, Attenders / Peon/Orderly-18, Security Personal-5, Dept. Secretaries-4, Driver-4, Nurse-3, Lab. Technicians-3.

10. **Central Library:**

Unsatisfactory as the number of titles books are lacking as per DCI requirements.

Total Number of Journals No.26: Nil.

Back Volumes of all National Journal of 9 Dental Specialities: Nil.

E-Journal details: Nil.

Seating Capacity (it should be minimum 50% of total students strength)

S.No.	Amenities	Available / Not Available	Sq. Ft.
1	Reception and waiting	Not available	No records produced
2	Issue Counter		
3	Photocopying area		
4	Journal Room		
5	Staff Reading Room		
6	Store and Stocking Room		
7	Digital Library		
8	Chief library Room/Assistant Library		
9	Students Cloak Area		
10	Seating Area		

11. **Dental Chairs / Units:**

Whether all the chairs and units are functioning and electrically operated?: No, Non Functional due to inadequate drainage and water pipeline facilities.

Total No. of functional chairs: Out of 100 chairs only 4 are functional. **Specifications could not be checked because of partial installation and no drainage water pipeline connectivity.**

12. There are following deficiencies of Major Equipments in the various departments:

**Prosthodontics and Crown & Bridge: I LAB:** Plaster Dispenser-1, Flask press-4, Deflasking unit-3, Dewaxing unit-1, Lab micromotor-2, Hot water sterilizer-2, Geyser-2, Phantom Heads-25 available but inadequate, Pre-clinical working tables-25.

**Ceramic and Cast Partial Laboratory:** Circular saw-1, PRE-CLINICAL PROSTHETICS LABORATORY: Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-30.

**Conservative Dentistry and Endodontics:** Autoclaves-1, Ultrasonic cleaner-1, Needle burner with syringe cutter-1, Glass bead sterilizers-3. **Pre Clinical laboratory:** PHANTOM LAB UNIT-The Phantom heads are not been displayed & non-functional, Wax Burnout Furnace-1, Centrifugal Casting Machine-1, Heavy duty micromotor-1, Gas cylinder and oxygen cylinder with burner-1.

**Clinical Laboratory:** Circular saw-1.

**Oral Pathology and Oral Microbiology:** Slides-90, Slides Boxes-2, Microscopes-5, Wax bath-1, Water bath-1, Knife sharpner-1, Hot plate-1, Spencer knife-1.

**Oral & Maxillofacial Surgery:** Dental Chairs and Units-5, Autoclaves-2, Ultrasonic cleaner-1, Needle burner with

Cont'd...

*Handwritten signature*

syringe cutter-4, Extraction forceps sets-6, Dental elevators-2, Minor Oral Surgery kits-3, Emergency drugs tray-1, X-ray viewers-2, Pulse Oxymeter-1, BP apparatus-1, Stethoscope-1, Glucometer-1, Oxygen cylinder-1, Oxygen mask adult-1, Oxygen mask pedo-1, Impaction kit-1, Lab micromotor with handpiece-1, Trauma kit-1, High volume suction-1, Surgical straight hand piece-1.

**Periodontology:** Surgical instrument sets-3, Autoclave-1, Ultrasonic cleaner-1, Electro surgical cautery-1, Needle burner with syringe cutter-4, Laser-1, Hand scaler supra gingival-5, Hand scaler sub gingival-5, set of currettes-1, Electro autery kit-1, Periodontal Surgical kit-2.

**Orthodontics:** Unit mount scaler-3, Ultrasonic cleaner-1, I

**LAB:** Plaster dispenser-2, Vibrator-2, Model trimmer-1, Micromotor-2, Lathe-1, OPG with cephalostat-1, Welders-2, Blue Troch-1, Base formers-2, Typodont-2, set of Pliers-5, Welder with soldering attachments-1, Hydro solder-1, Typhodont articulator-3, Pressure moulding machine-1, Soldering torch-1, Spot welder-1.

**Paediatric and Preventive Dentistry:** Dental Chairs and Units-2, Needle burner with syringe cutter-2, Amalgamator-1, Pulp Tester-Digital-1, Apex locator-1, Endo motor-1, Radiovisiography-1, Intra oral camera-1, Scaling instruments-5, Restorative instruments-5, Extraction forceps-5, Intra-oral X-ray-1, RCT Instruments kits-3, **Pedo lab:** Plaster dispenser-2, Model trimmer with diamond disc-1, Model trimmer with carborandum disc-1, Welder with soldering attachments-1, Vibrator-2, Lab micro motor-2, Dental lathe-1, Steam cleaner-1, Pressure moulding machine-1.

**Oral Medicine and Radiology:** Panoramic X-ray with Cephalometric (Orthopentmogram)-1, Intra Oral X-ray Unit-2, Pulp testers-2, Automatic periapical X-ray Developer-1, Automatic Panoramic with Cephalometric X-ray Developer-1, X-ray viewer-2, Radiovisiography with intra oral camera-1, General X-ray unit-1, Automatic Developers/Dark room-1, Lead Aprons-2, Lead Gloves-1, Lead collar-2, X-ray Hangers-6, Lead Screen-1, Biopsy Kit-1, Needle Burner with Syringe Cutter-1, Sailography equipment & Kit-1.


**Public Health Dentistry:** Dental Chairs and Units-2, Ultrasonic cleaner-1, Needle burner with syringe cutter-1,

**MOBILE CLINIC:** Mobile Dental Van with dental chairs & units-2, Autoclaves-1, Intraoral x-ray-1, Glass bead sterilizers-1, Compressor-1, Metal Cabinet-1, Portable dental chair-2, Stabilizer-1, Generator-1, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1, Demonstration models-20.

### 13. INFRASTRUCTURE & FUNCTIONAL REQUIREMENTS:

Infrastructure	Requirement	Availability	Remarks of Inspector
Administrative block	2000 sq. ft.	616 sq. ft.	In adequate
Clinical Area (for common clinic)	1250 sq. ft.		In adequate
Library	4000 sq. ft.	672 sq. ft.	

Cont'd...

ASD  


Lecture Halls – 4	3200 sq. ft.	2764 sq. ft.	
Central Stores	400 sq. ft.	672 sq. ft.	In adequate
Maintenance room	500 sq. ft.		Not Established
Photography and artist room	150 sq. ft.		Not Established
Medical Stores cum Pharmacy	150 sq. ft.		Not Established
Faculty Rooms – Dental	700 sq. ft.	560 sq.ft.	In adequate
Faculty Rooms – Medical Basic Science	700 sq. ft.		Not Established
Amenities Area	1000 sq. ft.	560 sq.ft.	In adequate
Boys Common Room	300 sq. ft.		Not Established
Girls Common Room	300 sq. ft.		Not Established
Room for Gas Cylinder (ventilated)	150 sq. ft.		Not Established
Compressor Room	300 sq. ft.		Not Established
Cafeteria	1000 sq. ft.		Not Established
Examination hall	1800 sq. ft.	1885 sq.ft.	In adequate
Auditorium (To accommodate at least 250 people)	2000 sq. ft. (aprox.)		Not Established
Clinical Area (for different specialty departments)	12500sq. ft.  (100 Dental Chairs X 125 sq.ft./per chair)		
Wards Male and Female to accommodate 20 Beds, Central Store, Departmental Store, Major and Minor O.T. etc.	Remaining Area (7500 sq. ft.)		Not Established Except minor OT
Pre-clinical Prosthodontics and dental material lab	1500 sq. ft.		Not Established
Pre-clinical conservative lab	1300 sq. ft.		Not Established
Oral Biology and Oral Pathology Lab	1300 sq. ft.		Not Established
Laboratories for Orthodontics and Pedodontics	800 sq. ft.		Not Established
Clinical Area (for different specially departments)	5000 sq. ft.	4255 sq. ft.	Non Established
<b>CLINICAL</b>			
Prosthodontics Cast Partial and Ceramic	1300 sq. ft.		Non Established
Conservative Clinical Lab	300 sq. ft.	672 sq.ft.	In adequate
Histopathology Lab for Oral Pathology	400 sq. ft.		Non Established
AREB certified Radiographic Room along with Dark Room	600 sq. ft.		Non Established

**14. DEPARTMENT: DENTAL ANATOMY, EMBRYOLOGY,  
ORAL HISTOLOGY & ORAL PATHOLOGY**

Cont'd...

AS  
A

- A. **DENTAL ANATOMY, DENTAL HISTOLOGY & ORAL PATHOLOGY LAB:** Microscope-25, Television-1, Teaching slides set with box-2, Education models & dental developmental set (Nissan like model)-3.
  - B. **HISTOPATHOLOGY ROOM:** Microtome-1, Wax Bath-1, Water Bath-1, Knife Sharpner-1, Spencer Knife-1, Disposable blade -1, Hot air Oven -1, Organic Tissue Capsule -1, Distilled water plant-1, Diamond Trip Pencil -1, Glass Dropper Bottle -3, Glass bottle with Lid -3, Wide Mouth Bottle -3, Glass Funnel -3, Glass Pipette -3, Glass Measuring Jar – 3, Petri Dish 4" Glass – 3, L Blocks -2, Loop Holder – 2, Magnifying Glass -1, Toothed Forceps – 2, Plastic Dropper – 2, Petri Dish 50mm Glass – 2, Gsa burner / Spirit lamp-1, Processing Bottles – 3, Slide warming table-1, Slide Drying Tray-1, Slide Carrying Tray – 1, Staining Basket SS – 1, Staining Trough SS – 1, Staining Trough Glass – 1, Slide Staining Rack SS – 1, Slide Box-1, Slides Storage Cabinet – 1, Wax Block Storing Cupboard -1, Stop Watch-nil.
- Oral Pathology Reporting Station** Microscope Trinocular with all attachments – 1, Colour Printer-1, Desktop computer-1.

15. **Land & Infrastructure Details:**  
 Total Area of land (Minimum 5 acres of land): There required documents were not submitted for verification & enclosures.

**All approved building layout to be submitted in indexed and spiral Bound.**

Whether Completion Certificate furnished from the competent authority : No

\*Whether Pollution Control board norms are followed : No

Contd..6/-

**-6-**

\*Whether sewage Treatment Plant is available. : No

\*Whether Bio-waste management is followed as per PCBI : No

\*Whether Bio-waste incinerator is available : No

\*Whether Fire and safety Certificate obtained from the competent authority : No

Whether Anatomical Act has been obtained from competent Authority (DME) : No

None of the above documents are not submitted by authority for verification.

16. **Observations:**

Cont'd...

*Handwritten signature/initials*

1. There teaching experience of consultants in various departments of Medical College could not be verified because of non-availability of documents.
2. The Dental teaching staff as per the office order by Health and Family Welfare, Government of Assam dated 14.10.2020 has been temporarily deputed to Govt. Dental College, Silchar and the staff were absent on 9.12.2020 and present on 10.12.2020. They were submitted their documents but duly not signed by Notary and theses documents their teaching experience, Form-16, Aadhaar Card, State Council Registration could not be verified.
3. Clinical activity of students with regard to practical note book, clinical work as not been submitted by concerned teaching faculty for BDS 1<sup>st</sup> and 2<sup>nd</sup> year students.
4. The Plaster Room for pre-clinical work is not earmarked in dental college and non functional.
5. The Pre-clinical Phantom lab unit is not being displayed and is totally non functional.
6. The Clinical lab for conservative department is not earmarked in dental college and non functional. The department sterilization area.
7. The Oral Pathology department is not designated due to lack of floor plan and infrastructure equipment facility.
8. The Oral Surgery department seems to be non functional with lacking is basic infrastructure, sterilization area and equipments.
9. The department of Periodontics lacks infrastructure, sterilization area and equipments.
10. Department of Orthodontics has not been established and lacks in basic infrastructure.
11. The department of Pedodontics as well as the lab has not been establish and lacks infrastructure, sterilization area and equipments.
12. Oral Medicine departments lacks in equipments, instruments, X-ray Room (AERB Certified), OPG non availability and tobacco cession centre is absent.
13. The Public Health Department is not established and Mobile dental van is not procured.
14. The construction carpet area of the building is 31622 sq.ft. as compared to inspection proforma of revised 60,000 sq.ft.
15. Non existence of staff quarters, Principal Quarter and Guest house.
16. The Hostel Mess (boys) is non hygienic and lack in basic seating arrangement.
17. Dental Anatomy and Histology is not been established in Oral Pathology department and is lacking in basic infrastructure academics, equipments and activity in BDS Course.
18. The audit statement records were not submitted for verification.

Cont'd...

Assam  
Dental



5(13) Government Dental College, Dibrugarh, Assam

To consider the Joint Inspection Report of the Council's Inspectors Dr. Shabnam Zahir, Kolkata and Dr. Rajendra Gowda Patil, Moradabad (carried out on 9<sup>th</sup> & 10<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for 4<sup>th</sup> year BDS Course with 50 seats at Government Dental College, Dibrugarh, Assam for the academic year 2021-22.

## Compliance

1. Furnish the list of teaching faculty as sought for by DCI in its letter No. DE-15(37)/Academic-MDS/2020/4529 dated 11.12.2020 (copy enclosed)
2. Compliance report on fulfillment of the deficiencies pointed out by DCI vide letter No. DE-3(337)/Academic (BDS)/2020/158 dated 15.5.2020 as the GOI had conveyed its permission vide letter dated 14.10.2020 for 2<sup>nd</sup> year BDS Course increase intake capacity from 50 to 63 seats for the academic session 2020-21 subject to submission of an undertaking by the State Government to DCI with regard to fulfillment of all the deficiencies pointed out by DCI vide above letter dated 14.5.2020 as the same has still not been received by DCI.
3. University Affiliation valid upto 2019-2020
4. **Medical college attachments:** (i) Proof of validity Proposal of MOU documents for teaching purpose of both medical and dental college is not available, (ii) Proof of attachment of Medical attachment with other Dental College is not available
5. There are deficiencies of 4 Professors i.e. (i) Oral Pathology & Microbiology-1 (ii) Oral & Maxillofacial Surgery-1 (iii) Periodontology-1 and (iv) Orthodontics-1
6. There are deficiencies of 7 Readers i.e. (i) Prosthodontics & Crown Bridge-1, (ii) Conservative Dentistry & Endodontics-1, (iii) Periodontology-1, (iv) Orthodontics & Dentofacial Orthopedic-1, (v) Paedodontics and Preventive Dentistry-1, (vi) Oral Medicine & Radiology-1, (vii) Public Health Dentistry-1.
7. There are deficiencies of 19 Lecturers/ Tutors.
8. The following teaching faculty were absent on the day of inspection:
  - (i) Dr. Dhiraj Kumar Talukdar, Principal Dean, Conservative Dentistry & Endodontics (on 9.12.2020 & 10.12.2020)
  - (ii) Dr. Zina Raja, Professor, Prosthodontics & Crown Bridge (on 9.12.2020).
  - (iii) Dr. Pinky Goswami, Reader, Conservative Dentistry & Endodontics (on 9.12.2020)
  - (iv) Dr. Neelutpal Bora, Lecturer, Orthodontics (on 9.12.2020).
9. The following teaching faculty was absent on the day of inspection:
  - (i) Dr. Shakiba Shah, Lecturer, Biochemistry, (on 9.12.2020)
  - (ii) Dr. Jyoti Bikash Saikia, Lecturer, General Pathology (on 9.12.2020 & 10.12.2020)
  - (iii) Dr. Jayanta Kumar Das, Reader, Microbiology (on 9.12.2020 & 10.12.2020)
  - (iv) Dr. Arun Jyoti Sarmah, Lecturer, Microbiology (on 9.12.2020 & 10.12.2020)

Cont'd...

- (v) Dr. Prapti Bora, Lecturer, Microbiology (on 9.12.2020 & 10.12.2020)
  - (vi) Dr. B.N Mahanta, Reader, General Medicine (on 9.12.2020 & 10.12.2020)
  - (vii) Dr. S.A Fazal, Reader, General Surgery (on 9.12.2020 & 10.12.2020)
  - (viii) Dr. Gunabhi Ram Das, Associate Professor, General Surgery (on 10.12.2020)
  - (ix) Dr. Vikash Sharma, Lecturer, Physiology (on 9.12.2020 & 10.12.2020)
  - (x) Dr. Karuna Kr Das, Reader, Anesthesia (on 9.12.2020 & 10.12.2020)
  - (xi) Dr. Raju Prasad Tayung, Lecturer, Anesthesia (on 9.12.2020 & 10.12.2020)
10. **Non-Teaching Staff/Ministerial Staff:** Identity proof and documents/certificate of the staff to be submitted which should be duly counter signed by the Head of the Institution- not available.
11. **Central Library:** (i) Total Number of Books are deficient and Total Number of Journals No.26-Not available (ii) E-Journals details are not furnished (iii) Total Area and Seating Capacity details are not furnished.
12. **Dental Chairs/Units:** Out of 100 dental chairs only 26 dental chairs are available (22 Electrical and 4 Non Electrical Chairs).
13. There are following deficiencies of Major Equipments in the Various Departments:

**Prosthodontics and Crown & Bridge:-** Dental Chairs and Units-10, Extraoral / intraoral tracer-2, Model Trimmer with Diamond Disc-1, Flask Press-4, Deflasking Unit-3, Lab Micromotor-2, Hot Water Sterilizer-1, Geysers-2, Pre-Clinical Working tables-50.

**Ceramic and Cast Partial Laboratory:-** Circular Saw-1, Burn Out Furnace-1, Model Trimmer with Diamond disc-1, Heavy duty Lathe with Suction-1, Ultrasonic Cleaner-1, **Pre-Clinical Prosthetics Laboratory:-** Work table preferably complete stainless steel fitted with light, Bunsen burner, Air Blower, Working Stool-30, Adequate number of lab micro motor with attached had piece-10, **Plaster Room for Pre-Clinical Work:-** Lathe-2, Carborandum Disc-1, Diamond disc-1.

**Conservative Dentistry and Endodontics:-** Dental Chairs and Units-10, Rubber dam kits-4, Restorative instruments kits-5, R.C.T. instrument kits-5, Ultrasonic Cleaner-1, Needle Burner with syringe cutter-2, Amalgamator-1, Glass bead sterilizer-3, Automatic Developer-1, Magnification loops-1, **Pre Clinical Laboratory:** Centrifugal Casting Machine-1, Heavy duty micromotor-1, Gas cylinder and oxygen cylinder with burner-1,

**Clinical Laboratory:-** Model Trimmer with Diamond Dist-1, Lathe-1, Lab Micromotor-2, Ultrasonic cleaner-1, Spindle Grinder-1, Vibrator-1, Burnout furnace-1, Porcelain furnace-1, Pindex System-1, Circular Saw-1, Pneumatic Chisel-1, Casting Machine-1.

**Oral Pathology & Microbiology :-** Slides-80, Slides boxes-2, Microscopes-5, Wax bath-1, water bath-1, Knife sharpener-1, Hot plate-1, Spencer Knife-1, Adequate Slides projection system-1

Cont'd...

AS 20  
Date

**Oral & Maxillofacial Surgery:-** Dental Chairs and Units-4, Ultrasonic Cleaner-1, Needle burner with syringe cutter-3, Extraction forceps sets-8, Dental elevators-3, Minor Oral Surgery Kits-2, X-ray viewers-1, Pulse oxymeter-1, Thermometer-1, Oxygen mask Pedo-1, Trauma Kit-1,

**Minor Surgery:-** Dental Chairs and Units-3.

**Periodontology:-** Dental Chairs and Units-12, Surgical instruments sets-3, Ultrasonic Cleaner-1, Electro Surgical Cautery-1, Needle Burner with Syringe cutter-4, Laser-1, Hand scaler Supra gingival-4, Hand Scaler Sub gingival-5, Set of Curettes-1, Electro Cautery Kit-1, Periodontal Surgical Kit-2.

**Orthodontics:-** Dental chairs and Units-5, Unit mount scaler-2, X-ray viewers-2, Ultrasonic Cleaner-1, **I LAB:-** Vibrator-2, Model Trimmer-1, Micromoter-2, Lathe-1, OPG with cephalostat-1, Welders-2, Blue Torch-1, Base Formers-2, Typodont-2, Set of Pliers-5, Welder with soldering attachments-1, Hydro solder-1, Typhodont articulator-3, Pressure moulding-1, Soldering torch-1.

**Paedodontics and Preventive Dentistry:-** Dental Chairs and Units-8, Ultrasonic Cleaner-1, Needle Burner with syringe cutter-1, Amalgamator-1, Pulp Tester-Digital-1, Rubber dam kit for Pedo-3, Apex locator-1, Endo motor-1, Injectable gutta percha with condensation-1, Radiovisiography-1, Intra Oral Camera-1, Scaling instruments-5, Restorative instruments-5, Extraction forceps-5, Intra-oral X-ray-1, RCT Instruments Kits-3, **Pedo Lab:-** Model Trimmer with diamond disc-1, Model Trimmer with Carborandum disc-1, Welder with soldering attachments-1, Vibrator-1, Lab micro motor-2, Dental Lathe-1, Steam cleaner-1, Pressure moulding machine-1.

**Oral Medicine And Radiology:-** Dental Chairs and Units-2, Panoramic X-Ray with Cephalometric (Orthopentmogram)-1, Intra Oral X-ray Unit-1, Pulp testers-2, Automatic Panoramic with Cephalometric X-ray Developer-1, X-ray viewer-1, Radiovisiography with Intra Oral Camera-1, Automatic Developers/Dark Room-1, Lead Gloves-1, Lead collar-2, X-ray Hangers-6, Biopsy Kit-1, Needle Burner with Syringe Cutter-2, Sailography equipment & Kit-1.

**Public Health Dentistry:-** Dental Chairs and Units-6, Dental Chairs and Units-1, Needle burner with syringe cutter-2, **Mobile Clinic:-** Mobile dental van-1, Dental chair with unit-2, Autoclaves-1, Intraoral x-ray-1, Glass bead sterilizers-1, Compressor-1, Metal Cabinet-1, Portable dental chair-1, Stabilizer-1, Generator-1, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1, Demonstration models-20

14. Dental College Building, Staff Quarters (Separate From Hostel), and Hostel For Boys & Girls :- Under Construction.

15. The existing Academic Building and Clinical Areas documents not available.

16. **Infrastructure & Functional Requirements:**

Infrastructure	Requirement	Availability
Clinical Area (for different specialty departments)	12500sq. ft. (100 Dental	

Cont'd...

8/5/22  
AK

	Chairs X 125 sq.ft./per chair)	Under Construction
Wards Male and Female to accommodate 20 Beds, Central Store, Departmental Store, Major and Minor O.T. etc.	Remaining Area (7500 sq. ft.)	
Oral Biology and Oral Pathology Lab	1300 sq. ft.	
Laboratories for Orthodontics and Pedodontics	800 sq. ft.	
<b>CLINICAL</b>		
Prosthodontics Cast Partial and Ceramic	1300 sq. ft.	Not Available
Conservative Clinical Lab	300 sq. ft.	
Histopathology Lab for Oral Pathology	400 sq. ft.	
Laboratories for Orthodontics and Pedodontics	200 sq. ft.	
* Haematology and Clinical Biochemistry	200 sq. ft.	
AREB certified Radiographic Room along with Dark Room	600 sq. ft.	

17. **Land & Infrastructure Details:-**

Total Area of Land: 35000 sq. ft. Under  
Construction

(Minimum 5 acres of land)

All approved building layout to be submitted in indexed  
and spiral Bound.

Whether Completion Certificate furnished from the : Under Construction  
competent authority

\*Whether Fire and safety Certificate obtained from : No  
the competent authority

Whether Anatomical Act has been obtained from : No  
competent Authority

(DME)

18. **Observation:-**

- (1) Tobacco cessation centre not Available,
- (2) CCTV not installed.
- (3) Dr. D.K. Talukdar & Dr. U. Kowar has no affidavit.
- (4) Dr. Arun jyoti, Dr. Biswasjit Borah, Dr. Natasha Gohain, Dr. Anju L. Saihia, Dr. Rashmi Desai, Dr. Anuradha Baruah, and Dr. Monoula Phukan do not have joining & experience certificate.
- (5) Dr. Arun jyoti and Dr. Monoula Phukan do not have form 16.

5(14) **Kusum Devi Sunder Lal Dugar Jain Dental College and Hospital, Kolkata, W.B.**

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Omkar Shetty, Navi Mumbai and Dr. Chandramani B. More, Vadodara (carried out on 8<sup>th</sup> & 9<sup>th</sup> December, 2020) to verify the achievement of annual target for renewal of Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with 100 seats at Kusum Devi Sunder Lal Dugar Jain Dental College and Hospital, Kolkata, Assam for the academic year 2021-22.

Compliance

1. **Medical College Attachment:-**
  - a. Validity Period of MOU has not been mentioned.

Cont'd...

*Handwritten signature*

2. Dental College Hospital Attendances for the last 6 months not furnished.
3. **Dental Teaching Staff:-** There is deficiency of 8 Lecturer/Tutor.
4. **The following dental teachers staff was absent on the day of Inspection.**
  - (i) Dr. Tapas Kumar Bala, Professor, Oral & Maxillofacial Surgery.
  - (ii) Dr. Abhinav Jain, Reader, Oral & Maxillofacial Surgery.
  - (iii) Dr. Somnath, Reader, Oral & Maxillofacial Surgery.
  - (iv) Dr. Durga Kshitish Kothuru, Reader, Periodontics.
  - (v) Dr. Ila, Reader, Periodontics.
  - (vi) Dr. Varnana Kothuru, Reader, Orthodontics.
  - (vii) Dr. R. Kolappan, Reader, Oral Medicine & Radiology.
  - (viii) Dr. Sumantro Banerjee, Lecturer, Oral & Maxillofacial Surgery.
  - (ix) Dr. Surbhi Chowdhury, Lecturer, Oral & Maxillofacial Surgery.
  - (x) Dr. Niladri Sekhar Bakshi, Lecturer, Oral & Maxillofacial Surgery.
  - (xi) Dr. Anasuya Das, Tutor, was absent on 08.12.2020.
  - (xii) Dr. Dipanjoy Ghosh, Tutor, was absent on 08.12.2020.
  - (xiii) Dr. Anudyuti Roop Maitra, Tutor, was absent on both day.
  - (xiv) Dr. Bivek Sharma, Tutor, was absent on both day.
5. **Medical Teaching Staff:-** Details not provided.
6. **There is deficiency in major equipment in the following department:-**
  - a. **Prosthodontics and Crown & Bridge:-**  
(Lab) Deflasking unit – 3, Hydraulic Press – 1, **Ceramic and Cast Partial Laboratory** Model Trimmer with Diamond disc – 1, Milling Machine – 1, Heavy duty lathe with suction – 1, **Pre Clinical Prosthetics Laboratory** – Work table – 5, **Plaster Room for Pre-Clinical work** – Lathe – 2, Diamond disc – 1.
  - b. **Conservative Dentistry & Endodontics:-**  
Needle Burner with syringe cutter – 2, Amalgamator – 1, Glass bead sterilizers – 4, Vibrator – 2, Automatic Developer – 1 (Not working), Phantom Lab Unit – 10, **Clinical Laboratory** Lab Airrotor – 1, Circular saw – 1, Ceramic Unit – 1.
  - c. **Periodontology:-**  
Dental Chairs and Units but 25% chairs not working, Laser – 1.
  - d. **Orthodontics:-**  
Ultrasonic Cleaner – 1, **Ortho Lab** Plaster dispenser – 2, Vibrator – 2, Micromotor – 3, Welders – 2.
  - e. **Paediatric and Preventive Dentistry:-**  
Radiovisionography – 1, Automatic Developer – 1 (Not working), **Pedo Lab** Welder with soldering attachments – 1, Lab micro motor – 2.
  - f. **Oral Medicine & Radiology:-**  
General X-ray Unit – 1.
  - g. **Public Health Dentistry:-**

Cont'd...

Dental Chairs and Units – 1, iUltrasonic cleaner – 1,  
**Mobile Clinic** Mobile dental van with two dental chair –  
 One Dental chair, Portable Dental Chair – 1, Stabilizer –  
 1.

7. **Staff Quarters (Separate from Hostel) :-**  
 Principal/Dean Bungalow – 1  
 Staff Quarters - 7
8. **Non Teaching Staff:-**  
 The following Non-Teaching Staff were absent on both  
 day of Inspection i.e.
  1. **Manager:-**  
 (a) Somnath Sarkar (b) Surya Pada Sarkar (c) Rajiv  
 Middy
  2. **Assistant:-** (a) Chandradeep Kumar Singh (b) Dilip  
 Kumar Singh
  3. **Receptionist:-** (a) Gopal Patra (b) Shubham Kunwar  
 (c) Nitish Kr Sharma (d) Anjali Shaw (e) Vivek Kumar  
 Mali (f) Ashish Kr. Varma (g) Amit Singh (h) Debasish  
 Gond (i) Gulabsha Khatoon (j) Abhishek Singh
  4. **Librarian:-** (a) Dinesh Das (b) Dipali Das
  5. **Dental Mechanic:-** (a) Bhim Kumar Yadav (b) Ram  
 Babu Majhi (c) Alka Chauhan (d) Rohit Shaw (e) Irfan  
 Khan (f) Subham Bawley (g) Aniket Nag
  6. **Dental Hygenist:-** (a) Raja Das (b) Subhra Poddar (c)  
 Palash Naskar (d) Asif Ali (e) Tapas Pahari.
  7. **Radiographer:-** (a) Saukat Ali (b) Subrata Mahapatra
  8. **Photographer:-** (a) Raj Kumar Shaw
  9. **Artist:-** (a) Azad Ali
  10. **Physical Director:-** (a) Biswajeet Chakraborty
  11. **Electricians:-** (a) Sumit Kumar Mishra (b) Sanjay  
 Bhowal
  12. **Plumber:-** (a) Himangshu Mallick (b) SK Rafique
  13. **Carpenter:-** (a) Ruhul Ali Mallick
  14. **A.C. Technician:-** (a) Debasish
  15. **Helpers Electrical:-** (a) Kamal Halder (b) Sanjay Das  
 (c) SK Akshar
  16. **Sweepers & Scavengers:-** (a) Ganesh Hari (b) Bijay  
 Das (c) Kalpana Jasu (d) Suman Mahato (e) Savitri Das  
 (f) Karan Hella
  17. **Attenders/Peon:-** (a) Laxman Mallick (b) Raju Mallick  
 (c) Santoshi Devi (d) Surya Mandal (e) SK Salim (f)  
 Vina Devi (g) Lokenath Pandey (h) Chandrama  
 Choudhury (i) Samir Halder (j) Paltu Ram (k) Rupa  
 Tiwari (l) Kajal Das (m) Anjan Chowdhury (n) Simee  
 Kumari (o) Laxam Singh (p) Ranjeeta Singh (q) Rohan  
 Mallick (r) Sonu Balmiki (s) SK Sahid (t) Rekha Shaw  
 (u) Ashma Shaw
  18. **Security Personal:-** (a) Lakhiram Jaiswara (b) Ramesh  
 Prajapati
  19. **Department Secretary:-** (a) Khushubu Kumari Das (b)  
 Ayush KR Jha (c) Aarti Kumari Singh (d) Jyoti Shaw (e)

Sana Khatoon (f) Deepak Shaw (g) Kaushik Das (h)  
Danish Ahmed

20. **Driver:-** (a) Prem Bahadur Thapa (b) MD Samiullah (c) Sanjay Mohanto (d) Ramasraya Ram (e) Roshan Kumar Mandal (f) Sunil Naskar
21. **Nurses:-** (a) Rimpa Adak (b) Sudakshina Jana (c) Manorama Murmu (d) Riya Chatterjee (e) Tuhina Maity (f) Raisha Hazra (g) Sonali Kamila (h) Susmita Das (i) Rumpa Das.
22. **Lab Technicians:-** (a) Subhra Ghosh (b) Atanu Sinha Roy (c) Sudipta Jana (d) Subhendu Kumar Manna.
9. **Observations:-**
- a. The staff attendance list provided by the college authorities, list attached by the college in the proforma & the SAR (Self assessment report) list are slight different with some staff missing.
- b. Medical Hospital OPD for day 2 has not been furnished.

**Note :** Subject to the confirmation of the said Minutes in the next Executive Committee meeting

*ABW*  
*Ch*