

DENTAL COUNCIL OF INDIA

Compliance Cases of the Executive Committee of the Dental Council of India held on 28.12.2023 in the Committee Room, Dental Council of India, Aiwan-E-Ghalib Marg, Kotla Road New Delhi.

5(3). KGF College of Dental Sciences & Hospital, KGF, (Karnataka) – Regarding

Joint Inspection carried out on 13th & 14th December, 2023 at KGF College of Dental Sciences & Hospital, KGF, (Karnataka) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution.

To consider the Joint Inspection Report of Council's inspectors Dr. Shantanu Choudhari, Ahmedabad (Gujarat) and Dr. Harakh Chand Baranwal, Varanasi, (Uttar Pradesh) carried out on 13th & 14th December, 2023 at KGF College of Dental Sciences & Hospital, KGF, (Karnataka) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by institution and (iii) the general overall impression about the institution, and after discussion and deliberation decided as under:-

Compliance

Sr. No.	There are following deficiencies:-
1.	Medical College Attachment:-
	Medical College is not permitted for intake of MBBS Course Sambharam Institute of Medical Sciences & Research, Kolar (Karnataka) has not been granted permission for the AY 2023-24 by National Medical Commission, New Delhi.
3.	Land & Infrastructure Details:-
(i)	Land documents:- 1.5 Acres(documents not clear)
(ii)	Completion Certificate not furnished from the Competent Authority
(iii)	Pollution Control Board norms are not followed.
(iv)	Sewage Treatment Plant is not available.
(v)	Bio-Waste Management is not followed as per PCBI.
(vi)	Bio-Waste Incinerator is not available.
(vii)	Fire and Safety Certificate not obtained from the Competent Authority.
(viii)	Anatomical Act has not been obtained from Competent Authority.
4.	Infrastructure and Functional Requirements:-
	Pollution Control Measures:- All the dental institutions shall take adequate pollution control measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc. – Not available.
5.	Medical Teaching Staff:-
(i)	There is a deficiency of 1 Lecturer in the Department of

	Anatomy.
(ii)	There is a deficiency of 1 Lecturer in the Department of Biochemistry.
(iii)	There is a deficiency of 1 Lecturer in the Department of General Pathology.
(iv)	There is a deficiency of 1 Lecturer in the Department of Microbiology.
(v)	There is a deficiency of 1 Lecturer in the Department of Pharmacology.
(vi)	There is a deficiency of 1 Lecturer in the Department of General Medicine.
(vii)	There is a deficiency of 1 Lecturer in the Department of General Surgery.
(viii)	There is a deficiency of 1 Reader in the Department of Anaesthesia.
6.	Non-Teaching Staff:-
	Assistants – 2, Computer Programmer – 1, Physical Director – 1, Engineer – 1, Dept. Secretaries – 2.
7.	Central Library:-
	E-consortium provision to be provided in the college library connected with the National Medical Library - Not available
8.	Major Equipments:-
(i)	Total No. functional Chairs – 100/125
(ii)	Whether all the chairs and units are functioning and electrically operated – No (25 chairs are manual and non functional.)
(iii)	Histopathology Room:-
	Stop Watch - 1
(iv)	Public Health Dentistry :-
	Autoclaves - 1
9.	Equipments required to start PG Programme in Oral and Maxillofacial Surgery:-
	Surgical Instruments:-
	General Surgery Kit – 1, Tracheotomy kit (with set of disposable tubes consisting of six) – 1, Minor Oral Surgery Kit – 1, Osteotomy kit – 1, Cleft surgery kit – 1, Bone grafting kit – 1, Emergency kit – 2, Trauma set including bone plating kit – 2, Implantology kit (standard/imported ISI approved) – 2, Ventilator – 1, Major operation theatre with all facilities – 1, Recovery I.C.U with all necessary life support equipments – 1 bed, Fiber optic light – 1
(ii)	Equipments required to start PG Programme in Orthodontics and Dentofacial Orthopedics:-
	Model Trimmer (Double Disc) – 1, Polishing Lathes – 1, Plaster Dispensers – 1, Typodonts with full teeth set – 1,
(iii)	Equipments required to start PG Programme in Conservative Dentistry and Endodontics:-
	Mechanized rotary instruments including hand pieces and

	hand instruments – 1, Equipments for injectable thermoplasticized gutta percha – 1, Torque control hand pieces – 1,
10.	Inspectors Observations:-
(i)	Society registration documents is not clear & concise
(ii)	CCTV was not functional on first day of inspection
(i)	Self Assessment Report (SAR) was not provided.
(iii)	Dental and Medical teaching staff details were not provided in the latest proforma for periodic inspection.
(iv)	DCI biometric Attendance System installed but not functional.

Inspection Report (BDS Recognition under EWS)

5(12). **Joint Inspection carried out on 20th & 21st December, 2023 for Recognition of BDS Course with increased intake capacity from 50 to 63 seats under EWS category at Government Dental College, Dibrugarh (Assam) – Regarding**

To consider Joint Inspection Report of Council's Inspectors Dr. Yogesh Bhardwaj, Shimla (Himachal Pradesh) and Dr. Ashish Agrawal, Varanasi (Uttar Pradesh) carried out on 20th & 21st December, 2023 at Government Dental College, Dibrugarh (Assam) to evaluate the standard of first final BDS examination conducted by Srimanta Sankaradeva University of Health Sciences, Guwahati (Assam) in respect of BDS students of Government Dental College, Dibrugarh (Assam) for recognition of BDS Course with increased intake capacity from 50 to 63 seats under EWS category.

Compliance

	There are following deficiencies:-
1.	Dental Teaching Staff:-
(i)	There are deficiencies of 1 Professor and 1 Reader in the department of Prosthodontics and Crown & Bridge.
(ii)	There are deficiencies of 1 Professor and 1 Reader in the department of Oral & Maxillofacial Pathology and Oral Microbiology.
(iii)	There is a deficiency of 1 Reader in the department of Conservative Dentistry and Endodontics.
(iv)	There is a deficiency of 1 Reader and there are no Readers in the department of Oral & Maxillofacial Surgery.
(v)	There are no Readers in the department of Orthodontics and Dentofacial Orthopedics.
(vi)	There is a deficiency of 1 Professor in the department of Pediatric and Preventive Dentistry.
2.	The following Dental Teaching Staff were absent on both days of inspection:-
(i)	Dr. Mousumi Pal, Tutor, Conservative Dentistry

	and Endodontics
(ii)	Dr. Md. Kalim Ullah, Reader, Orthodontics and Dentofacial Orthopedics
(iii)	Dr. Arup Kumar Rabha, Reader, Periodontology.
(iv)	Dr. Anindita Bhagwati, Lecturer, Oral & Maxillofacial Surgery
3.	The following Medical Teaching Staff were absent on both days of inspection:-
(i)	Dr. Alaka Das, Reader, Biochemistry
(ii)	Dr. Sajida Sultana Rahman, Lecturer, Biochemistry
(iii)	Dr. Jayanta Kumar Das, Reader, Microbiology
(iv)	Dr. Aparna Sonowal, Lecturer, Microbiology
4.	Staff Quarters:-
(i)	Principal/Dean's Bungalow – Not available
(ii)	Staff Quarters - Not available.
5.	Non-Teaching Staff:-
(i)	Assistants – 1, Dent. Tech (Dental Mechanic) – 5, Dent. Hygst. – 2, Photographer – 1, Attenders – 15.
(ii)	Shri. Rajib Robi Das, Chair Side Attendant was absent on 20.12.2023 & 21.12.2023.
6.	Central Library:-
(i)	No National and International Journal present in all depts., except Public Health Dentistry available upto 2022
(ii)	E-Journals available but not in printable version.
7.	Major Equipments:-
(i)	Prosthodontics and Crown Bridge:-
	Dental Chairs and Units – 4, Extra/Intra Oral Tracer – 2, Light cure unit – 1, Dental casting machine – 1, Flask Press – 4, Sand Blasting Unit - 1, Geyser – 1, Heavy Duty Lathe – 2, Phantom Heads – 30.
	Ceramic and Cast Partial Laboratory:-
	Circular Saw – 1, Heavy Duty Lathe with Suction – 1, Ultrasonic Cleaner – 1, Composite Curing Unit – 1.
	Plaster Room for Pre-Clinical Work:-
	Vibrator – 1, Lathe – 2.
(ii)	Conservative Dentistry and Endodontics:-
	Dental Chairs and Units – 4, Restorative instruments kit – 1, Autoclaves – 1, Ultrasonic Cleaner – 1, Amalgamator – 1, Pulp Tester Digital – 2, Glass Bead Sterilizer – 1, Automatic Developer – 1, Magnification Loops – 1.
	Clinical Laboratory:-

	Model Trimmer Carborandum Disc – 1, Model Trimmer Diamond Disc – 1, Lathe Heavy Duty – 1, Lab Micromotor with heavy duty handpiece – 1, Ultrasonic cleaner 5 litres – 1, Spindle Grinder – 1, Circular Saw – 1, Vacuum Mixer – 1, Pneumatic Chisel - .
(iii)	Dental Anatomy, Embryology, Oral Histology and Oral Pathology
	Microscopes – 5, Wax Bath – 1, Water Bath – 1, Knife Sharpner – 1, Hot Plate – 1, Spencer Knife – 1, Television – 1, Education Model – 3
	Histopathology Room:-
	Disposable Blade – 1, Hot Air Oven -1, Organic Tissue Capsule – 1, Distilled Water Plant – 1, Diamond Tip Pencil – 1, Glass Dropper Bottle – 3, Glass Bottle With Lid – 3, Wide Mouth Bottles – 3, Glass Funnel – 3, Glass Pipette – 3, Glass Measuring Jar – 3, Petri Dish 4” Glass – 3, L Blocks – 2, Loop Holder – 2, Magnifying Glass – 1, Toothed Forceps – 2, Plastic Dropper – 2, Petri Dish 50mm Glass – 2, Gas burner/Spirit Lamp – 1, Processing Bottles – 3, Slide Warming Table – 1, Slide Drying Tray – 1, Slide Carrying Tray – 1, Staining Basket SS – 1, Staining Trough SS – 1, Staining Trough Glass – 1, Slide Staining Rack SS – 1, Slide Box – 2, Slides Storage Cabinet – 1, Wax Block Storing Cupboard – 1, Stop Watch – Not available
	Oral Pathology Reporting Station:-
	Microscope Trinocular – 1, Colour Printer – 1, Desktop Computer – 1.
(iv)	Oral & Maxillofacial Surgery:-
	A) Exodontia
	Dental Chairs and Units – 5, Autoclaves – 1, Ultrasonic Cleaner - 1, Dental elevators – 2, X-ray viewers – 2, Computer - 1
	B) Minor Surgery:-
	Dental Chairs and Units – 3
(v)	Periodontology:-
	Dental Chairs and Units – 4, Hand scaling instrument sets Subgingival – 5, Surgical Instruments Sets – 3, Set of curettes – 1, Ultrasonic cleaner – 1, Electro Surgical Cautery – 1, Needle burner with syringe cutter – 3, Laser soft tissue – 1.
(vi)	Orthodontics and Dentofacial Orthopedics:-
	Dental Chairs and Units – 2, Unit mount scaler – 4, Ultrasonic cleaner – 1,

	Ortho Lab:-
	Plaster Dispenser for plaster – 1, Plaster Dispenser for stone plaster – 1, Vibrator – 1, Micromotor Heavy Duty – 2, Lathe – 1, OPG with Cephalostat – 1, Base Formers – 2, Set of Pliers – 4, Soldering Torch -1, Hydro solder – 1, Typodont articulator – 3, Pressure Molding Machine – 1.
(vii)	Pediatric and Preventive Dentistry:-
	Dental Chairs and Units – 3, Ultrasonic cleaner – 1, Amalgamator – 1, Rubber Dam Kit for Pedo – 2, Endo motor – 1, Radiovisiography – 1, Scaling Instruments – 2, Restorative instruments – 6, Extraction Forceps – 1, Intra Oral X-ray – 1, Automatic Developer – 1, Computer – 1, RCT instruments kit – 2
	Pedo Lab:-
	Model Trimmer with Diamond Disc – 1, Model Trimmer with Carborandum Disc – 1, Welder with soldering attachments – 1, Lab micro motor with heavy duty with handpiece – 2, Dental Lathe – 1, Pressure Molding Machine – 1.
(viii)	Oral Medicine and Radiology:-
	Dental Chairs and Units – 2, Panoramic X-ray with Cephalometric – 1, Intra Oral X-ray Unit – 2, Pulp Testers – 2, Automatic Panoramic with Cephalometric X-ray Developer – 1, Radiovisiography – 1, Ortho Pantmograph – 1, Lead Collar – 1, Biopsy Kit – 1.
(ix)	Public Health Dentistry:-
	Dental Chairs and Units – 2, Ultrasonic cleaner – 1, Needle burner with syringe cutter – 1.
	Mobile Clinic:-
	Mobile Dental Van – 1, Dental Chair and Unit – 2, Autoclaves – 1, Intraoral X-Ray – 1, Glass Bead Sterilizers – 1, Compressor – 1, Metal Cabinet – 1, Portable Dental Chair – 2, Stabilizer – 1, Generator – 1, Water Tank – 1, Oxygen Cylinder – 1, Public Address System – 1, TV and Video Cassette Player (pendrive) – 1, Demonstration Models – 5
10.	Inspectors Observations:-
(i)	Staff quarters are still under construction and Principal quarter is yet to be made/constructed.
(ii)	There is only one mess found in the boys hostel and there was no any mess in girls hostel.

(iii)	Satellite Clinics are upto date equipped, however its very far away for students to commute daily
(iv)	College Bus is not present for students to go to satellite centres.
11.	Check list for Inspectors:-
(i)	List of special cases not provided.
(ii)	Registration of Ethical Committee not provided.
(iii)	AERB certification not provided.

5(14). **Joint Inspection carried out on 21st & 22nd December, 2023 for Recognition of BDS Course with increased intake capacity from 40 to 50 seats under EWS category at Regional Dental College, Guwahati (Assam) – Regarding**

To consider Joint Inspection Report of Council's Inspectors Dr. Navakoti Prasad, Hyderabad (Telangana) and Dr. Ramesh Bharti, Lucknow (Uttar Pradesh) carried out on 20th & 21st December, 2023 at Regional Dental College, Guwahati (Assam) to evaluate the standard of first final BDS examination conducted by Srimanta Sankaradeva University of Health Sciences, Guwahati (Assam) in respect of BDS students of Regional Dental College, Guwahati (Assam) for recognition of BDS Course with increased intake capacity from 40 to 50 seats under EWS category.

Compliance

	There are following deficiencies:-
1.	Dental Teaching Staff:-
(i)	There is a deficiency of 1 Reader in the Department of Conservative Dentistry and Endodontics.
(ii)	There are deficiencies of 9 Tutors.
2.	Land & Infrastructure Details:-
(i)	Sewage treatment plant is not available.
(ii)	Bio-Waste incinerator is not available.
3.	Staff Quarters:-
	Principal/Dean's Bungalow – Not available.
4.	Non-Teaching Staff:-
	Secretary to Dean – 1, Public Relation Officer – 1, Managers/Office Suptd. – 4, Assistants – 2, Receptionist – 6, D.S.A (Chair Side Attendant) – 6, Dent. Tech. – (Dental Mechanic) – 4, Dent. Hygst. – 1, Photographer – 1, Physical Director – 1, Engineer – 1, Electricians - 1, Plumber – 1, Carpenter – 1, Mason – 1, A.C Tech. – 1, Helpers Electrical - 1, Security Personal – 4, Dept. Secretaries – 4, Driver – 1, Lab Technicians – 2.
5.	Major Equipments:-

(i)	Prosthodontics and Crown & Bridge:-
	Extra Oral/Intra Oral Tracer – 1, Dewaxing Unit – 1 Flask Press – 2, Deflasking Unit – 2, H.P Grinder with suction – 1, Heavy Duty Lathe – 1.
	Pre-Clinical Prosthetics Laboratory:-
	Adequate number of Lab Micro Motor with attached Hand Piece – 20
(ii)	Conservative Dentistry and Endodontics:-
	Glass Bead Sterilizers – 1, Intra Oral X-Ray Unit – 1, Automatic Developer – 1
(iii)	Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-
	Histopathology Room:-
	Hot Air Oven – 1,
(iv)	Periodontology:-
	Needle Burner with syringe cutter – 2, Laser (Soft Tissue Laser) – 1.
(v)	Orthodontics and Dentofacial Orthopedics:-
	Hydro Solder – 1, Typodont Articulator – 1
(vi)	Pediatric and Preventive Dentistry:-
	Rubber Dam Kit for Pedo – 3, Injectable Gutta Percha with condensation, Intra Oral Camera – 1 Scaling instruments – 3, Automatic Developer – 1
(vii)	Oral Medicine and Radiology:-
	Automatic Periapical X-ray Developer – 1
(viii)	Public Health Dentistry:-
	Portable Dental Chair – 1.