

DENTAL COUNCIL OF INDIA

Compliance Cases of the Executive Committee Meeting of the Dental Council of India held on 09.05.2024 in the Committee Room, Dental Council of India, New Delhi.

Inspection Report (BDS Recognition under EWS)

5(1). **Joint Inspection Report for Recognition of BDS Course with increased intake capacity from 50 to 63 seats under EWS category at Dental Institute, Rajendra Institute of Medical Sciences, Ranchi (Jharkhand) – Regarding**

To consider the Joint Inspection Report conducted on 15th & 16th April 2024 at Dental Institute, Rajendra Institute of Medical Sciences, Ranchi) by Council's Inspectors Dr. Baljeet Singh, Sunder Nagar (Himachal Pradesh) and Dr. Rajan Malhotra, Patiala (Punjab) to evaluate the standard of the first final BDS examination conducted by Ranchi University, Ranchi (Jharkhand) in respect of BDS students of Rajendra Institute of Medical Sciences, Ranchi (Jharkhand) for recognition of BDS Course with increased intake capacity from 50 to 63 seats under EWS category.

Compliance

There are following deficiencies:-

1. **University Affiliation** :- Not available for the current AY
2. **Infrastructure & Functional Requirements:-**
 - **Administrative block:-**
 - (i) No proper Dean's room and Administrative officer
 - (ii) Meeting room, office, office stores and pantry are not available
 - (iii) HOD rooms and Reader's room are available in all the departments except the Pediatric and Preventive Dentistry Department.
 - (iv) Photography and Artist Room with proper studio facilities for clinical photography, developing, preparation of slides, charts, models etc shared with the medical college.
 - (v) Boy's and Girl's locker rooms are not available.
 - (vi) Common rooms for non-teaching staff are not available.
 - (vii) Common room for teaching staff are not available
 - (viii) Change room for men are not available
 - (ix) Change room for women are not available
 - (x) **Pollution Control Measures:**

All the dental institutions shall take adequate pollution control measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc - shared with Medical College.
 - (xi) **Cafeteria:-**

With accommodation for 100 people with kitchen, stores, washing area etc – shared with Medical College
 - (xii) **Staff Quarters:-**

All the staff members, teaching and non-teaching working in the institution shall be provided adequate accommodation in the 5 acres land earmarked for the college. The staff quarters may be built in a phased manner over a period of 4 years – available but not occupied by the faculty
 - (xiii) **Play Ground:-**

There shall be facilities for both indoor and out-door games in the premises – shared with Medical college

- (xiv) **Auditorium:-**
To accommodate at least 425 people consisting of – Proper seating arrangements, reception counter, green rooms, lobby, fitted with sound system, slide and multimedia presentation facility – shared with Medical College
- (xv) **Medical Subject:-**
- a) Anatomy Dissection Hall, Museum, Cadaver Room, Osteology & Demonstration Room, Histology Room, Staff Room etc. – Shared with Medical College
 - b) Laboratory for Physiology with stores and preparation rooms, Hematology Lab, Clinical Lab, Staff Room etc. - Shared with Medical College
 - c) Laboratory for General Pathology & Microbiology with stores, Clinical Lab, Preparation Rooms, Staff Room etc - Shared with Medical College
 - d) Laboratory for Biochemistry with store, Clinical Lab, Preparation Rooms & Instrument Room, Staff Room etc. - Shared with Medical College
 - e) Laboratory for Pharmacology with store, Clinical Lab, Staff Room etc. - Shared with Medical College
- (xvi) **Dental Clinical Space Requirement:-**
Hematology and Clinical Biochemistry: a Laboratory for Routine Blood and Biochemical Investigation and Urine analysis – Shared with Medical College.

3. Dental Teaching Staff:-

- **Conservative Dentistry and Endodontics:-** Deficiency of 01 Reader
- **Oral & Maxillofacial Surgery:-** Deficiency of 01 Reader
- **Deficiency of 02 Lecturers and 06 Tutors**

4. Medical Teaching Faculty:-

Pharmacology- Dr. Abha Kumari, Reader and Dr. Mary Sunita Toppo, Lecturer – on leave

5. Non Teaching staff:-

- (i) Secretary to Dean – 01
- (ii) Receptionist – 09
- (iii) Dent. Tech. (Dental Mechanic) -02
- (iv) Radiographer -01
- (v) Data Entry Operators -1
- (vi) Physical Director -1
- (vii) Attenders – 12
- (viii) Dept. Secretaries - 4
- (ix) Driver – 4
- (x) Nurses -1

The following Non Teaching staff is shared with the Medical College

- (i) Administrative Officer -1
- (ii) Public Relation officer -1
- (iii) Managers/ Office Suptd -4
- (iv) Assistants -9
- (v) Librarian -1
- (vi) Photographer -1

- (vii) Artist-1
- (viii) Engineer -1
- (ix) Electricians-2
- (x) Plumber-1
- (xi) Carpenter-1
- (xii) Mason -1
- (xiii) A.C. Tech. -1
- (xiv) Helpers Electrical -1
- (xv) Lab. Technicians -3

6. Central Library:-

- (i) Library shared with Medical College
- (ii) Hard copy of the journals not available

7. Major Equipments:-

Whether all the Chairs and Units are functioning and electrically operated – Some chairs in the department of Conservative Dentistry and Endodontics are non-functional

Prosthodontics and Crown & Bridge:-

- Dental Chairs and Units -2
- Light Cure unit -1
- Surveying unit -1, Sand Blasting Unit – 2
- Heavy Duty Lathe – 2

Ceramic and Cast Partial Laboratory:-

- Sandblasting Machine -1
- Programmable Porcelain furnace with Vacuum Pump with Instrument Kit and Material Kit -1
- Steam Cleaner – 1
- Heavy Duty Lathe with Suction -1
- Ultrasonic Cleaner -1

Pre-Clinical Prosthetics Laboratory:-

- Work table preferably complete stainless steel fitted with light, Bunsen Burner, Air Blower, working stool – 37
- Adequate number of Lab Micro Motor with attached Hand Piece – 25
- Model Trimmer – 1
- Lathe -1

Conservative Dentistry and Endodontics:-

- Autoclave -1
- Amalgamator -2
- Pulp Tester-Digital -1
- Glass Bead Sterilizers -1
- Automatic Developer -1
- Phantom Lab Unit – 5

Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-

- Wax Bath- 1 (shared with medical college),
- Knife Sharpener -1
- Spencer Knife -1

Histopathology Room:-

- Organic tissue capsule – 1 (shared with Medical College)
- Distilled water plant -1
- L-block -2
- Diamond Tip Pencil -1 (shared with Medical College)
- Loop Holder -2
- Staining Basket SS – 1 (shared with Medical College)
- Staining Trough SS – 1 (shared with Medical College)
- Staining Trough Glass -1 (shared with Medical College)

Orthodontics and Dentofacial Orthopedics:-

- Dental Chairs and Units- 1
- Typodonts Articulator -3

Pediatric and Preventive Dentistry:-

- Dental Chairs and Units -1
- Amalgamator -1
- Apex Locator -1
- Scaling Instruments -2
- Automatic Developer – 1
- Welder with soldering attachments -1
- Vibrator -1

Oral Medicine & Radiology:-

- Intra Oral X-ray Unit -1
- Automatic Periapical X-ray Developer -1
- Automatic Panoramic with Cephalometric X-ray Developer -1
- General X-ray Unit – 1 (shared with Medical College)
- Automatic Developers/Dark Room – Only Dark rooms is available
- X-ray Hangers -6

Public Health Dentistry:-

- Dental Chairs and Units- 1

8. Check list for the inspectors-

- list of special cases treated with details in the speciality for the last three years – not provided

9. Inspectors Observation:-

1. No demarcation of five acre land for Dental College from the attached Medical College.
2. No I.P.D (Bed occupancy) provided by the college authorities
3. No regular Principal appointed.
4. Central Stores department is there but without proper racks, refrigerator and sufficient non consumable /consumable item.
5. Hostel shared with medical students.
6. AERB certification of all the X-ray machines in the college are not available.
7. Affidavits of the Medical faculty not provided.
8. Staff Deficiency – 25 Senior Lecturers/Tutors are there on the rolls of the college against the requirement of 36.
9. **Equipments:-**

- (i) Total Number of Dental Chair available -131
- (ii) Some Dental Chairs in the department of Conservative Dentistry were non functional and not maintained properly. Dust had collected on many dental chairs.
- (iii) The laboratory equipment in the metal & ceramic laboratories of department of Prosthodontics though available was non functional and it seems has never been used.

10. Oral & Maxillofacial Surgery:- Only one Dental Chair is there in the minor surgery room, while rests of the two dental chairs are there in the Exodontia clinic.

Periodic Inspection Reports

5(3) **Periodic Inspection Report dated 27th & 28th March 2024 conducted at M. R. Ambedkar Dental College and Hospital, Bengaluru (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 27th & 28th March 2024 conducted by Council's Inspectors Dr. Bhavna Kaul, Jammu (Jammu & Kashmir), Dr. Binoy Kumar Singh, Patna (Bihar) and Dr. Rakesh A Singh, Navi Mumbai (Maharashtra) at M. R. Ambedkar Dental College and Hospital, Bengaluru (Karnataka). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. There are following deficiencies:-

1 **Deficiencies as per MDS Inspection Report:-**

Clinical Material:

There were only 22 patients on 1st day and 2nd day of Inspection against the requirement of 50 in the Department of **Public Health Dentistry**

2 Further, an outstanding due of **Rs. 1, 77, 000/-** is pending.

5(5) **Periodic Inspection Report dated 3rd & 4th April, 2024 conducted at Meenakshi Ammal Dental College & Hospital, Chennai (Tamil Nadu) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 3rd & 4th April, 2024 conducted by Council's Inspectors Dr. Anand Shigli, Pune (Maharashtra), Dr. Jitendra Bhagchandani, Lucknow (Uttar Praesh) and Dr. Sourav Bhattacharya, Burdwan (West Bengal) at Meenakshi Ammal Dental College & Hospital, Chennai (Tamil Nadu). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

- Sr. No. Deficiencies as per BDS Inspection Report:-
1. There is deficiency of 1 Dental Mechanic, 1 Electricians and 2 Helpers Electrical.
 2. Ethical Committee registration has been expired and applied for renewal.
 3. New Titles (Books) not purchased in the department of **Oral and Maxillofacial Surgery** and **Pediatric and Preventive Dentistry** in current Academic Year.
 4. There is a deficiency of 1 Autoclave in the department of **Prosthodontics and Crown & Bridge**.

5(6) **Periodic Inspection Report dated 27th & 28th March 2024 conducted at Himachal Institute of Dental Sciences, Paonta Sahib (Himachal Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 27th & 28th March 2024 conducted by Council's Inspectors Dr. Manesh Lahori, Mathura (Uttar Pradesh), Dr. Mohit Pal Singh, Udaipur (Rajasthan) and Dr. Gyanendra Kumar, New Delhi at Himachal Institute of Dental Sciences, Paonta Sahib (Himachal Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

- Sr. No. There are following deficiencies:-
- 1 **Deficiencies as per BDS Inspection Report:-**
Hospital:-
Copy of valid MOU signed by the Competent Authorities between Hospital and Dental College for teaching purpose not available.
Hostel for Boys & Girls:-
Whether Hostels is shared by other colleges/institutions:- **Yes**
Equipments:-
Conservative Dentistry and Endodontics:- Magnification loops – 1
 - 2 **Deficiencies as per MDS Inspection Report:-**
Conservative Dentistry and Endodontics with 5 seats
Equipments:-
Dental chairs and units – Not mentioned

5(7) **Periodic Inspection Report dated 3rd& 4th April, 2024 conducted at Annasaheb Chudaman Patil Memorial Dental College,Dhule (Maharashtra) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 3rd& 4th April, 2024 conducted by Council's Inspectors Dr. Shantanu Choudhari, Ahmedabad (Gujarat), Dr. Narender Singh Nath, Ranchi (Jharkhand), Dr. Pankaj Sharma, New Delhi at Annasaheb Chudaman Patil Memorial Dental College,Dhule (Maharashtra).The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

There are following deficiencies:-

There are deficiencies of equipments in the
Department of Pediatric and Preventive Dentistry:-

- Typhodont Primary teeth (one set per student) – 8
- Typhodont Permanent teeth (one set per student) – 6
- Bracket holding pliers (one set per student) - 6
- Straight hoe pliers (one set per student) - 6
- Curved hoe pliers (one set per student) - 6

5(8) **Periodic Inspection Report dated 8th & 9th April, 2024 conducted at Uttranchal Dental & Medical Research Institute, Dehradun (Uttrakhand) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 8th & 9th April, 2024 conducted by Council's Inspectors Dr. Mohit Pal Singh, Udaipur (Rajasthan) and Dr. Pankaj Sharma, New Delhi and Dr. Biju Pappachan, Raipur (Chhattisgarh) at Uttranchal Dental & Medical Research Institute, Dehradun (Uttrakhand).The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. There are following deficiencies:-

1 **Deficiencies as per BDS Report:-**

Infrastructure & Functional Requirements:-

Auditorium – Under Renovation

2 **Dental Teaching Staff:-**

Periodontology:-

- Dr. Ullas Anand, Reader, was absent on Day 1 of inspection.
- Dr. Gaurav Chahal, Reader, was

- absent on both days of inspection.
- 3 **Medical Teaching Staff:-**
Pharmacology- Deficiency of 1 Reader
- 4 **Non – Teaching Staff :-**
- Assistants. – 13
 - Helpers Electrical. – 2
 - Lab. Technicians. – 1
- 5 **Major Equipments:-**
 Most of the chairs were not functional
Prosthodontics and Crown & Bridge:-
- Pre-Clinical Prosthetics Laboratory:-** Work Table Preferably complete stainless steel fitted with light, Bunsen Burner, Air Blower, working stool – 60 (Gas connection under repair/Not working).
- Conservative Dentistry and Endodontics:-**
 Autoclaves – 1
- Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-** Microscopes – 2
- Oral Pathology Reporting Station:**
 Microscope – Trinocular – 1
- Oral & Maxillofacial Surgery:-**
- A) Exodontia:-** Dental Chairs and Units – 4, Autoclaves - 1
- B) Minor Surgery:-** Dental Chairs and Units – 3.
- Pediatric and Preventive Dentistry:-**
 Dental Chairs and Units – 6,
 Autoclaves – 1,
 Ultrasonic Cleaner – 1.
6. **Check list for the inspectors:**
 DCI Biometric Attendance System Installed & Functional – Not working.
7. **Observations:-**
- Some dental chairs were found not in working condition.
 - Sterilization is not as per norms.
 - There is deficiency in number of chairs.
 - Salary of staff & faculty is not regular & there is deficiency in that.
- 8 **Deficiencies as per MDS Reports:-**
- Prosthodontics and Crown & Bridge:-**
- Equipments:** Semi Adjustable Articulator with Face bow - 1
- Conservative Dentistry and Endodontics:-**

Equipments: Rubber dam kit – not mentioned.

Observations:- RVG is not installed as per AERB norms no shield was available.

9 Further, an outstanding due of Rs. 7, 08, 000/- is pending.

5(9) **Periodic Inspection Report dated 3rd & 4th April, 2024 conducted at Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 3rd & 4th April, 2024 conducted by Council's Inspectors Dr. G.S. Chandu, Bhopal (Madhya Pradesh), Dr. Chandana Kalita, Dibrugarh (Assam) and, Dr. Anuradha Mukharjee, Darjeeling (West Bengal) at Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. There are following deficiencies:-

1 **Deficiencies as per BDS Report:-**

Bio-Waste incinerator is available – No.

Infrastructure & Functional Requirements:-

- Photography and Artist Room – Not available.
- Examination Hall – Deficient.
- Auditorium – Not available.

2. **Medical Teaching Staff:-** attendance list not attached.

3. **Non – Teaching Staff :-**

- Public Relation officer – 1
- Managers/Office Suptd – 3
- Assistants – 10
- Receptionist – 14
- D.S.A. (Chair side attendant) – 20
- Dent. Tech. (Dental Mechanic) – 8
- Dent. Hygst. – 4
- Radiographer – 3
- Photographer – 1
- Artist – 1
- Data Entry Operator – 2
- Physical Director – 1
- Plumber – 1
- Carpenter – 1
- Mason – 1
- A.C. Tech. -1

- Helpers Electrical – 3.
- Attenders – 22
- Dept. Secretaries – 8
- Lab. Technicians – 4

4. **Major Equipments:-**

Prosthodontics and Crown & Bridge:- Dewaxing Unit – 2.

Conservative Dentistry and Endodontics:- Amalgamator – 1

Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-

(Histopathology Room) :

- Staining Trough SS – 2
- Sliding Staining Rack SS – 2
- Wax Block Stoning Cupboard – 1

Public Health Dentistry:- Dental Chairs with Units – 1.

Check list for the inspectors:- NAAC accreditation certificate not available

5. **Deficiencies as per MDS Reports:-**

Prosthodontics and Crown & Bridge:-

Teaching Staff:- Dr. S Kanimozhi was absent on 1st day of inspection

Electrical Dental Chairs and Units – (required-6)- not mentioned

PG Students:-

- N. Anbunidhi, III MDS was absent.
- G. Jagadish II MDS was absent.

Conservative Dentistry and Endodontics:-

Teaching Staff:- Deficiency of 1 Reader

Equipments: Magnifying loops – 2.

Oral & Maxillofacial Pathology and Oral Microbiology:-

Equipments:

- Slide warming table – 1
- Steel slide racks for staining – 5
- Surgical kit for biopsy – 1

5(10) **Periodic Inspection Report dated 3rd & 4th April, 2024 conducted at Surendera Dental College & Research Institute, Sri Ganganagar (Rajasthan) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 3rd & 4th April, 2024 conducted by Council's Inspectors, Dr. Gaurang Mistry, Navi Mumbai (Maharashtra), Dr. Rajender Kumar Tewari, Aligarh (Uttar Pradesh) and Dr. Tapan Kumar Giri, Kolkata (West Bengal) at Surendera Dental College & Research Institute, Sri Ganganagar (Rajasthan). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. Deficiencies as per BDS Inspection Report:-

1. **Land & Infrastructure Details:-**

Bio-waste incinerator is not available.

The validity of Fire Safety Certificate not mentioned.

Deficiencies as per MDS Inspection Report:-

2. **Pediatric and Preventive Dentistry:-**

Equipment: Conscious sedation unit – 1

3. **Periodontology:-**

Clinical Material: - There are only 43 patients on Day 2 of the inspection against the requirement of 50.

5(11) **Periodic Inspection Report dated 3rd & 4th April, 2024 conducted at Maharaja Ganga Singh Dental College & Research Centre, Sri Ganganagar (Rajasthan) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 3rd & 4th April, 2024 conducted by Council's Inspectors Dr. A Arvind Kumar, Tirunelvi (Tamil Nadu), Dr. Abhijit Chakraborty, Kolkata (West Bengal) and Dr. Virendra Vadher, Raipur (Chhatisgarh) at Maharaja Ganga Singh Dental College & Research Centre, Sri Ganganagar (Rajasthan). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Deficiencies as per BDS Inspection Report:-

1. **Infrastructural & Functional Requirements :-**

Auditorium (to accommodate at least 500 people)

Medical Teaching Staff : Details not provided

2. **Non teaching staff:-**

- i. Secretary to Dean - 01
- ii. Assistant – 04
- iii. Receptionist – 12
- iv. D.S.A. (Chair side Attendant) – 14
- v. Dent. Tech (Dental Mechanic) – 02
- vi. Radiographer – 1
- vii. Photographer -1
- viii. Electrician – 2
- ix. Mason – 1
- x. Helper Electrician – 1
- xi. Driver -3
- xii. Nurses - 4
- xiii. Lab Technician - 1

4. **Central Library:-**

Atleast 1 National Journal in each subject of the 9 Dental specialties, 1 National Journal in each subject of the 8 basic medical science subjects and 1 International Journals for each 9 Dental specialties – **not available as per the norms**

Atleast 5 years Back Volumes of National/International Journal(s) of 9 Dental Specialties – not available

E- Journals – not available

5. Major equipments:-

All the Chairs and Units are not functioning and electrically operated

Observation: Most of the chairs are hydraulic, few chairs not working.

Conservative Dentistry and Endodontics:-

- Intra Oral X-ray Unit (Proper radiation safety AERB required)- AERB certification expired

Dental Anatomy, Embryology, Oral Histology and Oral Pathology (Histopathology Room):-

- Diamond Tip Pencil -2
- Glass dropper bottle – 5

Oral & Maxillofacial Surgery (Exodontia):-

- Ultrasonic Cleaner – 1
- Needle burner with syringe cutter – 1

Periodontology:-

- Autoclave -2

Orthodontics and Dentofacial Orthopedics:-

- Dental Chairs and Unit – 2
- Unit Mount Scaler – 3
- Ultrasonic Cleaner - 1

Oral Medicine and Radiology:-

- Dental Chairs and Unit – 3,
- Panoramic X-Ray with Cephalometrics - AERB certification expired,
- Intra Oral X-ray Unit – AERB Certification not attached,
- Automatic Periapical X-Ray Developer -1,
- Automatic Panoramic with Cephalometric X-ray Developer -1,
- Automatic Developers/Dark Room – 1 (conventional developer available)

Public Health Dentistry:-

- Autoclave -1,
- Needle Burner with Syringe Cutter -1

Inspector's Observation:-

1. Most of the dental chairs shown in the department are hydraulic and few are not in function.
2. Few equipments/ instruments are deficient/ not in working conditions.
3. CBCT Not available.
4. Lack of books and journals as per the norms.
5. Even after repeated reminder to HOD and college authorities (principal), they not provided us list of special cases as well as SAR report.
6. Need improvement in preclinical lab in all departments.

Deficiencies as per MDS Inspection Reports:-

Pediatric and Preventive Dentistry:-

Clinical Material: - there are 30 patients on day 2nd of inspection against the requirement of 40.

List of Journals: - the hard copies of the title of the journals is not available.

No New Titles (books) purchased in current academic year.

Inspector's observation:-

1. Sterilization is to be improved.
2. Seminar room is to be improved
3. Play area is to be improved.

Periodontology:-

Clinical Material: - there are 40 patients on day 2nd of inspection against the requirement of 50

Inspectors observation:- Instruments should be properly sterilized protocol not being follow as per norms, cleanliness is important.

Orthodontics and Dentofacial Orthopedics:-

List of journals:- No New Titles (books) purchased in current academic year.

Equipments:-

- Model trimmer (double disc) – 1 (available but not working),
- High intensity light curing unit – 1,
- Set of Orthodontic pliers – 3,
- Ultrasonic cleaner capacity 3.5 liters – 1,
- Electropolisher – 1,
- Typodonts with full teeth set -3
- Computer software for cephalometrics – 1 (not in working condition),
- Refrigerator -1.

Inspectors observation:-

- Academic and preclinical/clinical work of P.G. students is delayed.

- Record keeping is very poor.

Prosthodontics and Crown & Bridge:-

List of journals: - No New Titles (books) purchased in current academic year.

Inspectors observation:-

- Most of the Chairs are hydraulic
- Autoclaves need to be maintained (No B Class)
- CAD-CAM not present
- No Centralized casting ceramic lab
- No Centralized Compressor

Oral & Maxillofacial Pathology and Oral Microbiology:-

Equipments:-

Computer with internet connection with attached printer and scanner -1,
Audio visual system -1

Inspectors observation:-

- Preclinical lab to be upgraded.
- Advance equipments are required.
- Cleanliness is required.

Oral & Maxillofacial Surgery:-

Clinical material: - There are 55 patients on day 2nd of inspection against the requirement of 60.

List of journals: - No New Titles (books) purchased in current academic year/.

Inspectors observation:-

- Cleanliness is very poor.
- Autoclave is not working.

Conservative Dentistry and Endodontics:-

Clinical material: - There are 57 patients on day 2nd of inspection against the requirement of 70.

List of journals: - No New Titles (books) purchased in current academic year

Inspectors observation:-

- The operating microscope needs to be upgraded.
- Autoclaves not working (no B class Autoclave)
- X-ray unit needs to be upgraded.

5(12) **Periodic Inspection Report dated 15th & 16th April, 2024 conducted at RKDF Dental College & Research Centre, Bhopal (Madhya Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 15th & 16th April, 2024 conducted by Council's Inspectors Dr. T.P. Chaturvedi, Varanasi (Uttar Pradesh), Dr. Gurung Mistry, Navi Mumbai (Maharashtra) and Dr. Vijay V.K., Coimbatore (Tamil Nadu) at RKDF Dental College & Research Centre, Bhopal (Madhya Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure

compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

- Sr. No. Deficiencies as per BDS Inspection Report:-
1. **Land & Infrastructure Details:-**
Verification of Ownership from Land Record - not mentioned
The availability of sewage treatment plant - not mentioned.
 2. **Infrastructure & Functional Requirements:-**
Pollution Control Measures:-
All the Dental Institutions shall take adequate Pollution Control Measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc.-
Available for Medical College
Auditorium:-
Requirement - To accommodate at least 500 people consisting of - proper seating arrangements, reception counter, green rooms, lobby, fitted with sound system, slide and multimedia presentation facility – 4000 sq.ft

Observation- Small auditorium only for 100 people participation
 3. The availability of Principal/Dean's Bungalow - not mentioned.
 4. **Hostel for Girls and Boys:-**
Hostel is shared by other colleges / institutions
 5. **Major Equipments:-**
Dental Chairs:- Electrical Dental Chairs Installed with all the attachments thereon.
Observation:- Majority of UG Dental Chairs are manual as it is mentioned
 - (i) **Prosthodontics and Crown & Bridge:-**
 - Dental Chairs and Units – 34 (Manual chair partial functional)
 - Phantom Heads – 50 (not working / partially working)
 - (ii) **Conservative Dentistry and Endodontics:-**
 - Dental Chairs and Units – 34 (Non – functional only manual chair with light)
 - Apex Locator - 1
 - Glass Bead Sterilizer – 2
 - Intra Oral X-ray Unit – 1
 - Radiovisiography (RVG with Computer) – 1
 - Ultrasonic Cleaner (minimum capacity 5 liters) – 1
 - Spindle Grinder – 1
 - Vibrator – 2 - not mentioned
 - Burnout Furnace – 1 - not mentioned
 - Porcelain Furnace – 1
 - (iii) **Dental Anatomy, Embryology, Oral Histology and Oral Pathology**
Dental Chairs and Units – 2 (Manual chair not functional)

Histopathology Room:-

Hot Air Oven – 1

(iv) Oral & Maxillofacial Surgery:-

- Dental Chairs and Units – 30 (Only Manual Partial working)
- Autoclaves – 2 non working
- Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) – 1
- Emergency Drug Tray – 1
- Oxygen cylinder with Adult and Pediatric Mask – 1
Not available for UG (only for PG)
- Computer (with minimum basic specification (not below core i3 processor) – 1 not mentioned
- High volume suction – 1
- Surgical straight hand piece – 1

(v) Periodontology:-

Dental Chairs and Units – (10 chair manual / not working)

(vi) Orthodontics and Dentofacial Orthopedics:-

Dental Chairs and Units – 18 (only manual partial functional)

(vii) Pediatric and Preventive Dentistry:-

Dental Chairs and Units – 20 not properly working.

(viii) Oral Medicine and Radiology:-

- Dental Chairs and Units – 12 not working
- Panoramic X-ray with Cephalometric – 1 not working
- Radiovisiography (Digital intra X-ray system with one Sensor and Software) – 1
- General X-ray Unit – 1
- Ortho Pantmograph - 1 not mentioned
- Automatic Developers/Dark Room - 1 not working
- Lead Aprons – 1
- Intra Oral Camera (With High Solution) – 1

(ix) Public Health Dentistry:-

Dental Chairs and Units – 16 (partial functional)

Mobile Clinic:-

Dental Chair with Unit – 2 partial functioning of chair

6. Inspectors Observations:-

- Physical Journals in various specialties are available till 2017. Seating arrangements and infrastructure inadequate.
- Records were not maintained for implants and conscious sedation.
- Dental Van does not have college name or logo on the outside, so ownership is doubtful.
- Purchase order for last 5 years were provided, but

not in proper order.

- Although teaching staff of Dental College were present on the days of inspection, but some teaching staff are visiting, as it appears due to non availability of DCI biometric attendance and discrepancy in salary structure.
- Infrastructure of Lecture Hall can be enhanced.

Deficiencies as per MDS inspection Report:-

7 **Prosthodontics and Crown & Bridge:-**

Library Details:-

Availability of new titles purchase in current academic year- not mentioned.

Equipments:-

X-ray viewer – 2 not working

Clinical Lab for Prosthetics:-

Dewaxing unit – 2 not working

Chrome – Cobalt Lab Equipment:

- Burnout Furnace – 1 not working
- Model Trimmer with diamond disc – 1 not working
- Preheating furnace – 1 not working

8. **Oral & Maxillofacial Pathology and Oral Microbiology:-**

Library Details:-

Year/month up to which latest National and International Journals available – not mentioned.

Seating capacity -not mentioned.

Equipments:-

- Multi headed microscope (Penta Headed) – 1
- Immunohisto chemistry lab with facilities for antigen retrieval and staining – Basic IHC stains including not limited to:- Vimentin, Desmin, S-100, Smooth Muscle action – 1

9. **Conservative Dentistry and Endodontics:-**

Equipments:-

- Operating Microscope – 1
- Composite curing unit - 1

10. **Pediatric and Preventive Dentistry:-**

Library Details:-

Availability of seating capacity- not mentioned.

11. **Oral Medicine and Radiology:-**

Equipments:-

- Punch Biopsy Tool – 2 (Expired)
- Biopsy equipment – 1 (Expired)
- Emergency medicines kit – 1 (Expired)
- Automatic radiographic film processors – 2
- Digital Camera – 1
- Lacrimal probes – 2 sets
- Sialography cannula – 2 sets
- CBCT – 1

12. **Orthodontics and Dentofacial Orthopedics:-**

Library Details:-

No New titles purchase in current academic year

Equipments:-

Dental Chairs and Units – 1

Checklist for Inspectors:-

DCI biometric machine is not functional.

13. **Oral & Maxillofacial Surgery:-**

Library Details:-

Availability of New titles purchase in current academic year- not mentioned.

(13) **Periodic Inspection Report dated 15th & 16th April, 2024 conducted at Genesis Institute of Dental Sciences & Research, Ferozepur (Punjab) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 15th & 16th April, 2024 conducted by Council's Inspectors Dr. S.K. Mishra, Aligarh (Uttar Pradesh), Dr. Shantanu Choudhari, Ahmedabad (Gujarat) and Dr. G.M. Sogi, Mullana (Haryana) at Genesis Institute of Dental Sciences & Research, Ferozepur (Punjab). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. Deficiencies as per BDS Inspection Report:-

1 **Hospital:-** Clinical Material in General Hospital is inadequate on both days of inspection i.e. 26 and 30 respectively

2 **Major Equipments:-**

Public Health Dentistry:-

Dental Chairs and units – 7

Deficiencies as per MDS Inspection

Report:-

3 **Oral & Maxillofacial Pathology and Oral**

Microbiology:-

Deficiency of 2 Lecturers

4 **Periodontology:-**

Equipments:- Gracey's curettes – 1 set

Inspectors Observations:-

12 chairs in UG Clinic & 06 Chairs in PG not working in the department.

5 **Oral Medicine and Radiology:-**

Library Details:- List of Journals – Hard copy not available

Equipments:- Laser soft tissue – 1

5(15) **Periodic Inspection Report dated 15th & 16th April, 2024 conducted at Century International Institute of Dental Sciences and Research Centre, Kasaragod (Kerala) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 15th & 16th April, 2024 conducted by Council's Inspectors Dr. Pavan Kumar Dubey, Varanasi (Uttar Pradesh) and Dr. Bhavana Kaul, Jammu (J&K) at Century International Institute of Dental Sciences and Research Centre, Kasaragod (Kerala). The purpose of the inspection was to assess the physical facilities for teaching BDS course, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. There are following deficiencies:-

- 1 **Medical Staff:-** (Details not mentioned)
 - Obstetrics & Gynaecology - (Required:2)
 - ENT- (Required:2)
 - Paediatrics- (Required:2)
 - Anaesthesia- (Required:2)
 - Orthopaedics- (Required:2)
 - Pharmacologist- (Required:1)
 - Radiologist- (Required:1)
 - GDMO- (Required:1)
 - Community Medicine- (Required:1)
 - Hospital Administration- (Required:1)
- 2 **Nursing Staff:-**
 - Sister Incharge - 2
 - O.T Nurses - 2
 - General Nurses –14
- 3 **Health Staff:-**
 - Lab Technician/Blood Bank Tech- 3
 - Pharmacist - 3
- 4 **Engineering Staff:-**

- Civil -2
 - Mechanical –2
 - Electrical – 2
 - Engineering Aid – 4
- 5 **Other Staff:-**
- Carpenter- 1
 - Barber- 1
 - Class IV Including chowkidars - 54
- 6 **Administrative Staff:-**
- UDC - 2
 - LDC - 4
- 7 **Clinical Material:-**
- There are 97 Patient on first day of the Inspection against the requirement of 100
- 8 **Land & Infrastructure Details:-**
 Whether Completion Certificate furnished from the Competent Authority - **Not Attached**
 Whether Bio-waste incinerator is available – **No**
 Whether Fire and Safety Certificate obtained from the Competent Authority :- Not available
- Whether Anatomical act has been obtained from (DME of concerned State) Competent Authority :- **No**
- 9 **Infrastructure & Functional Requirements:-**
Amenities Area:
 Common Room for non-teaching staff – **not available**
 Common Room for teaching staff – **not available**
 Change Room for Men - **not available**
 Change Room for Women - **not available**
- 10 **Non – Teaching Staff:-**
 Available but institutional ID not issued and letter of appointments **not available with the employee.**
- 11 **Central Library:-**
 E-Consortium provision to be provided in the college Library connected with the National Medical Library – **not available**
- 12 **Major Equipments:-**
- 12(i) **Prosthodontics and Crown & Bridge:-**
 Dental Chairs and Units – 2
Ceramic and Cast Partial Laboratory:-
 Plaster Dispenser:- (a) for plaster -1
 Model Trimmer with Carborandum Disc:- 1
(water outlet is not provided)
 Model Trimmer with Diamond Disc:- 1 **(water outlet is not provided)**
- 12(ii) **Conservative Dentistry and Endodontics:-**
 Amalgamator :- (with auto proportion, auto dispenser) – 3 **(not maintained)**

- Phantom Lab Unit:- 55 (not provided with micromotors)
- Clinical Laboratory:-**
Burnout Furnace – 1
- 12(iii) **Paediatric and Preventive Dentistry:- (Pedo Lab):-**
Model Trimmer:-
(a) Diamond Disc-1 (b) Carborandum Disc- 1
- 12(iv) **Public Health Dentistry:-**
Mobile Clinic:-
Dental Van – Very Unhygienic
Autoclaves (having wet and dry cycle, which can achieve 135° C with minimum capacity of 20 liters)– 1
Intraoral X-Ray (Portable) –1
Portable Dental Chairs (Suitcase unit with Airroter, Micromotor, Scaler and Compressor 0.25 HP)- 1
- 13 **Check list for Inspectors:-**
AERB Certificate :- (RSO Registered is not working presently)
NAAC Accreditation Certificate – **Not available**
Whether College has participated in NIRF Ranking Systems - **No**
- 14 **The following Teaching Staff were absent on day one of the Inspection**
- i. Dr. Chaithra Laxmi - (Reader)
 - ii. Dr. Vanishree T- (Reader)
 - iii. Dr. Salooj Sreelatha Rajan - (Lecturer)
 - iv. Dr. Sonu Ramdan - (Lecturer)
 - v. Dr. Nuwaid Noorudheen Ahmed - (Tutor)
 - vi. Dr. Harisankar D – (Tutor)
 - vii. Dr. Hanana T Z - (Tutor)
 - viii. Dr. Nabeesath Misriya P A – (Tutor)
 - ix. Dr. Sudina C V – (Tutor)
 - x. Dr. Sakeera C M – (Tutor)
 - xi. Dr. Shihab C M - (Tutor)
 - xii. Dr. Muhammed Fayid .V P- (Tutor)
 - xiii. Dr. Sajila – (Tutor)
- 15 **The following Non- Teaching Staff were absent on day one of the Inspection**
- Ms Sreelekha - (Office suptd.)
- i. Mr. Ganesh - (Assistant)
 - ii. Ms. Sasikala - (Clerk)
 - iii. Ms. Sajitha CM - (Clerk)
 - i. **(Receptionist)**
 - ii. Ms. Sarojini
 - iii. Ms. Narayani P
 - iv. Ms. Madhavi
 - v. Ms. Savithri
 - vi. Ms. Rohini
 - vii. Ms. Baby

- viii. Ms. Sobha
- ix. Ms. Shyamala
- x. Ms. Bindu PM
- i. **(Chair side attendant)**
- ii. Ms. Dhakshyani –
- iii. Ms. Lekshmi
- iv. Ms. Omana
- v. Ms. Sreekanth vk
- vi. Ms. Sayroj M
- vii. Ms. Shabina MT
- viii. Ms. Abiyamol Benny
- ix. Ms. Muhammed Shafi
- x. Ms. Jishu Chalil
- xi. Ms. Adithya A
- xii. Ms. Anna Abraham–
- xiii. Ms. Sreekutty AT
- xiv. Ms. Astami M
- xv. Ms. Aneena CM
- xvi. Ms. Alizabath Augustin

(Dental Mechanic)

- i. Ms. Ann liz Roy –
- ii. Ms. Abdullakutty
- iii. Ms. Marjan
- iv. Ms. Ayishath Hudha
- v. Ms. Divya
- vi. Ms. Gangadharan Nair

(Dental Tech.)

- i. Ms. Sneha Prakash
- ii. Ms. Deepthi S
- iii. Ms. Premjith P
- iv. Ms. Bipin K

(Dental Hygst.)

- i. Ms. Arunkumar T
- ii. Ms. Harishankar
- iii. Ms. Anitha Pk
- iv. Ms. Abdul Jaleel Ahammed
- v. Ms. Prabhin KP
- i. Ms. Jessyamma Thomas
(Radiographer)
- ii. Ms. Shobha V (Radiographer)
- iii. Ms. Raman (Helper Electrical)
- iv. Ms. Gheetha (Sweeper)

- 16 **Inspectors Observations:-**
- 16(i) Manpower details in respect to Paramedical staff was not furnished with attendance on Day 1 (15.04.2024)
 - 16(ii) The attendance for teaching & non-teaching staff was not recorded at specified time as per DCI recommendations on (15.04.2024)
 - 16(iii) Institutional IDs of college employees was not produced by majority of the employees
 - 16(iv) Clinical material on Day 1 was inadequate in dental OPD and nil in the departments of Orthodontics, Public Health Dentistry, Pedodontics, and Oral Pathology.
 - 16(v) The clinical material on day 2 of Medical

- Hospital was not upto the mark.
- 16(vi) Biomedical Waste Inclinator is not available as per required & norms of Govt. of Kerala.
- 16(vii) Fire safety certificate from Competent Authority is not available
- 16(viii) Ceramic & CPD Lab: - wet areas & dry areas are not clearly demarcated.
- 16(ix) **Conservative Dentistry-** Most of the instruments & equipments kept in a very neglected manner.
Facilities like burn out furnace & casting machine are being shared with Prosthodontics which is not as per DCI norms.
- 16(x) DADH: No Separate register maintained for specimen received.
- 16(xi) ORTHO: OPG is being shared with OMR
- 16(xii) PEDO: Model trimmers not functional.
- 16(xiii) PHD: Mobile clinic deficient with 1 chair, does not have IOPA- X-ray, maintained in very shady Manner, very unhygienic Mobile van, Counseling room not available

5(16) **Periodic Inspection Report dated 8th & 9th April, 2024 conducted at R.R. Dental College & Hospital, Udaipur (Rajasthan) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 8th & 9th April, 2024 conducted by Council's Inspectors Dr. Virendra Vadher, Raipur (Chhattisgarh) and Dr. Anshu Sahu, Hazaribag (Jharkhand) at R.R. Dental College & Hospital, Udaipur (Rajasthan). The purpose of the inspection was to assess the physical facilities for teaching BDS course, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

There are following deficiencies:-

1. **Hostel for Boys & Girls:-**
 - Dwelling / Single Seater / Twin Seater for Boys and Girls – **Not available**
2. **Central Library:-**
 - Atleast 5 Titles & 10 Volumes of Latest edition for all dental medical and allied specialties/subjects- Back Volume –**Not Available**
3. **Major Equipments:-**
 - Dental Chairs: Required 200 (Available 180 functional chairs) 20 Dental Chairs is **not functional.**
Prosthodontics and Crown & Bridge (Ceramic and Cast Partial Laboratory):-
 - Ultrasonic Cleaner (5 liters capacity) – 1 (only 1 liter available)

4. **Inspectors Observation:-**

- No Ethical and Scientific Committee.

5(17) **Periodic Inspection Report dated 12th & 13th April, 2024 conducted at North Bengal Dental College & Hospital, Siliguri (West Bengal) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 12th & 13th April, 2024 conducted by Council's Inspectors Dr. Shishir Singh, Navi Mumbai (Maharashtra) and Dr. Kanteshwari I.K. Indore (Madhya Pradesh) at North Bengal Dental College & Hospital, Siliguri (West Bengal). The purpose of the inspection was to assess the physical facilities for teaching BDS course, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. There are following deficiencies:-

1. **Land & Infrastructure details:-**

Whether Pollution control board norms are followed –
Applied
Sewage Treatment Plant – Not available

2. **Infrastructure & functional requirement:-**

Staff Quarters:-

Principal/ Dean's Bungalow – Not available.

Staff Quarters – Not available.

3. **Dental Teaching Staff:-**

Deficiencies of 2 Readers, in the Department of Prosthodontics and Crown & Bridge.

Deficiencies of 1 Professor and 1 Reader in the department of Oral & Maxillofacial Pathology and Oral Microbiology.

Deficiencies of 2 Readers in the department of Conservative Dentistry and Endodontics.

Deficiencies of 2 Readers in the department of Oral & Maxillofacial Surgery.

Deficiencies of 2 Readers in the department of Periodontology.

Deficiency of 1 Reader in the department of Oral Medicine and Radiology.

Deficiency of 1 Reader in the department of Public Health Dentistry.

4. **Non - Teaching Staff:-**

Secretary to Dean – 1

Public Relation officer – 1

Manager/ Office suptd – 4

Assistants – 9
Receptionist – 9
D.S.A. (Chair Side Attendant) – 11
Dent. Tech. (Dental Mechanic) – 4
Dent. Hygst. – 2
Radiographer – 1
Photographer – 1
Artist – 1
Computer Programmer – 1
Physical director – 1
Attenders – 18
Security personal – 1
Dept. Secretaries – 4
Driver – 4
Lab. Technicians– 3

5. **Major Equipments deficiencies:-**

Prosthodontics and Crown & Bridge:

Dental chairs and units - 3
Heavy duty hand piece – 1

Deflasking unit – 2

Phantom heads – 5

(Pre-Clinical Prosthetics laboratory):

Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool - 25

Conservative Dentistry and Endodontics:-

Restorative instruments kits - 2

R.C.T. Instrument kits - 3

Phantom lab unit - 6

Clinical laboratory:-

Lab Airrotor - 1

Oral & Maxillofacial Surgery:-

Dental chairs and units – 2

X-ray viewers – 1,

Periodontology:-

Dental chairs and units – 5

Needle burner with syringe cutter - 1

Orthodontics and Dentofacial Orthopedics:-

Unit Mount Scaler – 2

Pediatric and Preventive Dentistry:-

Dental chairs and units – 1

Rubber dam kit for pedo – 1

Scaling instruments – 1

Restorative instruments – 1

5(18) **Periodic Inspection Report dated 15th & 16th April, 2024 conducted at HKDET's Dental College & Hospital, Humnabad, Bidar, (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 15th & 16th April, 2024 conducted by Council's Inspectors Dr. Naresh Kumar Sharma, Varanasi (Uttar Pradesh), Dr. Sharmishta Vijay, Jaipur (Rajasthan) at HKDET's Dental College & Hospital, Humnabad, Bidar, (Karnataka). The purpose of the inspection was to assess the physical facilities for teaching BDS course, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No. There are following deficiencies:-

1. **Land & Infrastructure Details:-**

Sewage treatment plant is not available.

2. **Dental Teaching Staff:-**

1 Reader deficient in Department of Conservative Dentistry and Endodontics
Deficiency 4 Tutors

3. **Major Equipments:-**

(i) **Prosthodontics and Crown & Bridge:-**

- Pre Heating Furnace – 1
- Hydraulic Press – 1
- Sand Blasting Unit – 1
- H.P Grinder with Suction – 1

(ii) **Conservative Dentistry and Endodontics:-**

- Autoclaves – 1
- Automatic Developer – 1

Clinical Laboratory:- Shared with Prosthodontics and Crown & Bridge

- Plaster Dispenser (for plaster) – 1
- Plaster Dispenser (for stone plaster) - 1
- Model Trimmer Carborandum Disc – 1

- Model Trimmer Diamond Disc – 1
 - Lathe Heavy Duty - 1
 - Lab Micromotor with heavy duty handpiece – 2
 - Ultrasonic Cleaner (Minimum capacity 5 liters) – 1
 - Spindle Grinder – 1
 - Vibrator – 1
 - Burnout Furnace – 1
 - Porcelain Furnace – 1
 - Sandblasting Machine – 1
 - Lab Airrotor – 1
 - Pindex System – 1
 - Circular Saw – 1
 - Vacuum Mixer – 1
 - Pneumatic Chisel – 1
 - Casting Machine (Motor cast/induction casting preferred) – 1
- (iii) • **Dental Anatomy, Embryology, Oral Histology and Oral Pathology (Oral Pathology Reporting Station):-**
Microscope (Trinocular) – 1
- (iv) **Periodontology:-**
Needle Burner with syringe cutter – 3
- (v) **Orthodontics and Dentofacial Orthopedics**
Ortho Lab:-
- Plaster Dispenser for stone plaster – 1
 - Typhodont Articulator (with metal teeth wax rim of class I,II,III) - 2
- (vi) **Pediatric and Preventive Dentistry:-**
- Automatic Developer - 1
 - RCT instruments Kits - 1
- (vii) **Oral Medicine and Radiology:-**
- Automatic periapical X-ray Developer – 1
 - Automatic Developers/Dark Room (as per AERB norms) – 1
 - Needle Burner with syringe cutter - 1
- (vii) **Public Health Dentistry (Mobile Clinic):-**
- Metal Cabinet (with wash basin) – 1
 - Portable Dental Chairs (suitcase unit with Airroter, Micromotor, Scaler and Compressor 0.25HP)-2
4. **Checklist for Inspectors:-**
DCI biometric machine is not functional.

5(70)S **Periodic Inspection Report dated 3rd & 4th May, 2024 conducted at KIMS Dental College & Hospital, Amalapuram (Andhra Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 3rd & 4th May, 2024 conducted by Council's Inspectors Dr. Anand Shigli, Pune (Maharashtra), Dr. Saranjit Singh Bhasin, New Delhi and Dr. Aditya Mitra, Haldia (West Bengal) at KIMS Dental College & Hospital, Amalapuram (Andhra Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS course ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No	Deficiencies as per BDS Inspection Report:-
1.	University Affiliation – Valid up to 27.04.2024
2.	Staff Quarters (Separate From Hostel):- Principal/Dean's Bungalow – Not available
3.	Medical Teaching Staff – Signed list not provided
4.	Non –Teaching Staff : details not provided
5.	Central Library – details not provided
6.	Major Equipments:- Prosthodontics and Crown & Bridge:- Ceramic and Cast Partial Laboratory: - Milling machine – 1.
7.	Conservative Dentistry and Endodontics: - <ul style="list-style-type: none"> • Automatic Developer – 1. • Injectable Gutta Percha – 1.
8.	Dental Anatomy, Embryology, Oral Histology and Oral Pathology: - Television – 1. Histopathology Room – Distilled Water Plant – 1 (Not working). Oral Pathology Reporting Station – Desktop Computer – 1 (Not available).
9.	Periodontology:- Laser (Soft tissue Laser) – 1.
10.	Orthodontics & Dentofacial Orthopedics:- <ul style="list-style-type: none"> • Unit Mount Scaler – 4 • Typodont Articulator – 1.
11.	Pediatric and Preventive Dentistry:- <ul style="list-style-type: none"> • Ultrasonic cleaner – 1. • Radiovisiography – 1. • Computer – 1.
12.	Oral Medicine and Radiology:- <ul style="list-style-type: none"> • Intra Oral X-ray Unit – 1.

- Automatic Periapical X-Ray Developer – 1 (Digital).
- Automatic Panoramic with Cephalometric X-ray Developer – 1 (Digital).
- General X-ray Unit – 1 (Medical College).
- Automatic Developers/Dark Room – 1 (Digital).
- Lead Aprons – 1.
- Biopsy kit – 1.

13 **Public Health Dentistry:-** Ultrasonic cleaner – 2.

Mobile Clinic:

- Mobile dental van – 1. Not as per specification.
- Dental Chair with Unit – 2.
- Autoclaves – 1.
- Metal Cabinet – 1.
- Portable Dental Chair – 2 (Without Airrotor, Micromotor, Scaler and).
- Oxygen Cylinder – 1.
- Public Address System – 1.
- TV and Video Cassette player (pen drive) – 1.
- Demonstration models (minimum) – 10.

14 **Inspectors Observations:-**

1. Total of Thirty (30) MDS Staff (Senior Lecturers) were present. No BDS Staff shown.
2. Amount of clinical work done by undergraduate students were not found satisfactory.
3. The number of Books in Central Library seemed deficient on visual inspection.
4. Institutional Ethics Committees registration details were not available.
5. Details of Non-teaching staff was not provided despite asked for
6. The following deficiencies in equipment were observed.

(i) Pedodontics:-

- (a) No Lab in Department – 1

(ii) Conservative Dentistry :-

- (a) Laser-1
- (b) Instrument Retrieval System – 1.
- (c) Micro Surgery Instruments - 1.

9. No New books purchased in last one year was provided, despite requests.

Deficiencies as per MDS Inspection Reports:-

15 **Conservative Dentistry and Endodontics**

Equipments:-

- Surgical endo kits (Microsurgery) – 2
- Instrument retrieval kits – 2
- Laser (preferably hard tissue) – 1
- Composite curing Unit – 1

Any staff on Notice Period (not to be considered after submission of resignation. - Yes

16

Orthodontics and Dentofacial Orthopedics:-

Clinical Work Load: Speciality: There is deficiency of clinical material there were only 28 patients on 2nd day against the requirement of 30.

Speciality Department Infra Structure Details:- Not mentioned.

Equipments:-

- SLR digital camera – 1
- Scanner with transparency adapter – 1

List of Research Activities – Not mentioned.

17

Oral and Maxillofacial Surgery :-

Equipments:-

- Implantology kit – 1
- Fiberoptic light – 1

Any staff on Notice Period (not to be considered after submission of resignation. - Yes

18

Prosthodontics and Crown & Bridge:-

Dental Teaching Staff:- Dr. Lakshmi Kanta Nayak, Lecturer, was absent on Day 2 of inspection

Equipments:-

- SLR digital camera – 1
- X-ray machine with RVG – 1

Any case of Ragging in the institution in the last one year has been reported. – Yes

Note:- Subject to Correction / Modification if any.