

DENTAL COUNCIL OF INDIA

Executive Committee Meeting of the Dental Council of India held on 18.07.2024 in the Committee Room, Dental Council of India, National Dental Commission Building, Sector-9, R.K. Puram, New Delhi.

Compliance Cases

5. Academic Section Matters

Periodic Inspection Report(s)

5(1) Periodic Inspection Report dated 24th & 25th June, 2024 conducted Guru Nanak Dev Dental College & Research Institute, Sunam (Punjab) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding

To consider the Periodic Joint Inspection Report dated 24th & 25th June, 2024 conducted by Council's Inspectors Dr. G.M. Sogi, Mullana (Haryana), Dr. G.S. Hashmi, Aligarh (Uttar Pradesh) and Dr. Pankaj Sharma, New Delhi at Guru Nanak Dev Dental College & Research Institute, Sunam (Punjab). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report:-
1.	Non – Teaching Staff:-
	Secretary to Dean – 1, Public Relation Officer – 1, Managers / Officer Suptd – 6, Assistants – 2, Receptionist -12, D.S.A (Chair Side Attendant) – 20, Dental Tech. (Dental Mechanic) – 8, Radiographer – 1, Photographer – 1, Computer Programmer – 1, Data Entry Operators – 2, Physical Director – 1, Plumber – 1, Mason – 1, A.C Tech – 1, Helpers Electrical – 2, Dept. Secretaries – 8, Driver – 1, Nurses – 8.
2.	Deficiencies as per MDS Inspection Report:-
(i)	Prosthodontics and Crown & Bridge:-
	Library Details:-
	New Titles (Books) purchased in current Academic Year:- Not mentioned.
(ii)	Oral Medicine and Radiology:-
	Students Academic Presentation:-
	Dr. Megha Bansal (First Year PG):-
	Scientific Publication (Required One publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Dr. Jaskeerat Kaur (First Year PG):-
	Scientific Publication (Required One publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil

5(6) Periodic Inspection Report dated 24th & 25th June, 2024 conducted at Maharana Pratap College of Dentistry & Research Centre, Gwalior (Madhya Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding

To consider the Periodic Joint Inspection Report dated 24th & 25th June, 2024 conducted by Council's Inspectors Dr. Veena V. Naik, Belgaum (Karnataka), Dr. Binoy Kumar Singh, Patna (Bihar) and Dr. Sarita Parihar Varanasi, (Uttar Pradesh) at Maharana Pratap College of Dentistry & Research Centre, Gwalior (Madhya Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	Medical College Attachment:- Whether MOU is signed by Competent Authorities between Medical and Dental College for teaching purpose – Not Provided.
2.	Land & Infrastructure Details:-
(i)	Is the land contiguous and makes a single piece of land – information not provided.
(ii)	Approval Plans/ Land Use Conversion (Approved by LDA/ Municipality/ Competent Authority) – Information not provided.
(iii)	Verification of Ownership from Land Records – Information not provided.
(iv)	Total Constructed Area – Information not provided.
(v)	Whether Completion Certificate furnished from the Competent Authority – Information not provided.
(vi)	Whether Pollution Control board norms are followed – Information not provided.
(vii)	Whether Sewage Treatment Plant is available. – Information not provided.
(viii)	Whether Bio-Waste management is followed as per PCBI – Information not provided.
(ix)	Whether Bio-Waste incinerator is available – Information not provided.
(x)	Whether Fire and Safety Certificate obtained from the Competent Authority – Information not provided.
(xi)	Whether Anatomical Act has been obtained from Competent Authority – Information not provided.
3.	Non-Teaching Staff:- Public Relation officer – 1, Managers/ Office Suptd – 6, Assistants – 10, Receptionist – 11, D.S.A. (Chair side Attendant) – 9, Dent. Tech. (Dental Mechanic) – 4, Dent. Hygst. – 4, Radiographer – 1, Photographer – 1, Artist – 1, Physical Director – 1, Engineer – 1, Electricians – 1, Helpers Electrical – 1, Sweepers & Scavengers – 6, Attenders – 16, Dept. Secretaries – 4, Driver – 3, Nurses – 6.
4.	Central Library:- E- Journals details:- Not available
5.	Major Equipments:- Whether all the Chairs and Units are functioning and electrically operated – No.
(i)	Prosthodontics and Crown & Bridge:- Dental Chairs and Units – 17 (most of the chair were not functional), Dewaxing Unit – 3, Light Cure Unit – 2, Surveying Unit – 2, Heavy Duty Hand Piece (Lab Micromotors) – 3, Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Needle Burner with Syringe Cutter – 2, Model Trimmer with Diamond Disc – 1, Acrylizer – 1, Flask Press – 2, Hydraulic Press – 1, Mechanical Press – 1, Vacuum Mixing Machine – 1, Lab Micro Motor (With

	<p>Heavy Duty Handpiece) – 4, Curing Pressure Pot – 1, Porcelain Furnace – 2, Vibrator – 2, Sand Blasting Unit – 2, Ultrasonic Cleaner – 2, Hot Water Sterilizer – 2, Geyser (Compound Bath) – 2, H.P. Grinder with Suction – 3, Heavy Duty Lathe – 2, Phantom Heads – 50, Pre-Clinical working tables (gas connection & bunson burner) – 100.</p> <p>(Ceramic and cast partial laboratory):- Circular Saw – 1, Spindle Grinder 24,000 RPM with Vacuum Suction – 1, Milling machine – 1,</p> <p>(Pre-Clinical Prosthetics Laboratory):- Work Table Preferably complete stainless steel fitted with light, Bunsen Burner, Air Blower, working stool – 60, Adequate number of Lab Micro Motor with attached Hand Piece – 50.</p>
(ii)	<p>Conservative Dentistry and Endodontics:- Dental Chairs and Units - 34 (most of the chair were not functional), Rubber Dam Kits – 4, Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Pulp Tester-Digital – 3, Automatic Developer – 1, Endo Motor (With torque control Hps) – 1, Magnification Loops – 2,</p> <p>(Clinical Laboratory):- Lab Micromotor (With heavy duty handpiece) – 2, Circular saw – 1, Pneumatic chisel – 1.</p>
(iii)	<p>Dental Anatomy, Embryology, Oral Histology And Oral Pathology:- Slides – 98, Spencer Knife – 1, Television – 1, Teaching slides set with box (3 Sets (with minimum of 60 slides in each set) – Not mentioned, Education Model – 5</p> <p>Histopathology Room:- (Oral Pathology Reporting Station): Colour Printer - 1</p>
(iv)	<p>Oral & Maxillofacial Surgery:- Dental Chairs and Units – 30 (maximum chair were not functional), Autoclaves (Front loading Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 2, Needle Burner with Syringe Cutter – 2,</p>
(v)	<p>Periodontology:- Dental Chairs and Units – (34 available but 50% Ultrasonic scaler was not present), Needle Burner with Syringe Cutter – 2, LASER (Soft tissue Laser) - 1</p>
(vi)	<p>Orthodontics & Dentofacial Orthopedics:- Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 2, (Ortho Lab): OPG with Cephalostat – 1</p>
(vii)	<p>Paediatric and Preventive Dentistry:- Ultrasonic cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1, Rubber Dam Kit for Pedo – 4, Automatic Developer – 1, (PEDO LAB): Vibrator – 1.</p>
(viii)	<p>Oral Medicine and Radiology:- Dental Chairs and Units – 12 (Not functional), Automatic Panoramic with Cephalometric X-ray Developer – 1, General X-ray Unit – 1, Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Computers – 1, Intra Oral Camera – 1</p>
(ix)	<p>Public Health Dentistry:- Dental Chairs and Units – 6, Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1, Needle Burner with Syringe Cutter – 3, (Mobile Clinic): Intraoral X-Ray (Portable) – 1, Glass bead sterilizers – 1, Portable Dental</p>

	Chair (Suitcase unit with Airrotor, Micromotor, Scaler and Compressor 0.25HP) – 2.
6.	Inspectors Observations:-
(i)	No cadaver lab available in Anatomy Dept.
(ii)	Physiology, Biochemistry, Pathology, Pharmacology labs not satisfactory.
(iii)	Dental Chairs most of them are non – functional.
(iv)	Computers, printers & scanners are non – operational.
(v)	General Hospital, Registration certificate is upto 31 st March, 2024.
(vi)	No agreement with Medical college & hospital according to govt. letter Rs.6000/- per student per year to be paid for clinical training. No proofs of payment.
(vii)	No. of Patients shown in data does not match with physical verification for dental hospital.
7.	Deficiencies as per MDS Inspection Report :-
(i)	Prosthodontics and Crown & Bridge:-
	Library details:- Internet facilities are not available Photocopy facilities are not available.
	Equipments:- Electrical Dental Chairs and Units – 4, Computer with internet connection with attached printer and scanner – No internet connection, (Metal Casting Lab): Milling machine – 1, Lab micro motor – 1 (not mentioned), (Ceramic Lab Equipment): Ceramic kit (instruments) – 2, Ceramic polishing kit – 1, (Implant Equipment): All the Equipments are Common with Periodonotoly and Oral Surgery.
	Observations:-
	Following Staff & PG were absent on both days:-
	Dr. Divya Tomar, Dr. Amit was absent on day 1 of the inspection. PG students Dr. Navneet Saxena absent on day 1 of inspection.
	Most of the faculty members last salary have been of December 2023, deposited in May 2024 and no salaries paid thereafter.
	No E-library. No latest Journal hard copies.
	Dental chairs are not in working condition.
	Implant and laser clinic not satisfactory.
	Two Sr. Lecturers deficient.
(ii)	Conservative Dentistry & Endodontics:-
	There are deficiencies of 2 Lecturers.
	Library details:- New Titles (Books) purchased in current Academic Year – Nil, Photocopy facilities are not available
	Equipments: - Pulp tester – 1, Operating microscopes – 1, Magnifying loupes – 8, Laser (preferably hard tissue) – 1, Composite curing Unit – 1.
	Observations:-
	Dr. Divakar & Dr. Akash Sharma, Tutors, paid salary in cash but no proof..
	Most of dental chairs are not functional.
	E-library and latest Journals not available.
(iii)	Periodontology:-
	Library details:- Photocopy facilities are not available
	Equipments :- Airoter hand pieces – 1, W.H.O probe – 2, Nabers probe – 1, UNC-15 probe – 4, Gold Man fox probe – 1, Pressure sensitive probe – 1, Marquis color coded probe – 1, Arkansas

	sharpening stone – 1, (Surgical Instruments):- Electro surgery unit – 1, (Special Surgical Instruments):- Mc Calls universal curettes – 1, Mini five curettes – 1, Bone fixation screw kit – 1, Bone scrapper – 1, Bone trephines for harvesting autografts – 1, Bone condenser – 1, Centrifuge for PRP/PRF preparation – 1, Soft tissue laser (8 watt) – 1, Osteotome – 1, (Miscellaneous Instruments):- Splinting kit with material – 1, Composite finishing kit – 1, Digital camera – 1, Emergency kit – 1, Computer with internet connection with attached printer and scanner – No printer & Scanner, (Implant Equipment):- Electrical dental chair and unit – 1, Physio dispenser – 1, Implant kit – 1, Implants – 1, Implant maintenance kit (plastic instruments) – 1, Implant guide – 1, X-ray viewer – 1, Ultrasonic cleaner capacity 3.5 lts – 1, Autoclave – 1, Digital X-ray system – 1, Surgical kit – 1, Sinus lift kit – 1, Implant removing kit – 1.
	Observations:-
	Dr. Mona and Dr. Divya were absent on both days of inspection.
	Dr. Nidhi, Dr. Akash & Dr. Akanksha absent on day 1 of inspection and PGs – Dr. Neel Raj & Dr. S. P. Rajawat absent on day 1 of inspection
	Dr. Akash Sharma – No recent publications.
	Staff members last salary paid in March, 2024. Some salaries paid in cash – no proof.
	E-library & latest journals are not available.
	Implant & laser clinic are not satisfactory.
(iv)	Orthodontics and Dentofacial Orthopedics:-
	Library details:- Internet facilities are not available Photocopy facilities are not available
	Equipments :- Computer software for cephalometrics – 1
	Observations:-
	Dr. Ashwani Jadon, Dr. Saurabh Bhatt and Dr. Poorvasha absent on both days.
	Dr. Saksham absent on day 1 of the inspection
	Dr. Gaurav & Dr. Saurabh Parihar have drawn last salary of Dec, 2023 which was deposited in May, 2024.
	Dr. Ashish Jain & Dr. Parul Singh are paid salary in cash, No proof attached.
	Few of dental chairs were not functional.
	E-library & latest journals are not available.
(v)	Oral and Maxillofacial Surgery:-
	There is deficiency of 1 Lecturer.
	Clinical Work load: - There were only 55 patients on 1 st day of Inspection against the requirement of 60.
	Library details:- Photocopy facilities are not available
	Equipments :- Implant kit – Attached Periodontology & Prosthodontics, Implantology system - Attached Periodontology & Prosthodontics, Number of implants - Attached Periodontology & Prosthodontics, Magnifying loops – 1.
	Observations:-
	Dr. Udit Prakash, Reader and Dr. Satish Bhatele absent on both days of inspection. PGs Dr. Vikas, absent on day 1 of inspection
	Dr. Satish Bhatele is paid salary by cash there are no proof.
	Most of dental chairs are not functional.
	E-library & latest journals are not available.

	No surgeries done in attached hospital.
	Implant & Laser clinics are not satisfactory.
(vi)	Oral & Maxillofacial Pathology and Oral Microbiology:-
	There are deficiencies of 2 lecturers.
	Library details:- Photocopy facilities are not available.
	Equipments :- Paraffin wax bath – 1, Leuckhart pieces – 5, Block holders – 20, Steel slide racks for staining – 3, Multi head microscope – 1, Immunohisto chemistry lab with facilities for antigen retrieval and staining –Basic IHC stains including not limited to: (Vimentin, Deshmin, S-100, Smooth Muscle action) – 1, Audio Visual System – 1.
	Observations:-
	PGs – Dr. Prachi Gupta and Dr. Yogesh Sharma absent on both days of inspection
	Salary – Dr. Vinod Sargaiyan last salary Dec, 2023 received in May, 2024. Dr. Manu Smriti Mishra has not received salary since Feb, 2024.
	Library – No latest Journals, no E-Journal.
(v)	Oral Medicine and Radiology:-
	Library details:- Photocopy facilities are not available
	Equipments :- Extra oral radiography machine (100kvp) – 1, Automatic radiographic film processors – 2, Digital sphygmomanometer – 1, Digital blood glucose tester – 1, Digital camera – 1.
	Observations:-
	The following Staff and PGs were absent on day 1 and day 2 of the inspection.
	Dr. Rohit Agrawal, Dr. Shikha Singh, Dr. Dipti Bhardwaj, Dr. Mitali Singh, Dr. Preeti Bhadoriya.
	PGs – Dr. Rana Gupta & Dr. Himanshu Sinhal on both days. Dr. Abhishek yadav & Dr. Shanti Swaroop Ram Mittal & Dr. Mayank Shrivastava absent on day 1 of the inspection
	Dr. Megha Goyal Prof & HOD, Dr. Mayuri Jain, Reader has received Dec, 23 salary in the month of May 2024 & No Salary thereafter.
	Latest journals in print & also E-Journals are not available.
	Most of dental chairs are not functional.
	PG activities are not upto date.
(vi)	Pediatric and Preventive Dentistry:-
	Clinical Work load: - There were only 39 patients on 2 nd day of Inspection against the requirement of 40.
	Library details:- New Titles (books) purchased in current Academic year – Nil, Photocopy facilities are available – No.
	Equipments: - Dental Chairs and Units – 6 (not mentioned), Conscious sedation unit – 1, Audio Visual System – 1, Refrigerator – 1.
	Observations:-
	The following Staff & PG were absent.
	Dr. Garima, Dr. Neha and Dr. Sakshi on both days. Dr. Nidhi Gupta & Dr. Chayan Jain on day 1 of the inspection
	PGs- Dr. Upma Dhakad absent on both days.
	Dr. Nidhi Gupta & Chinki Bansal received salary of Dec, 23 in May, 2024 and no salary thereafter. Some faculty members are paid in cash but there are no proof.

	Library - In print & on-line latest Journals are not available. There is no E-library.
	Dental Chairs are not in working condition.

5(7) **Periodic Inspection Report dated 25th & 26th June, 2024 conducted at Indira Gandhi Institute of Dental Sciences, Puducherry for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 25th & 26th June, 2024 conducted by Council's Inspectors Dr. Vikas Dhupar, Goa, Dr. Pradeep G.L., Nashik (Maharashtra) and Dr. Suparna Ganguly Saha, Indore (Madhya Pradesh) at Indira Gandhi Institute of Dental Sciences, Puducherry. The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per BDS Inspection Report:-
1.	Bio-Waste incinerator is not available
2.	The following Dental Teaching Staff were absent on the day of Inspection:
(i)	Conservative Dentistry and Endodontics:-
	<ul style="list-style-type: none"> • Dr. Vigneshwari S. K., Reader, was absent on both days of inspection. • Dr. Ragavi, Reader, was absent on 1st day of inspection.
(ii)	Oral Pathology and Microbiology:-
	<ul style="list-style-type: none"> • Dr. Suganya R, Reader, was absent on both days of inspection. • Dr. Uma Maheshwari. G., Senior Lecturer, was absent on 1st day of inspection.
(iii)	Oral Maxillofacial Surgery:-
	<ul style="list-style-type: none"> • Dr. Balaji R S, Reader, was absent on 1st day of inspection. • Dr. Srinivedha. C. V. Senior Lecturer, was absent on 1st day of inspection.
(iv)	Periodontics:-
	<ul style="list-style-type: none"> • Dr. Vineela Kattam, Reader, Professor, was absent on both days of inspection.
(v)	Public Health Dentistry:-
	<ul style="list-style-type: none"> • Dr. Shivashankar. K., Reader, Professor, was absent on both days of inspection. • Dr. Divvi Anusha, Reader, was absent on 1st day of inspection. • Dr. Rene Selestina J. P., Senior Lecturer, was absent on both days of inspection.
(vi)	Prosthodontics:-
	<ul style="list-style-type: none"> • Dr. Thillai Nayaki. V, Senior Lecturer, was absent on both days of inspection.
3.	Non-Teaching Staff:- Dent. Tech. (Dental Mechanic) – 2, Dent. Hygst – 1, Radiographer – 1, Engineer – 1, Carpenter – 1, Helpers Electrical – 3.
4.	Major Equipments:-
(i)	Conservative Dentistry and Endodontics:- Endo Motor (With torque control Hps) – 1, Bleaching Unit – 1, Magnification Loops –

	2, Injectable Gutta Percha – 2.
(ii)	Periodontology: - Autoclave – 1, Ultrasonic Cleaner – 1.
(iii)	Oral Medicine & Radiology:- Intra Oral Camera – 1.
(iv)	Public Health Dentistry:- Intraoral X-Ray – 1.
5	Inspectors Observations:-
	<ul style="list-style-type: none"> • Dental Van has manual chairs. • Hostel shared with other institute in campus. • Auditorium shared with Medical College along with examination Hall.
6	Deficiencies as per MDS Inspection Report:-
(i)	Public Health Dentistry:-
	There were only 46 patients on day 1 st and 48 patients on 2 nd day against the requirement of 50.
	Library Details:- New Titles purchase in current Academic Year – Not mentioned.
(ii)	Orthodontics and Dentofacial Orthopedics:-
	Equipments:- Dental Chairs and Unit – Not mentioned, Sets of Orthodontic pliers – 2, Typodonts with full teeth set – 2, Hinge articulators – 3.
(iii)	Oral Medicine & Radiology:-
	There were only 37 patients on day 1 st and 42 patients on 2 nd day against the requirement of 100.
	Library Details:- New Titles (Books) purchase in current Academic Year – Not mentioned.
	Equipments:- CBCT – 1.
(iv)	Oral and Maxillofacial Surgery:-
	There were only 53 patients till 1: PM on 2 nd day against the requirement of 60.
	Library Details:- New Titles (Books) purchase in current Academic Year – Nil.
(v).	Pediatric and Preventive Dentistry:-
	There were only 34 patients on 2 nd day against the requirement of 40.
	Students Academic Presentation: Preclinical Work
	<ul style="list-style-type: none"> • There is no separate PG Room. • Lay out of the department in a step forms. Old lecturer hall converted into clinic.
(vi).	Prosthodontics and Crown & Bridge:-
	Library Details: Latest National and International Journals are not mentioned as inspection report.
	Equipments: Electrical Dental Chairs and Units – Not mentioned.
7	PG Students:-
	<ul style="list-style-type: none"> • Dr. A Nagasree, 1st Year, Periodontology, was absent on both days of inspection. • Dr. Sahana Shree. M, 1st Year, Prosthodontics, was absent on both days of inspection. • Dr. Akanksha Choudhari, 2nd Year, Oral and Maxillofacial Surgery, was absent on both days of inspection. • Dr. Shreya Tiwari, 2nd Year, Pediatric and Preventive Dentistry, was absent on 1st day of inspection. • Dr. Mariya Shiney J. E., 2nd Year, Public Health Dentistry, was absent on 1st day of inspection. • Dr. Arthy V, 3rd Year, Oral Medicine and Radiology, was

	<p>absent on both days of inspection.</p> <ul style="list-style-type: none"> • Dr. Logesh S, 3rd Year, Public Health Dentistry, was absent on 1st day of inspection.
--	---

5(8) **Periodic Inspection Report dated 25th & 26th June, 2024 conducted at Sri Sankara Dental College, Varkala (Kerala) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 25th & 26th June, 2024 conducted by Council's Inspectors Dr. Biju Pappachan, Raipur (Chhattisgarh), Dr. Jitendra Bhagchandani, Lucknow (Uttar Pradesh) and Dr. Darshan M Dakshindas, Nagpur (Maharashtra) at Sri Sankara Dental College, Varkala (Kerala). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report:-
1.	Manpower Requirements:-
	Information not provided for the following Staff:-
	Other Staff:- Drivers – 2, Carpenter - 1, Cooks – 2, Barber – 1, Class IV including chowkidars – 55
	Administrative Staff:- Office Superintendent - 1, Head Clerk – 1, Cashier – 1, Stenographer – 1, UDC – 2, LDC - 4
2.	Land & Infrastructure Details:-
	Validity of Pollution Control Board has been expired.
	Bio-waste management certificate has been expired.
	Bio-waste incinerator is not available.
3.	Infrastructure & Functional Requirements:-
	Lecture Halls:- Inadequate sitting capacity.
	Hostels:- Available capacity is less and not hygienic rooms available.
4.	Hostel for Boys and Girls:- Hostel facility is not available for minimum 50% of total intake.
5.	Medical Teaching Staff:-
	There is a deficiency of 1 Lecturer in the department of Pharmacology
	Dr. Sreelekshmi NS, Lecturer, Pharmacology was absent on Day 2 of the inspection.
	Dr. Afeesha Zia, Lecturer, Microbiology was absent on Day 2 of the inspection.
	Dr. Ashwin Chandran, Lecturer, General Surgery was absent on both days of inspection.
6.	Non Teaching Staff:-
	Radiographer – 1, Data Entry Operators – 1, Sweepers & Scavengers – 1, Security Personal – 1, Department Secretaries – 1, Drivers – 1, Nurses – 3.
7.	Major Equipments:-
(i)	Prosthodontics and Crown & Bridge:-
	Dental Chair and Units – 6, Dewaxing Unit – 2, Light cure Unit – 1, Heavy Duty Hand Piece (Lab Micromotors) - 2, Autoclave – 1, Acrylizer – 1, Lathe – 1, Flask Press – 3, Deflasking Unit – 2, Porcelain Furnace – 1, Vibrator – 1, Sandblasting Unit – 1, Ultrasonic Cleamer -1, Geyser (Compound Bath) – 1, H.P Grinder with suction – 1, Heavy Duty Lathe – 1, Phantom Heads – 50 Shared with Conservative.

	Ceramic and Cast Pastrial Laboratory:-
	Steam Cleaner – 1, Heavy Duty Lathe with Suction – 1, Ultrasonic Cleaner (5 liters) -1
	Pre-Clinical Prosthetics Laboratory:-
	Adequate number of Lab Micro Motor with attached Hand Piece.
	Plaster Room For Pre-Clinical Work:-
	Plaster Dispenser for stone plaster – 1, Vibrator – 2, Lathe – 2, Model Trimmer – 1, Carborandum Disc – 1, Diamond Disc – 1.
(ii)	Conservative Dentistry and Endodontics:-
	Rubber Dam Kits – 4, Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 2, Ultrasonic Cleaner (Minimum capacity 13 litres with mesh bucket) – 1, Amalgamator (with auto proportion, Auto dispenser) – 1, Pulp Tester Digital – 2, Intra Oral X-ray Unit (Proper radiation safety AERB) – 1, Bleaching Unit – 1, Magnification Loops – 2, Injectable Gutta Percha – 1
	Clinical Laboratory:-
	Lathe (Heavy Duty) - 1, Lab Micromotor (With Heavy Duty handpiece) – 2, Ultrasonic Cleaner (Minimum capacity 5 litres) – 1, Burnout Furnace – 1, Porcelain Furnace – 1, Pindex System – 1, Casting Machine (Motor cast/induction casting preferred) – 1
(iii)	Orthodontics & Dentofacial Orthopedics:-
	Dental Chairs and Units – 5, Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Ultrasonic Cleaner (Minimum capacity of 13 liters with mesh bucket with digital timer) – 2.
	Ortho Lab:-
	Hydro Solder – 1, Pressure Molding Machine – 1
(iv)	Pediatric and Preventive Dentistry:-
	Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Ultrasonic Cleaner (Minimum capacity of 13 liters with mesh bucket with digital timer) – 2, Amalgamator – 1, Injectable Gutta Percha with Condensation – 1, Radiovisography (Digital Intra X-ray system with Pedo Sensor and Software – 1 (No Pedo Sensor available), Extraction Forceps (Pedo Forceps Complete Sets) – 7, Automatic Developer – 1.
	Pedo Lab:-
	Plaster Dispenser (for plaster) – 1, Plaster Dispenser (for stone plaster) – 1, Steam Cleaner – 1, Pressure Moulding Machine – 1.
(v)	Oral Medicine and Radiology:-
	Dental Chairs and Units – 2, Automatic Periapical X-Ray Developer – 1, Automatic Panoramic with Cephalometric X-Ray Developer – 1, Automatic Developers/Dark Room – 1.
(vi)	Public Health Dentistry:-
	Dental Chairs and Units – 4, Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Ultrasonic Cleaner (Minimum capacity of 13 liters with mesh bucket with digital timer) – 1,
	Mobile Clinic:-
	Water Tank – 1, Oxygen Cylinder – 1, TV and Video Cassette player (pen-drive) – 1
8.	Inspectors Observations:-
(i)	Medical Faculty affidavits were not signed by few Faculty & Principals / Dean's signature and deponent's photo were missing in some.
(ii)	Basic Science building has no railing support at stairs on 2 nd floor which should be corrected for student's safety.

(iii)	Hostel and Food mess are unhygienic and not as per standards.
(iv)	Lecture Hall capacity in dental college is less.
(v)	Auditorium needs construction for proper seating and 20-25 Dental Chairs are non-functional as per specifications.
(vi)	Satellite Clinic MOU is missing.
9.	Deficiencies as per MDS Inspection Report:-
(i)	Prosthodontics and Crown & Bridge:-
	Clinical Material:-
	There were only 31 patients on Day 2 against the requirement of 35.
	Equipment:-
	Implant Kit – 1, X-ray viewer – 1, Ultrasonic Cleaner – 1, Autoclave – 1, X-ray machine with RVG – 1, Surgical Kit, Prosthetic Kit – 1, Implant removing instrument – 1,
	Inspectors Observations:-
	Faculty publication is not adequate as mentioned in Pg 6-9 of proforma.
(ii)	Conservative Dentistry and Endodontics:-
	Clinical Material:-
	There were only 58 patients on Day 1 and 41 patients on Day 2 against the requirement of 70.
	Equipment:-
	Surgical Endo Kits (Micro surgery) – 2, Laser (preferably hard tissue) - 1, Composite curing unit – 1
	Inspectors Observations:-
	Publication requirement as mention Pg 7 -11 shows inadequate publication point for staff.
(iii)	Periodontology:-
	Clinical Material:-
	There were only 38 patients on Day 2 against the requirement of 50.
	Library Details:- New Titles (Books) not purchased in current Academic Year.
	Equipment:-
	Implant removing kit - 1.
(iv)	Pediatric and Preventive Dentistry:-
	Staff Assessment for Publications:-
	Dr. Soumya Rajan, Professor and HOD do not have 15 points of publication in last 3 years.
	Equipment:-
	Digital X-ray System – 1, Amalgamator – 1, Plaster Dispenser – 2, Heavy Duty Vibrator (Whip Mix) – 1, Acryliser – 1, Conscious Sedation Unit – 1.
(v)	Orthodontics and Dentofacial Orthopedics:-
	Staff Assessment for Publications:-
	Dr. Madhav Manoj, Professor has no additional 15 points in past 3 years.
	Library Details:- New Titles (Books) not purchased in current Academic Year.
	Equipment:- Computer software for cephalometrics – 1.

5(9) **Periodic Inspection Report dated 27th & 28th June, 2024 conducted at Guru Gobind Singh College of Dental Sciences and Research Centre, Burhanpur (Madhya Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 27th & 28th June, 2024 conducted by Council's Inspectors Dr. Mohit Pal Singh, Udaipur (Rajasthan) and Dr. Mohammad Tariq, Aligarh (Uttar Pradesh) at Guru Gobind Singh College of Dental Sciences and Research Centre, Burhanpur (Madhya Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS course, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report:-
1.	Land & Infrastructure Details:-
(i)	Sewage Treatment Plant is not available.
(ii)	Bio-Waste management is not followed as per PCBI
(iii)	Bio-Waste incinerator is not available.
(iv)	Fire and Safety Certificate has been expired.
2.	Infrastructure & Functional Requirements:-
	Auditorium – 4000 sq.ft. (Under construction - not available), Laboratory for Orthodontics and Pedodontics – 1500 sq.ft. (Not available)
3.	Non-Teaching Staff:-
	Assistants – 2, Receptionist – 8, D.S.A (Chair Side Attendant) – 13, Dent. Tech. (Dental Mechanic) – 6, Radiographer – 2, Physical Director – 1, Engineer – 1, Electrician – 2, Plumber – 1, Carpenter – 1, Mason – 1, A.C Tech – 1, Helpers Electrical - 3, Sweepers & Scavengers – 14, Attenders - 10, Security Personal - 2, Dept. Secretaries – 8, Driver – 4, Nurses – 3
4.	Library Details:-
	E-Consortium provision to be provided in the College Library connected with the National Medical Library - Not available
5.	Major Equipments:- Electrical Dental Chairs are not functional.
(i)	Prosthodontics and Crown & Bridge:-
	Dental Chairs and Units – 22, Extra Oral/Intra Oral Tracer – 2, Light Cure Unit – 2, Surveying Unit – 1, Autoclave – 1, Needle Burner with syringe cutter – 2, Model Trimmer with Diamond Disc – 1, Acrylizer – 2, Deflasking Unit – 4, Hydraulic Press – 2, Lab Micro Motor (with heavy duty handpiece) – 1, Curing Pressure Pot – 1, Porcelain Furnace – 1, Sand Blasting Unit – 2, Ultrasonic Cleaner – 2, Hot Water Sterilizer – 2, Geyser (Compound Bath) – 2, H.P Grinder with Suction – 3, Heavy Duty Lathe – 2, Phantom Heads – 10.
	Ceramic and Cast Partial Laboratory:-
	Duplicator - 1, Pindex System - 1, Circular Saw – 1, Sandblasting Machine (with two containers) – 1, Electro-Polisher – 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Induction Casting Machine – 1, Programmable Porcelain Furnace with Vacuum pump with Instrument Kit and Material Kit – 1, Spot Welder with Soldering, attachment of Cable – 1, Vacuum Mixing Machine – 1, Steam Cleaner – 1, Spindle Grinder 24,000 RPM with Vacuum Suction – 1, Wax Heater – 1, Wax Carver – 1,

	Curing Pressure Pot – 1, Milling machine – 1, Heavy Duty Lathe with Suction – 1, Preheating Furnace – 1, Palatal Trimmer – 1, Ultrasonic Cleaner (5 liters capacity) – 1, Composite Curing Unit – 1, Micro Surveyor - 1
	Pre Clinical Prosthetics Laboratory:-
	Work Table Preferably complete stainless steel fitted with light, Bunsen Burner, Air Blower, working stool – 30, Adequate number of Lab Micro Motor with attached Hand Piece - 50
	Plaster Room For Pre-Clinical Work:-
	Lathe – 2, Model Trimmer – 1, Carborandum Disc - 1, Diamond Disc – 1.
(ii)	Conservative Dentistry and Endodontics:-
	Dental Chairs and Units – 24, Rubber Dam Kits – 4, Restorative Instruments Kits – 6, R.C.T. Instrument kits – 6, Autoclaves – 1, Needle burner with Syringe Cutter – 1, Pulp Tester-Digital – 3, Glass Bead Sterilizers – 4, Automatic Developer – 1, Magnification Loops – 2, Injectable Gutta Percha – 1, PHANTOM LAB UNIT – 20 shared with Prostho
	Clinical Laboratory:-
	Plaster Dispenser for plaster – 1, Plaster Dispenser for stone plaster – 1, Model Trimmer Carborandum disc – 1, Lathe (Heavy Duty) – 2, Lab Micromotor (with Heavy Duty Handpiece) – 3, Ultrasonic Cleaner (Minimum capacity 5 litres) – 1, Spindle Grinder – 1, Vibrator – 2, Burnout Furnace – 1, Porcelain Furnace – 1, Sandblasting Machine – 1, Lab Airrotor – 1, Pindex System – 1, Circular Saw – 1, Vacuum Mixer – 1, Pneumatic Chisel – 1, Casting Machine (Motor cast/induction casting preferred) – 1,
	Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-
	Dental Chairs and Unit – 2, Microtome – 1, Knife Sharpner – 1, Hot Plate – 1, Spencer Knife – 1, Television (With USB Port For Displaying Slide) – 1, Education Model – 5
	Histopathology Room:-
	Diamond Tip Pencil – 2, Glass Bottle With Lid – 5, Wide Mouth Bottles – 5, Glass Funnel – 5, Glass Pipette – 5, Glass Measuring Jar – 5, Petri Dish 4” Glass – 5, L Blocks – 3, Loop Holder – 3, Magnifying Glass – 2, Petri Dish 50 mm Glass – 3, Gas Burner/Spirit Lamp – 2, Slide Warming Table – 2, Slide Drying Tray - 2, Slide Carrying Tray – 2, Staining Basket SS – 2, Staining Trough SS – 2, Staining Trough Glass – 2, Slide Staining Rack SS – 2
	Oral Pathology Reporting Station:-
	Microscope–Trinocular - 1, Colour Printer – 1, Desktop Computer with minimum basic specification not below core i3 processor - 1,
(iii)	Oral & Maxillofacial Surgery:-

	Dental Chairs and Units – 19, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) – 1, Computer (With minimum basic specification (not below core i3 processor) – 1, Pulse oxymeter – 1, Glucometer – 1
	B) MINOR SURGERY:-
	Dental Chairs and Units – 5
(iv)	Periodontology:-
	Dental Chairs and Units – 14, Hand Scaling instrument sets (Supragingival) – 6, Hand Scaling instrument sets (Subgingival) – 4, Surgical instrument sets – 4, Set of curettes – 1, Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 litres) – 1, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) – 2, Electro Surgical Cautery – 1, Laser (Soft issue laser) – 1, Surgical Motor with Physio Dispenser – 1.
(v)	Orthodontics and Dentofacial Orthopedics:-
	Dental Chairs and Units – 2, Unit Mount Scaler – 5, Autoclave(Having wet and dry cycle ,m which can achieve 135°C with minimum capacity of 20 litres) – 1, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1,
	Ortho Lab:-
	Micro Motor (Heavy Duty) – 4, Lathe – 2, OPG with cephalostat (If available in radiology its adequate) – 1, Base Formers – 2, Set of Pliers – 4, Hydro Solder – 1, Typhodont Articulator (With metal teeth wax rim of Class I, II, III) – 4.
(vi)	Pediatric and Preventive Dentistry:-
	Dental Chairs and Units – 16, Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 litres) - 1, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1, Needle Burner with syringe cutter – 1, Amalgamator – 1, Pulp Tester Digital – 1, Rubber Dam Kit for Pedo – 1, Injectable Gutta Percha with condensation – 1, Scaling instruments – 5, Extraction forceps (Pedo Forceps Complete sets) – 8, Intra Oral X-ray – 1, Automatic Developer – 1, Computer (With minimum basic specification (not below core i3 processor) – 1.
	Pedo Lab:-
	Plaster Dispenser for plaster – 1, Plaster Dispenser for stone plaster – 1, Model Trimmer diamond disc – 1, Model Trimmer Carborandum disc – 1, Welder with Soldering attachments – 1, Vibrator – 2, Lab micro Motor with Heavy duty with Hand Piece – 3, Dental Lathe – 1, Steam Cleaner – 1, Pressure Moulding Machine – 1.
(vii)	Oral Medicine and Radiology:-
	Panoramic X-Ray with Cephalometric (Orthopentmogram) (Preferably digital AERB Certified) – 1, Intra Oral X-ray Unit (AERB Certified 70 KV, 8mA, High frequency preferably Digital timer) – 2, Automatic Panoramic with Cephalometric X-ray Developer – 1, Radiovisiography (Digital intra X-Ray system with one Sensor and Software) – 1, Ortho Pantmograph (Preferably Digital) – 1, Lead Collar – 1, Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1,

	Computers (With Minimum basic specification (not below core i3 processor) – 1, Intra Oral Camera With High resolution – 1.
(viii)	Public Health Dentistry:-
	Dental Chairs and Units – 1, Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 2, Needle Burner with syringe cutter – 2
	Mobile Clinic:-
	Mobile Dental Van (Mobile Dental Van with two Dental Chairs with all the attachments and adequate sitting space) – 1, Dental Chair with Unit (As per specification mentioned above) – 1, Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Intraoral X-ray – 1, Glass bead sterilizers - 1, Portable Dental Chair (Suitcase unit with Airrotor, Micromotor, Scaler and Compressor 0.25 HP) – 2, Stabilizer (4KV) – 1, Generator (4KV) – 1, Oxygen cylinder – 1, Public Address System – 1, TV and Video Cassette player (pen-drive) – 1, Demonstration models (minimum) – 10.
6.	Inspectors Observation:-
	Teaching Staff salary drawn as mentioned in the affidavits not matching with the provided Bank Statements in most of the cases.
7.	Inspectors Checklist:-
	DCI biometric machine is not functional.

5(10) **Periodic Inspection Report dated 25th & 26th June, 2024 conducted at Educare Institute of Dental Sciences, Malappuram (Kerala) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 25th & 26th June, 2024 conducted by Council's Inspectors Dr. Anand Shigli, Pune (Maharashtra), Dr. Virendra Vadher, Raipur (Chhattisgarh) and Dr. Anirban Chatterjee, Mysore (Karnataka) at Educare Institute of Dental Sciences, Malappuram (Kerala). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	Hostel for Boys & Girls:- Hostel is shared with other Colleges/ Institutions.
2.	Central Library:- E-Consortium provision has not been provided in the College Library connected with the National Medical Library.
3.	Observations:-
(i)	Ethical Committee registration is expired & applied for renewal.
4.	Deficiencies as per MDS Inspection Report :-
(i)	Prosthodontics and Crown & Bridge:-
	Equipments:- (Clinical lab for prosthetics): Micro motor lab type – 1.
(ii)	Periodontology:-
	Equipments:- (Implant Equipment): Surgical kit – 2 (Not mentioned), Sinus lift kit – 1 (Not mentioned), Implant removing kit - 1 (Not mentioned).
	Observations:-
	Journal of Periodontology research is not available.
	One 1 st year P.G. Dr. Unme Salma is absent due to medical issue since one year. No clinical activity of her.
(iii)	Orthodontics and Dentofacial Orthopedics:-
	Library details:- Total No. of Books (Department library): Not mentioned.

Pre-PG (for starting MDS Course)

5(61). ESIC Dental College, Gulbarga, Karnataka - Regarding

To consider Joint Inspection Report of the Council's inspectors Dr. Pankaj Sharma, New Delhi and Dr. N.D.V.N. Shyam, Telangana carried out on 08th & 09th July, 2024 at ESIC Dental College, Gulbarga, Karnataka to inspect and ascertain the physical facilities such as building, space, teaching staff their qualification & experiences, equipments and other infrastructural facilities available as per DCI Regulations 2006 (Establishment of New Dental Colleges. Opening of New or Higher Course of Study or Training and Increase of Admission Capacity in Dental Colleges) for Periodic of Pre PG Periodic Inspection of BDS Course.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	Hostel for Boys & Girls:- Whether Hostel is shared by other Colleges/ Institutions – Yes.
2.	There are following deficiencies of Major Equipments viz. Dental Anatomy, Embryology, Oral Histology And Oral Pathology:- Television (With USB port For displaying slide) –1, (Histopathology Room):- Distilled Water Plant – 1, Diamond Tip Pencil – 1, Glass Dropper Bottle – 3, Glass Bottle With Lid – 3, Wide Mouth Bottles - 3, Glass Funnel - 3, Glass Pipette - 3, Glass Measuring Jar - 3, Petri Dish 4” Glass - 3, L Blocks - 2, Loop Holder - 2, Magnifying Glass - 1, Toothed Forceps - 2, Plastic Dropper - 2, Petri Dish 50mm Glass - 2, Gas burner/Spirit Lamp - 1, Processing Bottles - 3, Slide Warming Table - 1, Slide Drying Tray - 1, Slide Carrying Tray - 1, Staining Basket SS - 1, Staining Trough SS - 1, Staining Trough Glass - 1, Slide Staining Rack SS - 1, Slide Box - 2, Slides Storage Cabinet - 1, Wax Block Storing Cupboard – 1.
3.	Deficiencies as per MDS Inspection Report :-
(i)	Prosthodontics and Crown & Bridge:-
	Equipments:- Electrical Dental Chairs and Units – 3, Semi adjustable articulator with face bow – 4, Digital SLR Camera – 1, Audio visual system – 1, (Clinical lab for Prosthetics):- Pressure molding machine – 1, (Metal casting lab):- Electrically operated centrifugal casting machine – 1, (Implant Equipments):- Electrical Dental Chairs and Units – 3, Implant kit – 1), Autoclave – 1, X-ray machine with RVG – 1, Surgical kit/ prosthetic kit – 2, Implant removing instruments - 1
(ii)	Conservative Dentistry and Endodontics:-
	Equipments:- Dental Chairs and Units – 3, Micro endosonic Tips, retro treatment – 1, Endomotor – 2 Apex locators – 1, Operating microscopes – 1, Surgical endo kits (Microsurgery) – 2 Magnifying loupes (one per student) – 2, Audio Visual System - 1
(iii)	Oral & Maxillofacial Surgery:-
	Library Details:- Total No. of books (department library) – Not mentioned.
	Equipments:- Dental Chairs and Units – 3 Oscillating saw – 1 (Gem bid placed), (Surgical instruments):- Osteotomy kit – 1, Cleft surgery kit – 1, Bone grafting kit – 1, Emergency kit – 1, Trauma set including bone plating kit – 2, Implantology kit, – 1, Implantology system (if common implantology Dept. available not required) – 2, Number of implants (if common

	implantology Dept. available not required) – 10, Distraction osteogenesis kit – 1, Peizo surgical unit – 1, Magnifying loops – 1
--	--

Periodic Inspection Report(s)

5(63)S **Periodic Inspection Report dated 8th & 9th July, 2024 conducted Indira Gandhi Institute of Dental Sciences, Kothamangalam (Kerala) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 8th & 9th July, 2024 conducted by Council's Inspectors Dr. Jitendra Bhagchandani, Lucknow (Uttar Pradesh) and Dr. Prashanti Reddy, Indore (Madhya Pradesh) at Indira Gandhi Institute of Dental Sciences, Kothamangalam (Kerala). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	There are following deficiencies:-
1.	Hostel for Boys & Girls:- Hostel is shared by other Colleges/Institutions.
2.	Major Equipments:-
(i)	Prosthodontics and Crown & Bridge:-
	Light Cure Unit – 2, Surveying Unit – 2, Needle Burner with syringe cutter – 2, Acrylizer – 2, Flask Press – 2, Deflasking Unit – 3, Hydraulic Press – 3, Mechanical Press – 2, Vacuum Mixing Machine – 1, Lab Micro Motor (with heavy duty handpiece) – 1, Vibrator – 1, Ultrasonic Cleaner – 2, H.P Grinder with Suction – 3,
	Ceramic and Cast Partial Laboratory:-
	Duplicator – 1, Electro-Polisher – 1, Model Trimmer with Carborandum Disc – 1, Wax Heater – 1, Wax Carver – 1, Curing Pressure Pot – 1, Heavy Duty Lathe with Suction – 1, Preheating Furnace – 1, Ultrasonic Cleaner (5 liters capacity) – 1, Micro Surveyor – 1,
(ii)	Conservative Dentistry and Endodontics:-
	Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Ultrasonic Cleaner (Minimum Capacity 13 liters with mesh bucket) – 1, Amalgamator (with Auto proportion, Auto dispenser) – 3, Pulp Tester Digital – 1, Glass Bead Sterilizer – 6, Automatic Developer – 1.
	Clinical Laboratory:-
	Lathe (Heavy Duty) – 2, Lab Micromotor (with heavy duty handpiece – 3, Ultrasonic Cleaner (minimum capacity 5 liters) – 1, Spindle Grinder – 1, Vibrator – 1, Burnout Furnace – 1, Porcelain Furnace – 1, Sandblasting Machine – 1, Lab Airrotor – 1, Pneumatic Chisel – 1, Casting Machine (Motor Cast /induction casting preferred) – 1,
(iii)	Histopathology Room:-
	Disposable Blade – 1, Hot Air Oven – 1, Organic Tissue Capsule – 1, Distilled Water Plant – 1, Diamond Tip Pencil – 2, Glass Funnel – 5, Glass Pipette – 5, Glass Measuring Jar – 5, L Blocks – 3, Loop Holder – 1, Magnifying Glass – 2, Toothed Forceps – 3, Plastic Dropper – 3,

	Slide Warming Table – 1, Slide Drying Tray – 2, Staining Basket SS – 2, Staining Trough SS – 2, Staining Trough Glass – 2, Slide Staining Rack SS – 2,
	Oral Pathology Reporting Station:-
	Micro-scope Trinocular – 1, Colour Printer – 1
(iv)	Periodontology:-
	Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket – 1.
(v)	Pediatric and Preventive Dentistry:-
	Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1, Injectable Gutta Percha with condensation – 1, Intra oral camera (with high resolution) – 1, Automatic Developer – 1.
	Pedo Lab:-
	Welder with soldering attachments – 1
(vi)	Oral Medicine and Radiology:-
	Automatic Periapical X-ray Developer – 1, Automatic Developers/Dark Room – 1.
(vii)	Public Health Dentistry:-
	Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1.
3.	The equipments are not working/non-functional in the following departments:-
(i)	Prosthodontics and Crown & Bridge:-
	Dewaxing Unit (Required 3) - 1, Autoclave (Required 2) (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Plaster Dispenser for plaster (Required 1) – 1, Plaster Dispenser for stone plaster (Required 1) – 1, Model Trimmer with Diamond Disc (Required 2) – 1,
	Ceramic and Cast Partial Laboratory:-
	Plaster Dispenser for plaster (Required 1) – 1, Plaster Dispenser for stone plaster (Required 1) – 1
	Plaster Room For Pre-Clinical Work:-
	Plaster Dispenser for plaster (Required 1) – 1, Plaster Dispenser for stone plaster (Required 1) – 1, Carborandum Disc (Required 1) – 1, Diamond Disc (Required 1) – 1.
(ii)	Conservative Dentistry and Endodontics:-
	Injectable Gutta Percha (Required 2) – 1
	Clinical Laboratory:-
	Plaster Dispenser for plaster (Required 1) – 1, Plaster Dispenser for stone plaster (Required 1) – 1, Model Trimmer carborandum disc (Required 1) – 1, Model Trimmer diamond disc (Required 1) – 1.
(iii)	Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-
	Television (Required 1) (with USB Port for displaying slide) – 1
(iv)	Orthodontics and Dentofacial Orthopedics:-
	Ortho Lab:-
	Plaster Dispenser for plaster (Required 1) - 1, Plaster Dispenser for stone (Required 1) - 1
	Pedo Lab:-

	Plaster Dispenser for plaster (Required 1) - 1, Plaster Dispenser for stone plaster (Required 1)- 1, Model Trimmer with carborandum disc (Required 1) - 1, Steam Cleaner (Required 1) - 1.
--	--

5(64)S **Periodic Inspection Report dated 8th & 9th July, 2024 conducted PSM College of Dental Science & Research, Thrissur (Kerala) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 8th & 9th July, 2024 conducted by Council's Inspectors Dr. Nidarsh D. Hegde (Manipur), Dr. G.M.Sogi (Haryana) and Dr. Vikas Dhupar, (Goa) at PSM College of Dental Science & Research, Thrissur (Kerala). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per BDS Inspection Report:-	
1.	Pollution Control Board norms are not followed	
2.	Sewage Treatment Plant is not functional	
3.	Fire and Safety Certificate from Competent Authority- Provisional NOC valid till 14.08.2024	
4.	Manpower Requirement (As per NABH/NMC Guidelines) –	
(i)	Nursing Staff:- Matron - 1, Sister In-charge -6, O.T. Nurses -6, General Nurses -20, Labour Room Nurses – 4	
(ii)	Health Staff:- Female Health Assistant - 1, Extension Educator Paramedical Staff - 1, Lab Technician/Blood Bank Tech - 4, ECG Technician -1, Pharmacist - 4, Sr. Radiographer - 1, CSSD - 2, Medical Records – 1	
(ii)	Engineering Staff:- Civil -2, Mechanical – 2, Electrical – 2, Engineering Aid – 4	
(iv)	Other Staff:- Drivers – 2, Carpenter – 1, Cooks – 2, Barber – 1, Class IV including chowkidars – 55	
(v)	Administrative Staff:- Office Superintendent – 1, Head Clerk – 1 Cashier – 1, Stenographer – 1, UDC – 2, LDC – 4	
5.	Infrastructure & Functional Requirements:-	
(i)	Amenities Area: (a) Boys' and Girls' Locker Rooms (b) Boys' and Girls' Common Rooms (c) Common Room for non-teaching Staff (d) Common Room for Teaching Staff (e) Change Room for Men (f) Change Room for Women	10 Locker room under repair No common room as per specification
(ii)	Pollution Control Measures: All the Dental Institutions shall take adequate Pollution Control Measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc – Pollution control expired – 2018, No sewage water	
(iii)	Laboratories: II. Medical Subjects - (a) Laboratory for Biochemistry with store, Clinical Lab, Preparation Rooms &	

	Instrument Room, Staff Room etc. (b) Laboratory for Pharmacology with store, Clinical Lab, Staff Room etc. – Biochemistry & Pharmacology is shared
6.	Staff quarters (separate from hostel) - Principal/Dean's Bungalow – Not occupied.
7.	Dental Teaching Staff:- 2 Lectures deficient
8.	Medical Teaching Staff :- Anaesthesia – 1 Reader deficient
9.	Non – Teaching Staff:-
	The following staff were absent on both days (Manager / Director)
	(i) Riyaz P M, (ii) Sabir P M, (iii) Hazeeb Ali, & (iv) Abdumon Haji
	Asst. Manager (Supervising) - Mani Nair
	Asst. (Warden) -Mary
	Assistants- Shahala Sherin
	Receptionist (Clinic) :- Deepa K V
	D.S.A (Chair side attendant) (i)Reshma K R, (ii) Shereefa P B,(iii) Deepa TS, (iv)Vismaya K P, (v) Reshma C R, & (vi) Surumi Mol
	Dent. Tech. (Dental Mechanic) (i) Bushara P B, (ii)Suja Mol, (iii) Ameer Suhail, Kamrudheen, (iv) Naseef , Vijay, (v) Rapheal Tharayil, (vi) Nithindas M, & (vii) Mohammed Shafi
	Dent. Hygst. – (i) Lukman Hakeem , (ii) Simi M S , & (iii)Vyshnavy A V, Basil
	Radiographer - Ummer and Vishnu
	Artist - Aneesh
	Data entry operators- Arif and Suresh
	Electrician – (i) Harish, (ii)Baby,and (iii) Simon
	Plumber – Faisal and Babu
	Carpenter – Mani
	Mason - Anil Kumar
	A.C Tech. – Rajendran
	Helpers Electrical – (i) Fazil , (ii) Rajan, and (iii) Rameshan
	Sweepers & Scavengers:- (i)Sudha Asokan , (ii)Krishnakumari, (iii) Jiji KK, (iv) Geetha MM, (v) Sudheesha, (vi) Sarojini, (vii) Ushakumari T M, (viii) Manjula PT, (ix) Sreedevi, and (x) Soumya KK
	Attenders :- (i) Jayalakshmi, (ii) Shanthi Sivadasan , (iii) Reshma, (iv)Saneesha, (v)Sujatha , (vi) Isakeenabi, (vii)Sreeja , (viii)Gigi TV, (ix) Vijini, (x)Kamaru, Muhammed , (xi) Palani, (xii)Maran, (xiii) Ganeshan, (xvi) Anil Kumar, and (xv)Sreedevi K
	Attenders – cafeteria – (i) Bindu, (ii)Sudha , (iii)Jaya, (iv)Saritha, (v)Girija, (vi) Safija, (vii)Vasudevan, and (viii)Jyothi
	Security Personal – (i)Sasikumar, (ii) Ravindran , (iii)Hassan, (iv) Damodharan, (v)Jinson, and (vi)Sasidharan
	Dept. Secretaries:- (i)Ramsheena , (ii)Sonia, and (iii)Rajani
	Driver:- Sudheer
	Nurse:- (i)Preetha , (ii)Saline , (iii)Rosamma, (iv) Selin, (v)Rukkia , (vi) Madhu, and (vii)Shobika, Saranya
	Lab. Technicians- Sofia
	The following staff were absent on 1st or 2nd days:-

	Simitha, Assistants (Accountant) – 1 st day absent
	Jamshiya Nargees E, Assistant (Pharmacy) - 1 st day absent
	Leena Varghese, Assistant (Warden) - 1 st day absent
	Vimina K V, Assistant - 1 st day absent
	Sumitha , Manjusha PV - Receptionist (OP) - 1 st day absent
	Manikantan, Viji Prasad, - Receptionist (Cash) – 1 st day absent
	Receptionist (Clinic) (i) Neethu K A, (ii) Viji KB, Deepa KV, (iii) Sunitha, Sijina VK , - 1 st day absent Beena C K – 2 nd day absent
	D.S.A. (Chair Side Attendant) 1st day absent:- (i) Sreeja Ganesh , (ii) Mrs. Sajini, (iii) Mrs. Sneha, (iv) Shareefa P A, (v) Reshma K R, (vi) Siji AnilKumar, (vii) Arifa PV , (viii) Sanitha PT, (ix) Sumeera V A, (x) Sreelakshmi KP, (xi) Ruksana EM, (xii) Ragi PR, (xiii) Saranya TK, (xiv) Nandhana, (xv) Tijo Tomy, and (xvi) Hajra Minnath
	Soumya Prabhath (Asst. Radiographer) - 1 st day absent
	Raveendran (Photographer) - 1 st day absent
	Santosh (Programmer) – 2 nd day absent
	Riyasudhin (Physical Director) - 2 nd day absent
	Ananda Krishnan (Engineer) - 2 nd day absent
	Sulaiman , Nibin Paulson, (Electrician) – 2 nd day absent
	Sweepers & Scavengers (1st day absent) (i) Thriveni V R , (ii) Sreedevi, (iii) Jayalakshmi, (iv) Sudha, (v) Sujitha, (vi) Vimala, (vii) Mallika, (viii) Bindu VC, (ix) Sunisha, (x) Omana Job, and (xi) Dhyana
	Dept. Secretaries – (1st day absent) Ramsheena, Manju PM, Beena
	Driver - (1st day absent) Abdusalam , Haneefa , Shameem , Ismail Shyla – (2nd day absent)
	Lab. Technicians (1st day absent) Manju V , Santha K P
10	Central Library :- E-Consortium provision to be provided in the College Library connected with the National Medical Library – Not available
11	Major Equipments:- Electric Dental Chairs:- 42 deficient
(i)	Prosthodontics and Crown & Bridge
	Plaster Dispenser : (a) for plaster 1 - 1 Deficient (b) for stone plaster 1 - 1 Deficient
	Ultrasonic Cleaner – 1 Deficient
	Phantom Heads – 14 Deficient
	Plaster Room for pre-clinical work:-
	Plaster dispenser (for plaster) – 1 deficient
	Plaster dispenser (For stone plaster) - 1 deficient
(ii)	Conservative Dentistry and Endodontics:-
	Amalgamator – 1 deficient
	Automatic developer - 1 deficient
	Phantom Lab Unit – 60 Phantom Table fitted with Halogen Operating Light Phantom Head body type neck joint for all the movement, TMJ movement. Modular with Air rotor, Micro motor with contra angle Hps, 3-way syringe, jaw with ivorine teeth, preferably soft gingival, dental operator's stool - 24 deficient
	Clinical Laboratory:-

	Plaster Dispenser (a) for plaster – 1 deficient
	Plaster Dispenser (b) for stone plaster – 1 deficient
	Ultrasonic cleaner – 1 deficient
	Pre – clinical Prosthetics Laboratory :-
	No light and No air blower
	Clinical Laboratory –
	Ultrasonic Cleaner (Minimum capacity 5ltrs) – 1 deficient
	Casting machine – 1 deficient
(iii)	Dental Anatomy, Embryology, Oral Histology And Oral Pathology – (Histopathology Room)
	Distilled Water Plant – 1 deficient
(iv)	Oral & Maxillofacial Surgery- A) EXODONTIA
	Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) – 1 deficient
	Oxygen Cylinder with Adult and Pediatric Mask (1 each) – Nil
(v)	Peridontology:
	Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1 deficient
(vi)	Orthodontics & Dentofacial Orthopedics:-
	Unit Mount Scaler – 5 deficient
	Plaster dispenser (for plaster) – 1 deficient
	Plaster dispenser (For stone plaster) - 1 deficient
	OPG with Cephalostat (If available in radiology it's adequate) – 1 deficient
(vii)	Paediatric And Preventive Dentistry:-
	Amalgamator – 1 deficient
	Intra Oral Camera (With High Resolution) – 1 deficient
	Automatic Developer - 1 deficient
(viii)	Oral Medicine and Radiology:-
	Panoramic X-Ray with Cephalometric (Orthopentmogram) – 1 deficient
	Automatic Periapical X-Ray Developer – 1 deficient
	Automatic Panoramic with Cephalometric X-ray Developer – 1 deficient
	General X-ray Unit – Not available
	Ortho Pantmograph – Not available
	Intra Oral Camera (With High resolution) – 1 deficient
(ix)	Public Health Dentistry:-
	Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters.) – 1 deficient
	Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1 deficient
	Dental Chair with Unit – 1 deficient
	Portable Dental Chair (Suitcase unit with Airrotor, Micromotor, Scaler and Compressor 0.25HP) – 1 deficient.
	Stabilizer (4KV) – 1 deficient
	Oxygen Cylinder – Not available
	Inspector Observations :-
	<ul style="list-style-type: none"> • Sewage treatment plant not working • Boys/units common room not as per specifications • All vouchers are kept in corridor, the lockers room under renovation. • Pharmacology & Biochemistry in a same hall • Dental chairs not functional • Ethical committee registration certificate not available • DCI – Biometric machine not functioning • No NAAC accreditation certificate

	<ul style="list-style-type: none"> • One Lecturer (Dept. of cons & Endo) in on notice period • One anesthesia (Reader) not available
	Deficiencies as per MDS Inspection Report:-
	Conservative Dentistry and Endodontics : - (Dental Teaching staff)
	Dr. A Gautham (Lecturer) – absent on day one of the inspection Observation: Dr. Saumya S. (Lecturer) on notice period

Note:- Subject to Correction / Modification if any