

DENTAL COUNCIL OF INDIA

Compliance Cases of the Meeting of Executive Committee of the Dental Council of India held on 27.06.2024 from 10:30 a.m. at New Delhi.

Compliance Cases

Periodic Inspection Report(s)

5(1) **Periodic Inspection Report dated 24th & 25th May, 2024 conducted at Vasantdada Patil Dental College and Hospital, Sangli (Maharashtra) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 24th & 25th May, 2024 conducted by Council's Inspectors Dr. Rajendra Kumar Tiwari, Aligarh (Uttar Pradesh), Dr. Gyandera Kumar, New Delhi and Dr. Tarulatha R Shyagali, Bangalore (Karnataka) at Vasantdada Patil Dental College and Hospital, Sangli (Maharashtra). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	There are following deficiencies of Major Equipments viz. Prosthodontics and Crown & Bridge:- Acrylizer – 1, Sand Blasting Unit – 1, Conservative Dentistry and Endodontics:- Restorative Instruments Kits – 3, R.C.T. Instrument Kits – 3, Automatic Developer – 1, Lab Airrotor – 1, Orthodontics and Dentofacial Orthopedics:- Unit Mount Scaler – 2, (Ortho lab): Micromotor (Heavy Duty) – 1, Public Health Dentistry:- (Mobile Clinic): Dental Chair with Unit – 1.
2.	Deficiencies as per MDS Inspection Report :-
(i)	There are following deficiencies of Equipments viz. Prosthodontics and Crown & Bridge with 2 seats :- (Ceramic lab equipment): Ceramic kit (instruments) – 1, Oral Medicine and Radiology with 3 seats: - Automatic radiographic film processors – 1.

5(4) **Periodic Inspection Report dated 30th & 31st May, 2024 conducted at KVG Dental College & Hospital, Sullia (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 30th & 31st May, 2024 conducted by Council's Inspectors Dr. H. Thamizh Chelvan, Chennai (Tamil Nadu), Dr. A Bhagvandas Rai, Udaipur (Rajasthan), Dr. S K Mishra, Aligarh (Uttar Pradesh) at KVG Dental College & Hospital, Sullia (Karnataka). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per MDS Inspection Report:-
1.	Oral Medicine & Radiology:- (Equipments) Digital Camera – 1
2.	Public Health Dentistry:- (Equipments) Ultrasonic Cleaner capacity 3.5lts – 1

5(5) **Periodic Inspection Report dated 31.05.2024 & 01.06.2024 conducted at Rajarajeshwari Dental College & Hospital, Bangalore (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 31.05.2024 & 01.06.2024 conducted by Council's Inspectors Dr. Monika Gupta, Mullana (Haryana), Dr. Chandana Kalita, Dibrugarh (Assam) and Dr. Suma Karthigeyan, Chidambaram (Tamil Nadu) at Rajarajeshwari Dental College & Hospital, Bangalore (Karnataka). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report
1.	Manpower Requirement (As per NABH / NMC)
	Engineering Staff:-
	Engineering Aid – 2
2.	Dental Teaching Staff:-
(i)	Dr. John Jeffrey Daniel, Sr. Lecturer, Conservative Dentistry and Endodontics was absent on Day 2 of the inspection
(ii)	Dr. Rashmi R., Tutor, Public Health Dentistry was absent on Day 2 of the inspection.
(iii)	Dr. Roshan P Thumati, Sr. Lecturer, Orthodontics and Dentofacial Orthopedics was absent on Day 2 of the inspection.
3.	Medical Teaching Staff:-
(i)	There is a deficiency of 1 Lecturer in the department of Anatomy .
(ii)	There are deficiencies of 2 Lecturers in the department of Pharmacology .
(iii)	There is a deficiency of 1 Lecturer in the department of General Pathology .
(iv)	There is a deficiency of 1 Lecturer in the department of Microbiology .
(v)	There is a deficiency of 1 Lecturer in the department of General Medicine .
4.	Non-Teaching Staff:-
	Public Relation Officer – 1, Managers/ Office Suptd. – 5, Assistants – 4, Receptionist – 3.

5.	Deficiencies as per MDS Inspection Report:-
(i)	Prosthodontics and Crown & Bridge:-
	Library Details:-
	Net Titles (Books) purchased in current Academic – Nil
	Equipment:-
	Micro Motor Lab Type - 2, Wax carvers – (Full PKT set) – 2
(ii)	Oral & Maxillofacial Pathology and Oral Microbiology:-
	Library Details:-
	Net Titles (Books) purchased in current Academic – Nil
	Equipments:-
	Block Holders – 25.
(iii)	Oral & Maxillofacial Surgery:-
	Clinical Material:-
	There was only 67 patients on Day 2 against the requirement of 80.
(iv)	Oral Medicine and Radiology:-
	Library Details:-
	New Titles (Books) purchased not purchased in current Academic Year.
	Inspector Observations:-
	There is deficiency of few instruments. Institute has ordered those/instruments, Copy of purchase order is attached with proforma e.g Pressure sensitive probe, Bone Scrapper, Bone Scrapper, Bone condenser membrane placement spoon.
(v)	Orthodontics and Dentofacial Orthopedics:-
	Library Details:-
	New Titles (Books) purchased in current Academic Year – Not mentioned.
(vi)	Public Health Dentistry:-
	Clinical Material:-
	There were only 40 patients on Day 1 & Day 2 against the requirement of 50.
(vii)	Pediatric and Preventive Dentistry:-
	Equipment:-
	Typhodont Primary Teeth - 10, Typhodont Permanent Teeth – 10, Refrigerator – 1 (Shared with Endo)

5(6) **Periodic Inspection Report dated 6th & 7th June, 2024 conducted at KLE Society's institute of Dental Sciences, Bengaluru (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 6th & 7th June, 2024 conducted by Council's Inspectors Dr. Naresh Kumar Sharma, Varanasi (Uttar Pradesh), Dr. Suryakant Narsing Power, Mumbai (Maharashtra) and Dr. Rajan Thako Lambor, Bambolim (Goa) at KLE Society's institute of Dental Sciences, Bengaluru (Karnataka). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report:-
1.	Land & Infrastructure Details:-
	Fire and Safety certificate is not available
2.	Hostel for Boys & Girls:-
	Hostel is shared by other colleges/institutions.
3.	Dental Teaching Staff:-
	Dr. Vipin Jain, Reader, Public Health Dentistry was absent on Day 1 of the inspection.
4.	Deficiencies as per MDS Inspection Report:-
(i)	Oral Medicine and Radiology:-
	Equipments:-
	Automatic radiographic film processors – 1
(ii)	Public Health Dentistry:-
	Clinical Material:-
	There were only 18 patients on Day 1 and 13 patients on Day 2 against the requirement of 40.

5(10) **Periodic Inspection Report dated 11th & 12th June, 2024 conducted at Govt. Dental College, Alappuzha (Kerala) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 11th & 12th June, 2024 conducted by Council's Inspectors Dr. Mithra N Hegde, Mangalore (Karnataka) and Dr. Mridula Trehan, Jaipur (Rajasthan) at Govt. Dental College, Alappuzha (Kerala). The purpose of the inspection was to assess the physical facilities for teaching BDS course, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per BDS Inspection Report:-
1.	Land & Infrastructure Details
	Completion Certificate furnished from the Competent Authority – No
	Pollution Control board norms are not followed
	Sewage Treatment Plant is not available
	Bio-Waste incinerator is not available
	Fire and Safety Certificate has not obtained from the Competent Authority
2.	Infrastructure & Functional Requirements (Staff rooms)
	H.O.Ds Room (180 sq.ft) – Not Available
	Readers' Room (150 sq.ft) - Not Available
	Lecturers' Room (250 sq.ft.)
	Undergraduate clinic adequate to accommodate the prescribed number of dental chairs and units - Inadequate Space
	Lecture Halls – 4 (3200 sq. ft.) Microphone and Multimedia projection – Not available in class rooms
	Seminar room (200 sq. ft.) – Not available
	Racks – No Compact storage systems – No
	Maintenance Room:- (600sq.ft.) Equipped with proper facilities to maintain and repair dental chairs and units and various other equipments in the college and hospital. – Not Available
	Photography and Artist Room:- (250sq.ft.) With proper studio facilities for clinical photography, developing, preparation of slides, charts, models etc. – Not Available
	Medical Stores:- (200sq.ft.) Stocked with all the necessary drugs usually prescribed in a dental hospital – Not Available
	Sterilization room where central sterilization facilities are not provided – Not Available
	Amenities Area: (2000sq.ft.) Boys' and Girls' locker rooms Common room for teaching staff Change room for men Change room for women Compressor Room
	Pollution Control Measures: All the dental institutions shall take adequate pollution control measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc. – Not Available
	Cafeteria: - With accommodation for 100 people with kitchen, stores, washing area etc. :- Not available (Not adequate space)
	Hostels: - Available but shared with medical college.

	Staff Quarters: - No digital staff quarters for dental college	
	Play Ground: There shall be facilities for both Indoor and out-door games in the premises :- Indoor not available.	
	Laboratories - I. Dental Subjects Staff Room:- Not available	
	Laboratory for Orthodontics and Pedodontics :- Not available	
	Dental Clinical Space Requirement:-	
	(a) Prosthodontics- (1300sq.ft.) Plaster Room Polymers Room Wax Room Casting Laboratory Ceramic Lab	Not available no space / install instruments.
	(b) Conservative Dentistry – Plaster Room Casting & Ceramic Laboratories (300 sq.ft.) - Not available	
	(c) Haematology and Clinical Biochemistry: a Laboratory for Routine Blood and Biochemical Investigation and Urine analysis. :- Not available	
3	Staff Quarters (Separate From Hostel):-	
	Principal/Dean's Bungalow:- Not available	
	Staff Quarters:- Not available for dental college	
4	Hostel For Boys & Girls:-	
	Hostels for Boys & Girls are within the Campus:- No	
	Hostel is shared by other Colleges/ Institutions:- Yes	
	Warden Room in Boys Hostel available:- No	
	Warden Room in Girls Hostel available:- No	
	Constructed Area:- Dental College Building:-	
	Total Carpet Area required in the constructed building: 1,00,000sq.ft. :- 31,000sq.ft. Overall space shortage in all department for lab, clinic & staff rooms.	
5	Dental Teaching Staff:-	
(i)	Prosthodontics and crown bridge –1 Reader deficient	
(ii)	Oral and Maxillofacial Surgery:- The following staff were absent on both days of inspection:- Dr. Jyothi KN (Asst. Prof.) Dr. Vilwa Karthik. M (Senior Resident) Dr. Sharmila S. (Senior Resident)	
(iii)	Orthodontics:- Deficiency of one Professor Dr. Manjith Rajan (Asst. Professor) – Absent on day 1	
(iv)	Tutors - 2 Deficient	
6	Medical Teaching Staff:-	
(i)	Physiology- 1 Reader, 1 Lecturer deficient	
(ii)	Biochemistry- 1 Lecturer deficient	

(iii)	Pharmacology- 1 Reader, 1 Lecturer deficient
(iv)	Microbiology- 1 Reader, 1 Lecturer deficient
(v)	General Pathology- 1 Lecturer deficient
(vi)	General Medicine - 1 Reader, 2 Lecturer Deficient
(vii)	General Surgery – 1 Reader, 2 Lecturer Deficient
(viii)	Anesthesia – 1 Reader, 1 Lecturer deficient
7	Non-Teaching Staff:-
	Public Relation officer 1
	D.S.A. (Chair side Attendant) - 10
	Photographer - 1
	Artist - 1
	Physical Director- 1
	Engineer - 1
	Electricians - 2
	Carpenter- 1
	Mason - 1
	A.C. Tech. - 1
	Security Personal - 5
	Dept. Secretaries - 4
8	Central Library:-
	Reception & Waiting – Waiting area not available
	Property counter – Not available
	Issue counter – Not available common with reception
	Total Seating Capacity should be minimum 50% of total students strength – Only 35 seating - Not available
	Postgraduates & staff reading room– Not available
	Journal room – Not available
	Audio-visual room – Not available
	Chief librarian room – Not available
	Stores and stocking area. – Not available
	E-Consortium provision to be provided in the College Library connected with the National Medical Library – Not available
	Total Number of Journals Atleast 1 National Journal in each subject of the 9 Dental specialties, 1 National Journal in each subject of the 8 basic medical science subjects and 1 International Journals for each 9 Dental specialties. :- Not available
	Atleast 5 years Back Volumes of National/International Journal(s) of 9 Dental Specialties :- Not available
	Details of facilities for E- Journals:- All the journals of the speciality and allied subjects shall be available out of which 50% should be in print form:- Not available

	Total approximate area for all U.G. clinics – 12,500 sq. ft. - Not available space shortage.
	Total No. of functional Chairs 70 (30 Deficient)
9	Major Equipments:-
(i)	Prosthodontics And Crown & Bridge:-
	Equipments are available but not installed and non-functional due to lack of space.
	Ceramic And Cast Partial Laboratory:-
	Available but not installed and non-functional due to lack of space.
	Plaster Room For Pre-Clinical Work:- Not installed due to lack of space.
(ii)	Conservative Dentistry And Endodontics:-
	Dental Chair and Unit- Space not available
	Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) –1
	Needle Burner with Syringe Cutter – 2 deficient
	Automatic Developer – 1
	Clinical Laboratory:- Not available due to lack of space.
(iii)	DENTAL ANATOMY, EMBRYOLOGY, ORAL HISTOLOGY AND ORAL PATHOLOGY:-
	Dental Chairs and Unit:- 1 (No air & water connection).
	Education Model-3
	HISTOPATHOLOGY ROOM:-
	Glass Bottle With Lid:- 2 Deficient
	Wide Mouth Bottles:- 1 Deficient
	Glass Funnel :- 3 Deficient
	Magnifying Glass :- 1 Deficient
	Toothed Forceps:- 1 Deficient
	Plastic Dropper:- 1 Deficient
	ORAL PATHOLOGY REPORTING STATION:-
	Color Printer :- 1 Deficient
	Desktop Computer (With Minimum basic specification (not below core i3 processor) :- 1 deficient (Non functional)
(iv)	Oral & Maxillofacial Surgery:- A) Exodontia
	Dental Chairs and Units:- 3 deficient
	Needle Burner with Syringe Cutter:- 4
	Oxygen Cylinder with Adult and Pediatric Mask :- (Pediatric mask not available)
	X-ray Viewers :- 2
	Pulse Oxymeter :- 1
	Glucometer:- 1
	B) MINOR SURGERY
	Dental Chairs and Units:-3
(v)	Periodontology:-
	Dental Chairs and Units-9
(vi)	Orthodontics & Dentofacial Orthopedics:-
	Dental Chairs and Units-7
	Unit Mount Scaler: - 3 deficient.

	Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters):- 1
	Ortho Lab:-
	Model Trimmer :- No water connection
	X-ray Viewers:- 1 deficient
	Typodont Articulator (With Metal Teeth Wax Rim of Class I, II, III) :- 1 deficient
	Hydro Solder :- Not working
	Pressure Molding Machine :- Not working
(vii)	Paediatric And Preventive Dentistry:-
	Dental Chairs and Units:- Available but space available not adequate
	Intra-oral X-Ray :- 1
	Automatic Developer :- 1
(viii)	Oral Medicine And Radiology:-
	Panoramic X-Ray with Cephalometric (Orthopentmogram),(Preferably Digital AERB Certified) :- Available but AERB certified is not available.
	Intra Oral X-ray Unit (AERB Certified 70 KV, 8mA, high frequency preferably Digital Timer) :- Available but AERB certified is not available.
	General X-ray Unit :- Not available
(ix)	Public Health Dentistry:-
	Dental Chairs and Units:-7
	Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 ltrs.) :- Not functional
	Metal Cabinet (With wash basin) :- No water in wash basin
	Portable Dental Chair (Suitcase unit with Airrotor, Micromotor, Scaler and Compressor 0.25HP) :- 2 portable dental chairs available but airrotor micromotor, scaler and compressor are not available.
	Stabilizer (4KV) :- 1 Deficient
	Generator (4KV) :- 230 V
	Water tank (400 Ltr) :- 50 ltr
	TV and Video Cassette Player (pen drive) :- 1 Deficient
	Demonstration Models :- 3 Deficient
10	Inspectors Observations:
(i)	University affiliation for AY 2024-2025 has not been provided
(ii)	Only one satellite centre is available at Alappuzha (minimum 2 required as per DCI guidelines)
(iii)	Principal Dr. Gilsa K Vasunni was on leave (Since 30-04-2024)
(iv)	Library is grossly insufficient as per DCI Norms.
(v)	The dental chairs are kept very close to each other in all the departments. Adequate space is not available between the chairs.
(vi)	Teaching Faculty:-
	Orthodontics

	<ol style="list-style-type: none"> 1. There is no Prof. & HOD in the dept. 2. Dr. Manjith Rajan Asst. Prof. Was absent on the 1st day of inspection he has submitted his affidavit but he has not submitted any documents including appointment orders from 16, qualification (degrees) State council Registration etc. 3. Dr. Anoop did not submit residence proof 4. Dr. Sree Devi Senior Resident, did not furnished resident proof, BDS and MDS degrees & from 16 for the last 3 financial years 5. Dr. Jinu Georges- Did not furnish from 16 for financial year 23-24
(vii)	Periodontics- <ol style="list-style-type: none"> 1. Dr. Bindu R Nayar Prof & Head – Rent agreement (Residence proof is local language) 2. Dr. Neethu asst. Prof – Did not furnish residence proof & From 16 for the financial year 2023-24. 3. Dr. Gayathri B S Asst. Prof – did not furnish residence proof
(viii)	Pedodontics- <ol style="list-style-type: none"> 1. Dr. Suchithra – did not furnish residence proof 2. Dr. Digesh Balachandran – On leave on both days of inspection 3. Dr. Shruti Sudarsan - On leave on both days of inspection
(viii)	Prosthodontics – <ol style="list-style-type: none"> 1. Dr. Joram, Sr. Resident – did not furnish residence proof
(ix)	Oral Medicine And Radiology- Dr. Soumya and Dr. Fathima - did not furnish residence proof
(x)	Conservative Dentistry and Endodontics- <ol style="list-style-type: none"> 1. Anulekh – Associate Prof. - did not furnish residence proof 2. Dr. Binu P Asst. Prof. - did not furnish residence proof 3. Dr. Kiran did not furnish residence proof & form 16 for 2023-24
(xi)	Oral & Maxillofacial Surgery:- <ol style="list-style-type: none"> 1. Dr. Deepthi Simon Prof & Head reported to the Govt. Dental college, Alappuzha on 12.06.2024 (2nd day of inspection) 2. Dr. George Philip was on leave on both days of inspection 3. Dr. Jyothi, Dr. Vilwa & Dr. Sharmila were absent on both days of inspection 4. Dr. Nivya – has submitted her residence proof (Rent Agreement) in the local language 5. Dr. Usha – did not furnish residence proof & renewal of state council registration
(xii)	Oral Pathology & Microbiology:-

	<ol style="list-style-type: none"> 1. Dr. Bimal did not furnish her residence proof 2. Dr. Heera R did not furnish residence proof , state council registration on certificate & form 16 for the financial year 2023-24 3. Dr. Harish R K (Asst. Prof.) did not furnish residence proof & form 16 for 2023-24.
(xiii)	Tobacco Cessation Centre- <ol style="list-style-type: none"> 1. As per establishment of tobacco cessation centre norms there is no medical social work or clinical psychologist in the TCC. 2. No patient record files were available 3. No computer, printer or speaker was available 4. No clinical diagnostic instruments were available 5. There was no TV or DVD player in the tobacco Cessation Centre 6. As Per U.G.C. guidelines, there are no students & no member from amongst Non-Government.
11	Checklist for Inspectors:-
(i)	CCTV Display not available
(ii)	Fire and safety certificate – No

5(11) **Periodic Inspection Report dated 12th & 13th June, 2024 conducted at SVS Institute of Dental Sciences, Mahabubnagar (Telangana) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 12th & 13th June, 2024 conducted by Council's Inspectors Dr. Saranjit Singh Bhasin, New Delhi, Dr. Neeta Mohanty, Bhubneswar (Odisha) and Dr. Kiran Kumar N, Bengaluru (Karnataka) at SVS Institute of Dental Sciences, Mahabubnagar (Telangana).The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per BDS Inspection Report:-
1.	Infrastructure & Functional Requirement:- Auditorium – Shared.
2.	Major Equipments:-
	Prosthodontics and Crown & Bridge:- Phantom Heads – 50 (Shared with Conservative).
	Public Health Dentistry:-
	Mobile Clinic: Mobile dental van – 1 (Poor quality), Dental Chair with Unit – 2 (Dental Chair No attachment), Autoclaves – 1 (Not available upto 135° C), Water Tank – 1(Poor quality), TV and Video Cassette player (Pen drive) – 1(Not available), Demonstration models (minimum) – 10 (Not available).
3.	Check list for the inspectors:-
	DCI Biometric attendance system installed & functional – Not functional.
	Deficiencies as per MDS Inspection Report:-

4.	Periodontology:-
	There is a deficiency of 1 Lecturer.

5(13) **Periodic Inspection Report dated 12th & 13th June, 2024 conducted at Maratha Mandal's Nathajirao G Halgekar Institute of Dental Sciences & Research Centre, Belagavi (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 12th & 13th June, 2024 conducted by Council's Inspectors Dr. Mukesh Kumar Singh, Moradabad (Uttar Pradesh), Dr. Monika Gupta, Mullana (Haryana) and Dr. Aditya Mitra, Haldia (West Bengal) at Maratha Mandal's Nathajirao G Halgekar Institute of Dental Sciences & Research Centre, Belagavi (Karnataka). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	Staff Quarters:- Principal/ Dean's Bungalow – Not available.
2.	Major Equipments:-
(i)	Prosthodontics and Crown & Bridge:- Dewaxing Unit – 2, Pre Heating Furnace – 1, Surveying Unit – 1, Heavy Duty Hand Peice (lab micromotor) – 2, Flask Press – 2, Deflasking Unit – 2, Lab Micro Motor (with heavy duty handpiece) – 1, Curing Pressure Pot – 1, Sand Blasting Unit – 1, H.P. Grinder With Suction – 1, Heavy Duty Lathe – 1, (Ceramic and cast partial laboratory):- Burn Out Furnace – 1, (Plaster Room For Pre-Clinical Work):- Vibrator – 1, Lathe – 1
(ii)	Conservative Dentistry and Endodontics:- Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Amalgamator (With Auto proportion, Auto dispenser) – 1, Pulp Tester-Digital – 1, Bleaching Unit – 1, (Clinical Laboratory):- Model Trimmer (Diamond disc) – 1, Lab Micromotor (With heavy duty handpiece) – 1, Vibrator – 1, Lab Airrotor – 1, Vacuum Mixer – 1, Pneumatic Chisel – 1,
(iii)	Dental Anatomy, Embryology, Oral Histology And Oral Pathology:- Spencer Knife – 1, Teaching slides set with Box – 1, (Histopathology Room):- Hot Air Oven – 1, Distilled Water Plant – 1, Loop Holder – 2, Toothed Forceps – 1, Petri Dish 50mm Glass – 1, Slide Warming Table – 1, Slide Drying Tray – 1, Slide Carrying Tray – 1, Staining Trough Glass – 1, (Oral Pathology Reporting Station):- Microscope –Trinocular – 1, Colour Printer – 1,
(iv)	Oral & Maxillofacial Surgery:- (Exodontia):- Extraction Forceps Sets – 5, Minor Oral Surgery Kits – 2, High Volume Suction – 1,
(v)	Periodontology:- Surgical Motor with Physio Dispenser – 1
(vi)	Orthodontics & Dentofacial Orthopedics:- Radiovisiography – 1, Intra Oral Camera – 1,
(vii)	Public Health Dentistry:- Dental Chairs and Units – 6

	(Manual), (Mobile Clinic): Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters.) – 1, Metal Cabinet (With wash basin) – 1, Oxygen Cylinder – 1.
3.	Observations:-
(i)	Conservative Dentistry and Endodontics:- Pulp tester 3 deficient, Microsurgical endokit deficient by 1 Pc, VLC unit (variable intensity) deficient by 1 Pc, Instrumental retrieval kit in deficient by 1 Pc
(ii)	Prosthodontics and Crown & Bridge:- Hydraulic press deficient by 1 Pc, Wax Heater deficient by 1 Pc, Milling machine deficient by 1 Pc, Magnifying Work lamp deficient by 1 Pc, Electrically operated Centrifugal Machine deficient by 1 Pc, In Implant Clinic:- light cure machine deficiency by 1 Pc, Implant removing instrument is deficient by 1 Pc.
(iii)	Orthodontics & Dentofacial Orthopedics:- Hydro shoulder is deficient by 1 Pc.
(iv)	Pedodontics dept.:- RVG Pedo sensor is not available.
(v)	Public Health Dentistry:- Ultrasonic Cleaner do not have 13 ltr capacity, (Mobile Van):- One Chair side stool, `
4.	Inspectors Observation:-
(i)	No. of patients shown did not match with the visual estimate.
(ii)	BDS doctor were shown as lecturer instead of tutors.
(iii)	MOU Govt. Hospital could not be verified.
(iv)	University Affiliation is not there for 2024-2025.
(v)	Ethical Committee registration has been applied for provisional.
(vi)	Biomedical waste management receipt was not available.
(vii)	Incinerator was not shown
(viii)	Completion certificate of dental college building was not shown
(ix)	Lead barrier was not in place
(x)	Maintenance room was not fully equipped.
(xi)	Examination Hall is shown with lecture Hall.
(xii)	As per DCI Curriculum by 3 rd year students the number of functional removable appliance cases are deficient by approximately 6 each.
5.	Deficiencies as per MDS Inspection Report :-
(i)	There are following deficiencies of Equipments viz. Prosthodontics and Crown & Bridge:- Semi adjustable articulator with face bow – 2, Surveyor – 1, (Clinical lab for Prosthetics): Hydraulic press – 1, Micro motor lab type – 1, Pressure molding machine – 1, (Metal casting lab): Wax heater for wax carving – 1, Milling machine – 1, Magnifying work lamp – 1, Heavy duty lathe with suction – 1, Electrically operated centrifugal casting machine – 1, (Ceramic lab equipment): Ceramic kit (instruments) – 2, Ceramic polishing kit – 1, (Implant equipment): light cure – 1, Surgical kit/ prosthetic kit – 2, Implant removing instruments – 1, Conservative Dentistry and Endodontics:- Pulp tester

	- 3, Operating microscopes - 1, Sugical endo kit (Microsurgery) - 1, Variable intensity polymerization equipments (VLC units) - 1, Instrument retrieval kits - 1,, Pediatric and Preventive Dentistry:- Pedo extraction forceps & elevators sets - 3, Typhodont Permanent Teeth (one set per student) - 6.
--	--

5(14) **Periodic Inspection Report dated 12th & 13th June, 2024 conducted at SRM Kattankulathur Dental College & Hospital, Kanchipuram (Tamil Nadu) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 12th & 13th June, 2024 conducted by Council's Inspectors Dr. R.K. Tiwari, Aligarh (Uttar Pradesh), Dr. Mohit Pal Singh, Udaipur (Rajasthan) and Dr. Shantanu Choudhary, Ahmedabad (Gujarat) at SRM Kattankulathur Dental College & Hospital, Kanchipuram (Tamil Nadu). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report:-
1.	Non – Teaching Staff:-
	Receptionist – 14, D.S.A – 1,
2.	Major Equipments:-
	Prosthodontics and Crown & Bridge:-
	Acrylizer – 1,
3.	Pediatric and Preventive Dentistry:-
	Lab Micro Motor (with heavy duty with hand piece) – 1
4.	Deficiencies as per MDS Inspection Report:-`
(i)	Oral and Maxillofacial Surgery:-
	Equipments:-
	Implantology Kit – 1 not mentioned, Implantology system – 2 not mentioned, Number of implants – 10 not mentioned
	Student Academic Presentation:-
	Sowmiya S (PG 2nd Year)
	Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Ram Pradeep Gangisetty (PG 2nd Year)
	Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Pragya (1st Year)
	Lecturers taken for Under graduates (Required 1 in a year) – Nil, Scientific Paper/Poster Presentations in State/National Level Conferences (Required 3

	papers/posters during three years of training period) – Nil, Inter – disciplinary Presentation (Required 2 presentations during three years of training period) – Nil, Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Muskan Jhunhunwala (PG 1st Year)
	Lecturers taken for Under graduates (Required 1 in a year) – Nil, Scientific Paper/Poster Presentations in State/National Level Conferences (Required 3 papers/posters during three years of training period) – Nil, Inter – disciplinary Presentation (Required 2 presentations during three years of training period) – Nil, Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
(ii)	Periodontology:-
	Student Academic Presentation:-
	Dr. Sai Sri Soury (PG 2nd Year)
	Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Dr. Subhashini (PG 2nd Year)
	Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Dr. J. Sanjana (1st Year MDS)
	Clinical Cases (Required 2 in a year) – Nil, Lecturers taken for Undergraduates (Required 1 in a year) - Nil, Inter – disciplinary Presentation (Required 2 presentations during three years of training period) – Nil, Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Dr. S. Merita (1st year MDS)
	Clinical Cases (Required 2 in a year) – Nil, Lecturers taken for Undergraduates (Required 1 in a year) - Nil, Inter – disciplinary Presentation (Required 2 presentations during three years of training period) – Nil, Scientific Publication (Required One Publication in any scientific journal as per Category I, II, III of DCI MDS Course Regulation, 2017) – Nil
	Teaching Learning Activities:-
	Dr. Mohamed Rashik K.M (3rd Year MDS):-
	Minor Surgical Cases:-
	Gingival Depigmentation (Required 3 cases) - Nil
	Dr. Sai Sri Soury (2nd Year MDS):-

	Gingival Depigmentation (Required 3 cases) - Nil, Periodontal plastic and esthetic (Required 10-25 cases) – Nil, Increasing width of attached gingival – Nil, Root coverage procedures / Papilla Preservation and Reconstruction – Nil, Vestibuloplasty – Nil, Furcation treatment (Hemisection, Root section, Tunneling (Required 5 cases)-Nil, Ridge augmentation procedures (Required 3-5 cases) – Nil, Implants placements and monitoring (Required 5 cases) – Nil, Sinus lift procedures (Required 2 cases) - Nil, Case selection preparation and investigation of implants – Nil, Interdisciplinary periodontics (Required 2 each) – Nil, Endo-Perio – Nil, Osseous Surgery (Required 2 each) – Nil, Resective – Nil, Record maintenance & follow up of all treated cases including implants – Nil
	Dr. Subhashini (PG 2nd Year):-
	ENAP (Required 1 case) – Nil, Increasing width of attached gingival – Nil, Root coverage procedures /Papilla Preservation and Reconstruction – Nil, Furcation treatment (Hemisection, Root section, Tunnelling) (Required 5 cases) – Nil, Ride augmentation procedures - (Required 3-5 cases but done only 1), Implants Placements and monitoring (Required 5 cases but done only 2), Sinus lift procedures (Required 2 cases) – Nil, Interdisciplinary Periodontics – (Required 2 each) – Nil, Endo – Perio – Nil, Resective – Nil,
	Lochini S (2nd Year MDS):-
	Gingival Depigmentation (Required 3 cases) – Nil, ENAP (Required 1 cases) – Nil, Increasing width of attached gingival – Nil, Root coverage procedures /Papilla Preservation and Reconstruction – Nil, Vestibuloplasty – Nil, Furcation treatment (Hemisection, Root section, Tunnelling) (Required 5 cases) – Nil, Ride augmentation procedures - (Required 3-5 cases) – Nil, Implants Placements and monitoring (Required 5 cases) – Nil, Sinus lift procedures (Required 2 cases) – Nil, Case selection, preparation and investigation of implants - Nil, Ortho – Perio – Nil, Endo – Perio – Nil, Record maintenance & follow up of all treated cases including implants – Nil, Submission of dissertation – Nil.
	Dr. Amrutha Sairam (1st Year MDS):-
	Minor Surgical Cases (Required 10 cases) – Nil, Gingival Depigmentation (Required 3 cases) – Nil, Gingival Curettage – Nil, ENAP (Required 1 cases) – Nil, Gingivectomy / Gingivoplasty (Required 5 cases) – Nil, Operculectomy (Required 3 cases but done only 1), Case history and treatment planning (Required 10 cases) – Nil, Occlusal adjustments (Required 10 cases but done only 6), Perio splints (Required 10 cases but done only 3), Local drug delivery techniques (Required 5 cases) – Nil,

	Basic flap procedures (Required 20 cases) – Nil, Periodontal plastic and esthetic (Required 10-25 cases) – Nil, Increasing width of attached gingival – Nil, Root coverage procedures /Papilla Preservation and Reconstruction – Nil, Frenectomy – Nil, Vestibuloplasty – Nil, Furcation treatment (Hemisection, Root section, Tunnelling) (Required 5 cases) – Nil, Ride augmentation procedures - (Required 3-5 cases) – Nil, Implants Placements and monitoring (Required 5 cases) – Nil, Sinus lift procedures (Required 2 cases) - Nil, Case selection preparation and investigation of implants – Nil, Interdisciplinary periodontics (Required 2 each) – Nil, Ortho-Perio – Nil, Endo-Perio – Nil, Restorative Perio – Nil, Osseous Surgery (Required 2 each) – Nil, Resective – Nil, Regenerative – Nil, Flap surgeries & regenerative techniques (Required 5 cases (using various grafts & barrier membranes) – Nil, Assistance / observation of advanced surgical procedure (Required 5 each) – Nil, Submission of dissertation – Nil.
	Dr. J. Sanjana (1st year MDS):-
	Minor surgical cases (Required 10 cases) – Nil, Gingival Depigmentation (Required 3 cases) – Nil, Gingival Curettage – Nil, ENAP (Required 1 cases) – Nil, Gingivectomy / Gingivoplasty (Required 5 cases) – Nil, Operculectomy (Required 3 cases but done only 1), Case history and treatment planning (Required 10 cases) – Nil, Occlusal adjustments (Required 10 cases but done only 5), Perio splints (Required 10 cases but done only 6), Local drug delivery techniques (Required 5 cases) – Nil, Basic flap procedures (Required 20 cases) – Nil, Periodontal plastic and esthetic (Required 10-25 cases) – Nil, Increasing width of attached gingival – Nil, Root coverage procedures /Papilla Preservation and Reconstruction – Nil, Frenectomy – Nil, Vestibuloplasty – Nil, Furcation treatment (Hemisection, Root section, Tunnelling) (Required 5 cases) – Nil, Ride augmentation procedures - (Required 3-5 cases) – Nil, Implants Placements and monitoring (Required 5 cases) – Nil, Sinus lift procedures (Required 2 cases) - Nil, Case selection preparation and investigation of implants – Nil, Interdisciplinary periodontics (Required 2 each) – Nil, Ortho-Perio – Nil, Endo-Perio – Nil, Restorative Perio – Nil, Osseous Surgery (Required 2 each) – Nil, Resective – Nil, Regenerative – Nil, Flap surgeries & regenerative techniques (Required 5 cases (using various grafts & barrier membranes) – Nil, Assistance / observation of advanced surgical procedure (Required 5 each) – Nil, Submission of dissertation – Nil.
	Dr. S. Merita (1st Year MDS):-
	Minor surgical cases (Required 10 cases) – Nil, Gingival

	Depigmentation (Required 3 cases) – Nil, Gingival Curettage – Nil, ENAP (Required 1 cases) – Nil, Gingivectomy / Gingivoplasty (Required 5 cases) – Nil, Operculectomy (Required 3 cases but done only 1), Case history and treatment planning (Required 10 cases) – Nil, Perio splints (Required 10 cases but done only 5), Local drug delivery techniques (Required 5 cases) – Nil, Basic flap procedures (Required 20 cases) – Nil, Periodontal plastic and esthetic (Required 10-25 cases) – Nil, Increasing width of attached gingival – Nil, Root coverage procedures /Papilla Preservation and Reconstruction – Nil, Frenectomy – Nil, Vestibuloplasty – Nil, Furcation treatment (Hemisection, Root section, Tunnelling) (Required 5 cases) – Nil, Ridge augmentation procedures - (Required 3-5 cases) – Nil, Implants Placements and monitoring (Required 5 cases) – Nil, Sinus lift procedures (Required 2 cases) - Nil, Case selection preparation and investigation of implants – Nil, Interdisciplinary periodontics (Required 2 each) – Nil, Ortho – Perio – Nil, Endo – Perio – Nil, Restorative Perio – Nil, Osseous Surgery (Required 2 each) – Nil, Resective – Nil, Regenerative – Nil, Flap surgeries & regenerative techniques (Required 5 cases (using various grafts & barrier membranes) – Nil, Assistance / observation of advanced surgical procedure (Required 5 each) – Nil, Record maintenance & follow up of all treated cases including implants – Nil, Submission of dissertation – Nil.
--	---

5(15) **Periodic Inspection Report dated 13th & 14th June, 2024 conducted at AME's Dental College & Hospital, Raichur (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 13th & 14th June, 2024 conducted by Council's Inspectors Dr. G.M. Sogi, Mullana (Haryana), Dr. Pooran Chand, Lucknow (Uttar Pradesh) and Dr. Sabarigirinatham C. Pillai, Chennai (Tamil Nadu) at AME's Dental College & Hospital, Raichur (Karnataka).The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report:-
1.	Land & Infrastructure Details:-
	Whether Sewage Treatment Plant is available – No.
	Whether Bio-Waste incinerator is available – No.
	Whether Fire and Safety Certificate obtained from the Competent Authority- No
2.	Infrastructure & Functional Requirements:-
	H.O.Ds Room - Nil
	Medical Stores:-

	Stocked with all the necessary drugs usually prescribed in a dental hospital – Not available.
	Pollution Control Measures:-
	All the Dental institutions shall take adequate pollution control measures by providing incineration plant, sewage water treatment plant landscaping of the campus etc. – No incineration plant, No sewage plant.
	Auditorium:-
	To accommodate at least 300 people consisting of – Proper seating arrangements, reception counter, green rooms, lobby, fitted with sound system, slide and multimedia presentation facility – Not available.
3	Hostel for Boys & Girls:-
	Boys – No Mess facility.
4.	Constructed Area:-
	Total Carpet area required in the constructed building-40,000 sq.ft. – not provided.
5.	Medical teaching staff:-
	No attendance and no signature provided.
6.	Non-teaching Staff:-
	There are deficiencies of Dent. Tech. (Dental Mechanic) – 4, Dental Hygst. – 3, Photographer – 1, Artist – 1, Physical Director – 1.
	The following non-teaching staff were absent on the day of inspections:-
	(a) Mr. Manjunath, Assistants was absent on 1 st day of inspection.
	(b) Mr. Jindappa, Assistants was absent on 1 st day of inspection.
	(c) Mrs. Vaani, Receptionist was absent on 1 st day of inspection.
	(d) Mr. Arsia Bhanu was absent on both days of inspection.
	(e) Mr. Malleshi was absent on both days of inspection.
	(f) Mr. B Venkatesh was absent on both days of inspection.
	(g) Mr. Nathenal Physical Director was absent on both days of inspection.
	(h) Mr. Honnappa, Carpenter was absent on 1 st day of inspection.
	(i) Mr. Anjinayaa, Mason was absent on 1 st day of inspection.
	(j) Mr. Sharanu, A.C. tech. was absent on 1 st day of inspection.
	(k) Mrs. Huligemma, Sweepers was absent on 1 st day of inspection.
	(l) Mrs. Ramalamma, Sweepers was absent on both days of inspection.
	(m) Mrs. Hussain Bee, Sweepers was absent on 1 st day

	<p>of inspection.</p> <p>(n) Mr. Mareppa, Attenders was absent on 1st day of inspection.</p> <p>(o) Mr. A Praveen, Attenders was absent on 1st day of inspection.</p> <p>(p) Mr. Manjunath, Attenders was absent on 1st day of inspection.</p> <p>(q) Mr. Uday Kumar, Attenders was absent on 1st day of inspection.</p> <p>(r) Mr. Venkatesh, Security personal was absent on 1st day of inspection.</p> <p>(s) Mr. Santosh, Security personal was absent on 1st day of inspection.</p> <p>(t) Mr. Sangamesh, Dept. Secretaries was absent on 1st day of inspection.</p> <p>(u) Mr. Shekhar was absent on 1st day of inspection.</p> <p>(v) Mr. Anwar, Lab. Technicians was absent on 1st day of inspection.</p> <p>(w) Mr. Ravi Kumar, Lab. Technicians was absent on both day of inspection.</p> <p>(x) Mr. P. Ganesh, Lab. Technicians was absent on both day of inspection.</p> <p>(y) Mr. Bheemanna Lab. Technicians was absent on both day of inspection.</p>
7.	Major Equipments:-
	Electrical Dental Chairs installed with all the attachments thereon (Required - 80 Dental Chairs – Available 65) – 15 deficient
	Whether all the Chairs and Units are functioning and electrically operated? – No.
8.	Paediatric and Preventive Dentistry:-
	Dental Chairs and Units – 5 Dental Chairs not as per Specifications.
9.	Oral Medicine and Radiology:-
	Dental Chairs and Units – 5 Dental Chairs not as per Specifications, Automatic periapical X-ray Developer – 1 (Not working), Automatic Developers/Dark Room – 1 (Not working Developers), Intra Oral Camera – 1.
10.	Public Health Dentistry:-
	Dental Chairs and Units – 5 Dental Chairs not as per specification, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket with digital timer) – 1, Intraoral X-Ray (Portable) – 1 (AERB not available), Compressor (1.25HP) – 1 (Not working), Portable Dental Chair (Suitcase unit with Airrotor, Micromotor, Scaler and Compressor 0.25 HP) – 2, Stabilizer (4KV) – 1, Generator (4KV) – 1 (Not working), Water Tank (400 ltrs) – 1 (Not working), Oxygen Cylinder – 1, Public Address System – 1 (Not working).
	Whether all the above-mentioned equipment are

	functioning? – No.
11.	Inspector observations:-
(i)	Mobile Dental Unit is not functioning properly wherein the Compressor, Generator and stabilizer is not working.
(ii)	Only one Satellite clinic is available.
(iii)	One Lecturer Hall is under renovation.
(iv)	22 non teaching staff were absent on 13.06.2024 and 4 non teaching staff has not come to duty on 14.06.2024
(v)	College website is not working.
13.	Deficiencies as per MDS Inspection Report:-
(i)	Prosthodontics and Crown & Bridge:-
	Library details:-
	Total No. of Books – Not mentioned.
(ii)	Periodontology:-
	Title of the Journal – Not Provided.
	Teaching / Learning Activities:-
	Practical training and handling medical emergencies and basic life support (BLS) – Not provided.
	Basic biostatistics and research methodology – Surveying and data analysis – not provided. Dr. Priyanka, PG Student, Periodontics was absent on both days of Inspection.
(iii)	Oral Medicine and Radiology:-
	Clinical work load:-
	There were only 33 patients on 1 st day and 32 patients on 2 nd day of inspection against the requirement of 70.
	Library Details:-
	List of journals:-
	Dento Maxillofacial Radiology – online not available
	Indian Journal of Dental research – online not available
	Equipments:-
	Intra-oral camera – 1, Automatic radiographic film processors – 2, Digital Camera – 1, Laser soft tissue – 1, CBCT - 1

5(17) **Periodic Inspection Report dated 13th & 14th June, 2024 conducted at Yenepoya Dental College & Hospital, Mangalore (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 13th & 14th June, 2024 conducted by Council's Inspectors Dr. Manesh Lahori, Mathura (Uttar Pradesh), Dr. Abrar Bashirahmed Sayed, Mumbai (Maharashtra) and Dr. Biswajit Mishra, Raipur (Chhattisgarh) at Yenepoya Dental College & Hospital, Mangalore (Karnataka) .The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per MDS Inspection Report:-
---------------	--

1.	Pediatric and Preventive Dentistry:-
	Equipments:- Bracket holding pliers – 12, Straight hoe pliers – 12, Curved hoe pliers – 12.
2.	Oral and Maxillofacial Surgery:-
	There were only 78 patients on 2 nd day against the requirement of 80.
3.	Oral Medicine & Radiology:-
	PG Students list:- Dr. Saquib Khan, was absent on both days. Dr. Adiba Shahin, was absent on both days.

5(18) **Periodic Inspection Report dated 14th & 15th June, 2024 conducted at Hazaribag College of Dental Sciences & Hospital, Hazaribag (Jharkhand) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 14th & 15th June, 2024 conducted by Council's Inspectors Dr. Hemant Batra, Chandigarh, Dr. M Hemanth, Bengaluru (Karnataka) and Dr. Manu Rathee, Rohtak (Haryana) at Hazaribag College of Dental Sciences & Hospital, Hazaribag(Jharkhand) .The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	Non – Teaching Staff: - Dent. Hygst. – 5.
2.	Major Equipments:-
(i)	Total No. of functional chairs (Required - 200):- 25% of chairs non-functional.
(ii)	Prosthodontics and Crown & Bridge:- Dental chairs and units – 2, Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters), Needle Burner with Syringe Cutter – 1, Model Trimmer with Diamond Disc – 1, Lathe – 1, Deflasking unit – 3, Hydraulic Press – 3, Geyser – 2, H.P. Grinder with suction – 3, (Ceramic and cast partial laboratory): Plaster Dispenser (for plaster) – 1, Electro-Polisher – 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Induction Casting Machine – 1, Vacuum Mixing Machine – 1, Milling machine – 1, Heavy Duty Lathe with Suction – 1, Ultrasonic Cleaner (5 liters capacity) – 1, Composite Curing Unit – 1, (Plaster Room For Pre-Clinical Work): Diamond Disc – 1.
(iii)	Conservative Dentistry and Endodontics:- Autoclaves (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 3, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) – 2, Pulp Tester-Digital – 2, Automatic Developer – 1, Phantom Lab Unit – 6, (Clinical laboratory): Plaster Dispenser (for stone plaster) – 1, Model Trimmer (Carborandum disc) – 1, Model Trimmer (Diamond disc) – 1, Lab Micromotor (With heavy duty handpiece) – 3, Porcelain Furnace – 1, Sandblasting Machine – 1, Vacuum Mixer – 1, Pneumatic Chisel – 1.

(iv)	Pediatric and Preventive Dentistry:- Pressure Moulding Machine – 1.
(v)	Public health dentistry:- Metal Cabinet (With Wash Basin) – 1, Stabilizer (4 KV) – 1, Generator (4 KV) – 1, Water Tank (400 ltrs) – 1, Public Address System – 1, TV and Video Cassette player (Pendrive) – 1.
3.	Deficiencies as per MDS Inspection Report :-
(i)	There are following deficiencies of Equipments viz. Prosthodontics and Crown & Bridge with 2 seats:- Micromotor – (Lab Type can also be attached (fixed) to wall – 2, (Clinical Lab for Prosthetics): Plaster dispenser – 1, Model trimmer with carborandum Disc – 1, Model trimmer with diamond disc – 1, High speed lathe – 1, Vibrator – 1, Acrylizer – 1, Dewaxing unit – 1, Hydraulic press – 1, Micro motor lab type – 1, Pressure molding machine – 1, (Metal Casting Lab): Sandblaster (Micro and Macro) – 1, Model trimmer with carborandum disc – 1, Model trimmer with diamond disc, Steam cleaner – 1, Vacuum mixing machine – 1, Wax heater for wax carving – 1, Heavy duty lathe with suction – 1, Induction Casting Machine – 1, Orthodontics and Dentofacial Orthopedics:- Computer software for cephalometrics – 1
(ii)	There are following deficiencies of Clinical Work load viz. Conservative Dentistry and Endodontics:- There were only 65 patients on the 2 nd day of Inspection against the requirement of 70, Pediatric and Preventive Dentistry:- There were only 35 patients on the 2 nd day of Inspection against the requirement of 40.

5(19) **Periodic Inspection Report dated 14th & 15th June, 2024 conducted at College of Dental Sciences & Hospital, Rau (Madhya Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 14th & 15th June, 2024 conducted by Council's Inspectors Dr. Anirban Chatterjee, Mysore (Karnataka), Dr. H. Thamizh Chelvan, Chennai (Tamil Nadu) and Dr. Gyanendra Kumar, New Delhi at College of Dental Sciences & Hospital, Rau (Madhya Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report:-
1	Medical Teaching Faculty: Dr. Ravi Saxena, Professor, Physiology was absent on both days on inspection.
2	Checklist for Inspectors:-
	Any staff on Notice Period (not to be considered after submission resignation – Yes.

5(20) **Periodic Inspection Report dated 11th & 12th June, 2024 conducted at Hitkarini Dental College & Hospital, Jabalpur (Madhya Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 11th & 12th June, 2024 conducted by Council's Inspectors Dr. Gaurang Mistry, Mumbai (Maharashtra), Dr. Vinay Shrivastava, Varanasi (Uttar Pradesh) and Dr. Ashu Gupta, Shimla (Uttar Pradesh) at Hitkarini Dental College & Hospital, Jabalpur (Madhya Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per BDS Inspection Report:-
1.	Fire and Safety Certificate obtained from the Competent Authority – Not available.
2.	The following Dental Teaching Staff were absent on the days of Inspection:-
(i)	Conservative Dentistry and Endodontics:-
	<ul style="list-style-type: none"> • Dr. S P Mantri, Professor, was absent on 11.06.2024 day of inspection. • Dr. Kavita Dube, Professor, was absent on 11.06.2024 day of inspection. • Dr. Priyanka Choudha, Lecturer, was absent on both days of inspection. • Dr. Ashutosh Kumar, Lecturer, was absent on both days of inspection. • Dr. Gaurav Rampuri, Lecturer, was absent on both days of inspection. • Dr. Reetika Khandelwal, Lecturer, was absent on both days of inspection.
(ii)	Orthodontics and Dentofacial Orthopedics:-
	<ul style="list-style-type: none"> • Dr. Gulshan Jain, Reader, was absent on 12.06.2024 day of inspection. • Dr. Anurag Sahu, Reader, was absent on 12.06.2024 day of inspection. • Dr. Abhinav Shrivastava, Reader, was absent on both days of inspection. • Dr. Abha Chansoria, Lecturer, was absent on both days of inspection.
(iii)	Periodontics:-
	<ul style="list-style-type: none"> • Dr. Radhika Singh, Lecturer, was absent on both days of inspection.
(iv)	Oral Medicine & Radiology:-
	<ul style="list-style-type: none"> • Dr. Sukriti Tripathi, Reader, was absent on both days of inspection. • Dr. Saniya Arora Kohli, Lecturer, was absent on 12.06.2024 day of inspection.
(v)	Public Health Dentistry:-
	<ul style="list-style-type: none"> • Dr. Sakshi Chanewar, Tutor, was absent on 11.06.2024 day of inspection. • Dr. Avinash J Bose, Tutor, was absent on both days of inspection.
(vi)	Oral Pathology:-
	<ul style="list-style-type: none"> • Dr. Anikit Agrawal, Professor, was absent on both days of

	inspection.
3.	PG Students List:-
	<ul style="list-style-type: none"> • Dr. Kriti Trivedi, 1st Year, Oral and Maxillofacial Surgery was absent on 11.06.2024 day of inspection. • Dr. Kartik Sinha, 1st Year, Pediatric and Preventive Dentistry was absent on 11.06.2024 day of inspection. • Dr. Prashana Maheshwari, 3rd Year, Conservative and Endodontics Dentistry was absent on 11.06.2024 day of inspection. • Dr. Nikita Saini, 3rd Year, Paediatric and Preventive Dentistry was absent on 11.06.2024 day of inspection. • Dr. Sameer David Singh, 2nd Year, Oral and Maxillofacial Surgery was absent on 11.06.2024 day of inspection. • Dr. Charu Kasturia, 2nd Year, Orthodontics & Dentofacial Orthopedics was absent on both days of inspection.
4.	The following Medical Teaching Staff were absent on the days of Inspection:-
(i)	Anatomy:-
	<ul style="list-style-type: none"> • Dr. Rakesh Shrivastava, Lecturer was absent on 11.06.2024 days of inspection. • Dr. Shekhar Shivhare, Lecturer was absent on 11.06.2024 days of inspection.
(ii)	Physiology:-
	<ul style="list-style-type: none"> • Dr. Reepmala, Lecturer was absent on 11.06.2024 days of inspection. • Dr. Piyali Sengupta, Lecturer was absent on 11.06.2024 days of inspection.
(iii)	Biochemistry:-
	<ul style="list-style-type: none"> • Dr. Bharat Srivastava, Lecturer was absent on 12.06.2024 days of inspection. • Dr. Danish, Lecturer was absent on both days of inspection.
(iv)	Pharmacology:-
	<ul style="list-style-type: none"> • Dr. Jyotirmayee Kashyap, Reader was absent on both days of inspection. • Dr. Asha Sharma, Lecturer was absent on both days of inspection. • Dr. Sunit Lokwani, Lecturer was absent on both days of inspection.
(v)	Pathology:-
	<ul style="list-style-type: none"> • Dr. Neeraj Sachdeva, Reader was absent on 12.06.2024 days of inspection.
(vi)	Microbiology:-
	<ul style="list-style-type: none"> • Dr. Sneha Tahilani, Reader was absent on both days of inspection. • Dr. Anisha Pal, Lecturer was absent on both days of inspection.
(vii)	General Surgery:-
	<ul style="list-style-type: none"> • Dr. Digant Pathak, Lecturer was absent on both days of

	<p>inspection.</p> <ul style="list-style-type: none"> • Dr. Priya Kushwaha, Lecturer was absent on both days of inspection. • Dr. Avneet Jain, Lecturer was absent on both days of inspection.
(viii)	Aneesthesia:-
	<ul style="list-style-type: none"> • Dr. S C Diwan, Reader was absent on both days of inspection.
5.	Major Equipments:-
(i)	Prosthodontics and Crown & Bridge: Dental Chairs and Units – (Air-rotor is not working in 2 chairs).
(ii)	<p>Conservative Dentistry and Endodontics:- Dental Chairs and Units – 5, Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) – 1 (3.5 liters), Automatic Developer – 1, Phantom Lab Unit – 3.</p> <p>Clinical Laboratory:- Plaster Dispenser (for stone plaster) – 1, Model Trimmer (Diamond disc)- 1, Lathe (Heavy Duty) – 1, Ultrasonic Cleaner (Minimum capacity 5 liters) – 1, Vibrator – 1, Porcelain Furnace – 1, Pindex System – 1, Circular Saw – 1, Vacuum Mixer – 1, CAD CAM – 1.</p>
(iii)	<p>Oral & Maxillofacial Surgery:-</p> <p>A) Exodontia:- Autoclaves – 1, Ultrasonic Cleaner – 1.</p> <p>B) Minor Surgery:- Dental Chairs and Units – 3.</p>
(iv)	Periodontology:- Ultrasonic Cleaner (Minimum capacity 13 liters with mesh bucket) – 1
(v)	Orthodontics & Dentofacial Orthopedics:- Dental Chairs and Units – 1, Unit Mount Scaler – 2, OPG with Cephalostat – Available in Oral Medicine.
(vi)	<p>Paediatric and Preventive Dentistry:- Dental Chairs and Units – 1, Autoclaves – 1, Ultrasonic Cleaner – 1, Needle Burner with Syringe Cutter – 2, Amalgamator – 1, Pulp Tester-Digital – 1, Rubber Dam Kit for Pedo – 3, Apex Locator – 1, Endo Motor (With torque control HPs) – 1, Injectable Gutta Percha with Condensation – 1, Radiovisography (Digital Intra X-Ray system with Pedo Sensor and Software) – 1, Intra Oral Camera (With High Resolution) – 1, Scaling Instruments – 5, Restorative Instruments – 5, Extraction Forceps (Pedo Forceps Complete Sets) – 5, Intra-oral X-Ray – 1, Automatic Developer – 1, Computer (With Minimum Basic Specification not below core i3 Processor) – 1, RCT Instruments Kits – 2.</p> <p>PEDO LAB:- Plaster Dispenser (a) for plaster – 1, (b) for stone plaster – 1, Welder with Soldering attachments – 1, Vibrator – 2, Lab Micro Motor (With Heavy duty with Hand Piece) – 2, Dental Lathe – 1, Stem Cleaner – 1, Pressure Moulding Machine – 1.</p>
(vii)	<p>Public Health Dentistry:-</p> <p>Mobile Clinic:- Mobile Dental Van – 1, Portable Dental Chair (Suitcase unit with Air rotor, Micromotor, Scaler and Compressor 0.25HP) – 1.</p>
6.	<p>Inspectors Observations:-</p> <ul style="list-style-type: none"> • Non Teaching Staff: 91 non teaching staff were present

	<p>against the requirement of 116 people required as per DCI norms.</p> <ul style="list-style-type: none"> • Prostho PG clinic is non-functional as the same is under renovation. • Phantom heads for Prostho Pg clinic are not functional. • Bio Metric record is different than the attendance of faculty as submitted by the college authorities.
7.	<p>Check list for the Inspectors:-</p> <ul style="list-style-type: none"> • Any staff on Notice Period (not to be considered after submission of resignation) – Yes. • Any case of Ragging in the institution in the last one year has been reported – Yes.
8	Deficiencies as per MDS Inspection Report:-
(i)	Conservative Dentistry and Endodontics:-
	Library Details: Latest National and International Journals, New Titles (Books) are not mentioned
	Equipments:- Rubber dam kit – 7, Autoclaves – 1, Pulp tester – 2, Surgical endo kits (Microsurgery) – 2, Magnifying loupes – 9, Digital X-ray system – 1, Bleaching unit (with light) – 1, Instrument retrieval kits – 1, Equipments for ceramics including induction casting machines/ burnout furnaces – 1 (Not available separately), Lab micro motor/said blaster/polishing lathes/duplicator equipment/vacuum investment equipments – 1 (Not available separately), Laser (preferably hard tissue) – 1(Soft issue), Composite curing Unit - 1,
(ii)	Pediatric and Preventive Dentistry:-
	There is a deficiency of 1 Lecturer.
	Library Details: Journals: International are available 3 against the requirement of 4-6. New Titles (Books) purchased in current Academic Year – Nil.
	Equipments:- Ultrasonic scalers – 1, X-ray viewer – 1, Plaster Dispenser – 2, Soldering unit – 1, Conscious sedation unit – 1, Phantom head table with attached Light, Airtor and micro motor – 3 (Non functional), Audio Visual system – 1, Curved hoe pliers – 8.
(iii)	Prosthodontics and Crown & Bridge:-
	Library Details: Journals: International are available Per year 03 against the requirement of 4-6.
	Equipments: Electrical Dental Chairs and Units – PG department is under renovation, Chair are non – operational. Ceramic Lab Equipment:- Implant removing instruments – 1.
(iv)	Oral Medicine & Radiology:-
	There is a deficiency of 1 Lecturer.
	Clinical Work Load: There were only 16 patients on day 1 st and 14 patients on 2 nd day against the requirement of 75.
	Library Details: Journals: International are available 03 against the requirement of 4-6.
	Equipments: Emergency medicines kit – 1, Laser soft tissue – Not available the department.
(v).	Oral & Maxillofacial Surgery:-
	Equipments: Minor oral surgery kit – 3, Pulse oxymeter – 1,

	Computer with internet connection with attached printer – 1 (Not working),
(vi)	Periodontology:- There is a deficiency of 1 Reader.
	Library Details: Journals: International are available 03 against the requirement of 4-6.
	Equipments: Pressure sensitive probe – 1, Surgical Instruments:- Mini five curettes – 1, Bone fixation screw kit – 1.
(vii).	Orthodontics and Dentofacial Orthopedics:-
	Equipments: Light curing unit – 1, Audio Visual System – 1.

5(21) **Periodic Inspection Report dated 13th & 14th June, 2024 conducted at Al Ameen Dental College, Vijayapur (Karnataka) for Evaluation of Physical Facilities, Compliance, and Overall Impression-Regarding**

To consider the Periodic Joint Inspection Report dated 13th & 14th June, 2024 conducted by Council's Inspectors Dr. Mohammad Tariq, Aligarh (Uttar Pradesh), Dr. Partha Pratim Choudhury, Kolkata (West Bengal) and Dr. Arvind Kumar A, Tirunelveli (Tamil Nadu) at Al Ameen Dental College, Vijayapur (Karnataka). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

S. No.	Deficiencies as per BDS Inspection Report:-
1.	University Affiliation:- 2 nd page of University Affiliation Certificate is missing.
2.	Hostel for Boys & Girls - Hostel is shared by other Colleges/Institutions.
3.	Dental Teaching Staff:- One Reader deficient in Department of Prosthodontics.
4.	Non-Teaching Staff:- Managers/Office Suptd – 3, Assistants – 2, D.S.A. (Chair Side Attendant) – 9, Dent. Tech. (Dental Mechanic) – 2, Dent. Hygst – 1, Electricians – 1, Attenders – 12, Security Personal – 4, Dept. Secretaries – 2, Driver – 3, Nurses – 1.
5.	Central Library:- <ul style="list-style-type: none"> • Atleast 5 Titles & 5 Volumes of Latest Edition for all Dental, Medical and Allied specialties/subjects – Latest print journals and books are not available. • Atleast 1 National Journal in each subject of the 9 Dental specialties, 1 National Journal in each subject of the 8 basic medical science subjects and 1 International Journals for each 9 Dental specialties – Basic Medical Sciences journals are not available in library of Dental College but they are available of library of Medical College. • Atleast 5 years Back Volumes of National/International Journal(s) of 9 Dental Specialties - Basic Medical Sciences journals are not available in library of Dental College but they are available of library of Medical College - Basic Medical Sciences journals are not available in library of

	<p>Dental College but they are available of library of Medical College.</p> <ul style="list-style-type: none"> Details of facilities for E- Journals:- All the journals of the speciality and allied subjects shall be available out of which 50% should be in print form - Basic Medical Sciences journals are not available in library of Dental College but they are available of library of Medical College.
6.	Major Equipments:-
(i)	Prosthodontics and Crown & Bridge:- Extra Oral/Intra Oral Tracer – 2, Light Cure unit – 1(Not available), Surveying unit – 1(Not available), Deflasking Unit - 4(Not available), Porcelain furnace - 1(Not available), Geyser (Compound with) - 1(Not available), Phantom Heads - 25(Not available).
	<p>Ceramic and Cast Partial Laboratory:- Sandblasting Machine (With two containers) - 1(Not available), Electro-Polisher - 1(Not available), Model Trimmer with Carborandum Disc - 1(Not available), Spot Welder with Soldering, attachment of Cable - 1(Not available), Vacuum Mixing Machine - 1(Not available), Steam Cleaner - 1(Not available), Spindle Grinder 24,000 RPM with Vacuum Suction - 1(Not available), Curing Pressure Pot - 1(Not available), Milling Machine - 1(Not available), Composite Curing Unit - 1(Not available).</p> <p>Pre-Clinical Prosthetics Laboratory:- Adequate number of Lab Macro Motor with attached Hand Piece – 3.</p> <p>Plaster Room for Pre-Clinical Work:- Plaster Dispenser (for plaster) - 1(Not available), Plaster Dispenser (for stone plaster) - 1(Not available), Lathe – 1, Model Trimmer - 1(Not available), Carborandum Disc - 1(Not available), Diamond Disc - 1(Not available).</p>
(ii)	<p>Conservative Dentistry and Endodontics:- Rubber Dam Kits – 2, Autoclaves – 1, Needle Burner with Syringe Cutter – 1, Automatic Developer - 1(Not available), Phantom Lab Unit – 5.</p> <p>Clinical Laboratory:- Model Trimmer (Carborandum disc) - 1(Not available), Model Trimmer (Diamond disc) - 1(Not available), Lab Micromotor (With heavy duty handpiece) – 1, Spindle Grinder – 1, Vibrator – 1, Burnout Furnace – 1, Porcelain Furnace – 1, Sandblasting Machine – 1, Lab Airrotor – 1, Pindex System – 1, Circular Saw – 1, Vacuum Mixer – 1, Pneumatic Chisel – 1, Casting Machine – 1.</p>
(iii)	<p>Dental Anatomy, Embryology, Oral Histology and Oral Pathology:- Television – 1(Not available), Teaching slides set with Box (2 Sets with minimum of 60 slides in each set) – Not available, Education Model – 3(Not available).</p> <p>Histopathology Room:- Hot Air Oven – 1(Not available), Distilled Water Plant - 1(Not available), Slide Warming Table – 1 Ordered (Copy attached), Slides Storage Cabinet - 1(Not available), Wax Block Storing Cupboard - 1(Not available).</p> <p>Oral Pathology Reporting Station:- Microscope (With all attachments) – Trinocular - 1(Not available), Colour Printer - 1(Not available), Desktop Computer (With Minimum basic specification (not below core i3 processor)- 1(Not available).</p>

(iv)	Oral & Maxillofacial Surgery:- Autoclaves – 1(No B class autoclave available), Needle Burner with Syringe Cutter – 3, Extraction Forceps Sets – 6, Dental elevators – 1, Minor Oral Surgery Kits – 1, Oxygen Cylinder with Adult and Pediatric Mask – 1, Trauma Kit – 1, High Volume Suction – 1.
(v)	Periodontology:- Dental Chairs and Units – 3, Autoclaves – 1,
(vi)	Orthodontics & Dentofacial Orthopedics:- Dental Chairs and Units – 2, Unit Mount Scaler – 3(Not available), Autoclave - 1(Not available), Ultrasonic Cleaner - 1(Not available), X-ray Viewers - 2(Not available), Pressure Molding Machine - 1(Not available).
(vii)	Paediatric and Preventive Dentistry:- Ultrasonic Cleaner – 1(Not available), Amalgamator - 1(Not available), Rubber Dam Kit for Pedo – 2, Intra-oral- X-Ray - 1(Not available), Automatic Developer - 1(Not available), Computer - 1(Not available). PEDO LAB:- Plaster Dispenser (a) for plaster - 1(Not available), (b) for stone plaster - 1(Not available), Model Trimmer (a) Diamond Disc - 1(Not available), (b) Carborandum Disc - 1(Not available), Welder with Soldering attachments - 1(Not available), Vibrator - 2(Not available), Lab Micro Motor (With Heavy duty with Hand Piece) – 2(Not available), Dental Lathe - 1(Not available), Steam Cleaner - 1(Not available), Pressure Moulding Machine - 1(Not available).
(viii)	Oral Medicine & Radiology:- Intra Oral X-ray Unit – 1, Pulp testers – 1, Automatic periapical X-ray Developer – 1, Automatic Panoramic with Cephalometric X-ray Developer – 1, Needle Burner with Syringe Cutter – 1.
(ix)	Public Health Dentistry:- Ultrasonic Cleaner – 1. Mobile Clinic:- Dental Chair with Unit – 1, Intraoral X-Ray - 1(Not available), Glass Bead Sterilizers - 1(Not available), Portable Dental Chair - 2(Not available), Stabilizer - 1(Not available), Oxygen Cylinder - 1(Not available), TV and Video Cassette Player (Pendrive) – 1.
7.	Inspectors Observations: <ul style="list-style-type: none"> • Prosthodontics HOD has deficient Publication Points. • Fire Safety Certificate expired. • Pre Clinical labs need to be upgraded. • Auditorium needs to be upgraded.
8	Deficiencies as per MDS Inspection Report:-
(i)	Orthodontics and Dentofacial Orthopedics
	There were only 12 patients on 2 nd day against the requirement of 25.
	Library Details:
	New Titles (Books) purchased in current Academic Year – Not mentioned.
	Equipments:- Hydrogen soldering unit – 1, Lab micromotor – 1, Model Trimmer (Double disc) – 1, C-ray viewer – 3, Electropolisher – 1, Hinge articulators – 3, Computer software for cephalometrics – 1(Not available).
(ii).	Oral and Maxillofacial Surgery
	Clinical Work Load: There were only 28 patients on day 1 st and 14

	patients on 2 nd day against the requirement of 35.
	Library Details:
	New Titles (Books) purchased in current Academic Year – Not mentioned.
	Equipments:- Distraction osteogenesis kit – 1(Not available), Dematomes - 1(Not available), Fibrooptic light - 1(Not available), Inpatient beds – 20(Not allotted), Audio Visual System - 1(Not available).
	Inspectors Observations: No B – Class Autoclaves.

5(22) **Periodic Inspection Report dated 20th & 21st June, 2024 conducted at Santosh Dental College & Hospital, Ghaziabad (Uttar Pradesh) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 20th & 21st June, 2024 conducted by Council's Inspectors Dr. Neeta Mohanty, Bhubaneswar (Odisha), Dr. Mithra N. Hegde, Mangalore (Karnataka) and Dr. Prahlad Saraf, Bagalkot (Karnataka) at Santosh Dental College & Hospital, Ghaziabad (Uttar Pradesh). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	Central library:- Property counter (200 sq.ft.) – Not available
2.	There are following deficiencies of Major Equipments viz. Prosthodontics and Crown & Bridge:- Deflasking Unit – 1, Curing Pressure Pot – 1, Conservative Dentistry and Endodontics:- Autoclave (Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters) – 1, Automatic Developer – 1, Radiovisiography (RVG with Computer) – 1, Dental Anatomy, Embryology, Oral Histology And Oral Pathology: (Oral Pathology Reporting Station):- Colour Printer – 1, Oral & Maxillofacial Surgery:- (Exodontia):- Thermometer – 1,
3.	Deficiencies as per MDS Inspection Report :-
(i)	Prosthodontics and Crown & Bridge:-
	There were only 45 patients on the 2 nd day of Inspection against the requirement of 50.
	Library details:- Total No. of books (Central library) – Not mentioned, Total No. of books (Department library) – Not mentioned
	Equipments:- Electrical Dental Chairs and Units – 3
	Observations: - However major renovations of interior is undergoing in the departments.
(ii)	Conservative Dentistry and Endodontics:-
	Equipments:- Autoclaves – 1, Variable intensity polymerization equipments (VLC Units) – 1, Magnifying loops (one per students) – 15 (Not mentioned), Ceramic finishing kits, metal finishing kits – 3, Equipments for ceramics including induction casting machines/ burnout furnaces – (1) Shared with Prosthodontics, Lab micro motor/sand blasters/ polishing lathes/ duplicator equipment/ vacuum investment equipments - (1) Shared with Prosthodontics, Laser

	(preferably hard tissue) – 1.
(iii)	Periodontology:- There were only 70 patients on the 1 st day and 59 patients on the 2 nd day of Inspection against the requirement of 80.
	Library details: - International Journals – Not mentioned, National Journals – Not mentioned.
(iv)	Orthodontics and Dentofacial Orthopedics:- Speciality Department Infra Structure Details: - Faculty Rooms – Under renovation, Seminar Rooms – Under renovation.
(v)	Oral & Maxillofacial Pathology and Oral Microbiology:- Equipments:- Leuckhart Pieces – 10, Block holders – 25.
(vi)	Pediatric and Preventive Dentistry:- There were only 56 patients on the 1 st day and 39 patients on the 2 nd day of Inspection against the requirement of 60.

5(25) **Periodic Inspection Report dated 14th & 15th June, 2024 conducted at Sree Balaji Dental College & Hospital, Chennai (Tamilnadu) for Evaluation of Physical Facilities, Compliance, and Overall Impression- Regarding**

To consider the Periodic Joint Inspection Report dated 14th & 15th June, 2024 conducted by Council's Inspectors Dr. S.K. Mishra, Aligarh (Uttar Pradesh), Dr. Biju Pappachan, Raipur (Chhattisgarh) and Dr. Girish Giraddi, Bangalore (Karnataka) at Sree Balaji Dental College & Hospital, Chennai (Tamilnadu). The purpose of the inspection was to assess the physical facilities for teaching BDS & MDS courses, ensure compliance with Council norms regarding teaching workload and admission capacity, and form a general impression of the institution.

Compliance

Sr. No.	Deficiencies as per BDS Inspection Report :-
1.	Land & Infrastructure details:- Whether Bio-Waste incinerator is available – No.
2.	There are deficiencies of Major Equipments viz. Periodontology:- Dental Chairs and Units – 3, Oral & Maxillofacial Surgery: (Exodontia):- Dental Chairs and Units – 5, Pediatric and Preventive Dentistry: (Pedo lab):- Lab Micro Motor (with heavy duty with hand piece) – 2
3.	Deficiencies as per MDS Inspection Report :-
(i)	There are following deficiencies in the department of Periodontology :- 2 Readers

Note:- Subject to Correction / Modification if any