

## DENTAL COUNCIL OF INDIA

Compliance Cases of the Executive Committee of the Dental Council of India held on 22.11.2023 in the Committee Room, Dental Council of India, Aiwan-E-Ghalib Marg, Kotla Road New Delhi.

### New Schemes/Proposals for Establishment of New Dental College

5(1). Establishment of Government Dental College, Jodhpur (Rajasthan) for the AY 2024-25 - Regarding

Joint Inspection Report of Council's Inspectors Dr. Ratnakar P., Gulbarga (Karnataka) and Dr. P. Usha, Hyderabad (Telangana) carried out on 6th & 7th November, 2023 at Government Dental College, Jodhpur (Rajasthan) for the establishment of a new dental college in the name of Government Dental College, Jodhpur (Rajasthan), for starting of BDS Course with 50 seats for the Academic Year 2024-25.

The Executive Committee considered the Joint Inspection Report of Council's Inspectors Dr. Ratnakar P., Gulbarga (Karnataka) and Dr. P. Usha, Hyderabad (Telangana) carried out on 6th & 7th November, 2023 at Government Dental College, Jodhpur (Rajasthan) for the establishment of a new dental college in the name of Government Dental College, Jodhpur (Rajasthan), for starting of BDS Course with 50 seats for the Academic Year 2024-25 and after discussion and deliberation decided as under:-

#### Compliance

Sr. No.	There are following deficiencies:-
1.	Registration details of the Society/Trust not provided
2.	<b>Medical College Attachment:-</b>
	Validity period of MOU not provided
3.	GOI notification not provided.
4.	<b>Hospital:-</b>
(i)	General Ward Medical including allied specialties – 30 , General Ward – Surgical including allied specialties – 30, Private Ward (A/C & Non A/C) – 9, Maternity Ward – 15, Paediatric Ward – 6, Intensive Care Services (4% of bed strength) – 4, Critical Care Services (6% of bed strength) - 6
(ii)	<b>Area Requirments (As per BIS/NABH):-</b>
	Covered Area – 20 sq.m/bed, Inpatient Services – 40%, Outpatient Services – 35%, Department and supportive services – 25%.
5.	<b>Man Power Requirement:-</b>
(i)	<b>Medical Staff:-</b>
	General Surgery – 2, General Medicine – 2, Obstetrics & Gynaecology – 2, ENT – 2, Paediatrics – 2, Anaesthesia – 2, Orthopaedics – 2, Pharmacologist – 1, Radiologist – 1, GDMO – 1, Community Medicine – 1, Hospital Administration – 1.
(ii)	<b>Nursing Staff:-</b>
	Matron – 1, Sister Incharge – 6, O.T. Nurses – 6, General Nurses – 20, Labour Room Nurses - 4
(iii)	<b>Health Staff:-</b>
	Female Health Assistant – 1, Extension Educator Paramedical Staff – 1, Lab Technician/Blood Bank Tech – 4, ECG Technician – 1, Pharmacist – 4, Sr. Radiographer – 1, CSSD – 2, Medical Records - 1
(iv)	<b>Engineering Staff:-</b>

	Civil – 2, Mechanical – 2, Electrical – 2, Engineering Aid – 4.
(v)	<b>Other Staff:-</b>
	Drivers – 2, Carpenter – 1, Cooks – 2, Barber – 1, Class IV including chowkidars – 55.
(vi)	<b>Administrative Staff:-</b>
	Office Superintendent – 1, Head Clerk – 1, Cashier – 1, Stenographer – 1, UDC – 2, LDC – 4.
6.	<b>Clinical Material:-</b>
(i)	Attached Hospital Attendances (During Inspection Average Last six months) – Not provided.
(ii)	Dental College Hospital Attendances Attendances (During Inspection Average Last six months) – Not provided.
7.	<b>Deficiencies of Dental Teaching Staff:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge :-</b>
	Professor – 1, Reader - 1
(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Reader – 1.
(iii)	<b>Oral Pathology and Oral Microbiology :-</b>
	Lecturer - 1
(iv)	<b>Oral &amp; Maxillofacial Surgery:-</b>
	Lecturer - 1
(v)	<b>Oral Medicine and Radiology:-</b>
	Lecturer – 1.
(vi)	7 Tutors are deficient.
8.	<b>Deficiencies of Medical Teaching Staff:-</b>
(i)	<b>Anatomy:-</b>
	Reader – 1 , Lecturer - 2
(ii)	<b>Physiology:-</b>
	Reader – 1, Lecturer - 2
(iii)	<b>Biochemistry:-</b>
	Reader – 1, Lecturer – 2.
9.	<b>Deficiencies of Non-Teaching Staff:-</b>
	Managers/ Office Suptd. – 4, Assistants – 8, Receptionist – 8, Librarian – 1, D.S.A.(Chair side Attendant) – 10, Dent. Tech. (Dental Mechanic) – 6, Dent. Hygst. – 3, Radiographer – 2, Photographer – 1, Artist – 1, Programmer – 1, Data Entry Operators – 1, Physical Director – 1, Engineer – 1, Electricians – 2, Plumber – 1, Carpenter – 1, Mason – 1, A.C. Tech. – 1, Helpers Electrical – 1, Sweepers & Scavengers – 10, Attenders – 18, Security Personal – 5, Dept. Secretaries – 4, Driver – 4, Nurses – 3, Lab. Technicians – 3.
10.	<b>Deficiencies of Central Library:-</b>
(i)	Total Number of Books – 150.
(ii)	6 titles for all specialties – 6.
(iii)	3 copies each of all the subjects of first year – 3.
(iv)	Total number of Journals – 26.
(v)	1 National Journal in each subject of the 9 Dental specialties – 9.
(vi)	1 National Journal in each subject of the 8 basic medical science – 8.
(vii)	1 International Journals for each 9 dental specialty – 9.
(viii)	Back Volumes of all national Journal of 9 Dental Specialties – 9.

(ix)	E-Journal Details – Not provided.
(x)	Total Area (Minimum 4500 sq.ft.) – 4500 sq.ft.
(xi)	<b>Deficiencies of Amenties:-</b>
	Reception and waiting – Not available, Issue Counter - Not available, Journal Room - Not available, Staff Reading Room - Not available, Store and Stocking Room - Not available, Digital Library - Not available, Chief Library Room/Assistant Library - Not available, Students Cloak Area – Not available, Seating Area - Not available
11.	<b>Dental Chairs/Units:-</b>
	Deficiency of 20 Electric Dental Chairs
12.	<b>The deficiencies of Major Equipments:-</b>
(i)	<b>A Common Clinic:-</b>
	Electrical Dental Chairs Units Adult(Including one Oral Path ) – 18, Dental Chairs Units Pedodontics – 2, Autoclave – 2, Ultra sonic cleaner -1, Glass bead sterilizers – 2, Needle destroyer – 2, Diagnostic kit – 20, Intra Oral Camera – 1, Biopsy Kit – 1, Sailography equipment & Kit – 1, IOPA X-ray – 1, OPG with Cephalogram – 1, X-ray – OPG viewer – 2, RVG – 1, Lead apron – 2, Lead collar – 1, 2, Lead gloves – 2, Emergency medical kit – 2, Pulse Oxymeter – 1, BP apparatus – 1, Stethoscope – 1, Thermometer – 1, Glucometer – 1, Oxygen cylinder – 2, Oxygen mask adult – 2, Oxygen mask Pedo – 2, Extraction forceps adult – 3, Extraction forceps Pedodontics – 2, Set of elevators – 2, Impaction kit – 2, Lab micromotor with handpiece – 2, Trauma kit - 1, High volume suction – 2, Surgical straight hand piece – 2, Hand scaler Supra gingival – 3, Hand scaler Sub gingival – 3, Set of Curettes – 2, Ultrasonic scaler – 2, Electro autery kit – 1, Periodontal Surgical Kit – 2, Orthodontics pliers set – 2, Orthodontics wire cutter – 1, Soldering torch – 1, Spot welder – 1, Base former – 3, Pneumatic Crown Remover – 1, Rubber Dam – 3, Airotar Handpiece – 5, Restorative Instruments kit – 5, RCT instrument Kit – 5, Composite filling kit – 2, Amalgamator – 1, Digital Pulp Tester – 2, Apex Locator – 1, Endo motor – 1, Bleaching Unit – 1, Thermoplastic gutta percha – 1, Reduction gear handpiece – 1, Magnification loops – 1, Pressure moulding machine – 1, Conscious sedition kit – 1, Micro head airotar hand piece – 2, Mean value articulator – 3, Semi adjustable articulator – 1, Extra oral/intra oral tracer – 1, Crown cutting kit – 2, Impression trays perforated set – 5, Impression trays non perforated set – 5, Rubber bowl – 5, Spatula – 5, Glass lab - 3, Cement spatula – 3
(ii)	<b>B. Oral Pathology Haematology Clinic:-</b>
	Dental Chair – 1, Diagnostic Set – 3, Blood Dilution Pipette – 3, Blood Cell Counter – 1, Centrifuge – 1, Conical Glass Jar – 3, Coplin Jar – 3, Capillary Tube – 1 pack, Needle Destroyer – 1, Test Tubes – 3, Test Tube Stand – 2, Timer/Stopwatch – 1, Sphygmomanometer – 1, - Stethoscope – 1, Ph Meter – 1, Blotting paper – 1 pack, Auto Calorimeter – 1, Mini Rotary Shaker – 1, Tripod Stand – 1, Spirit Lamp – 1, Salilis Hb Meter – 2, Glucometre - 1.

(iii)	<b>C. Clinical Wet Lab:-</b>
	Plaster Dispenser – 2, Lathe – 1, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Heavy duty motor with hand piece – 1, Vibrator – 1.
(iv)	<b>D. Pre Clinical Lab:-</b>
	Geysers – 1, Vibrator – 2, Dewaxing unit – 1, Mechanical Press – 1, Hydraulic Press -1, Acrylizer – 2, Model trimmer with Carborandum Disc – 1, Model trimmer with diamond disc – 1, Lab Micromotor heavy duty Handpiece – 3, Heavy duty lathe – 2, Pre-Clinical Working table – 50.
(v)	<b>E. Chrome Cobalt/Cast Partial Laboratory:-</b>
	Plaster Dispenser – 1, Duplicator – 1, Pindex System – 1, Circular saw – 1, Burn out furnace – 1, Sandblasting machine – 1, Electro-polisher – 1, Model Trimmer with Carborandum disc – 1, Model Trimmer with Diamond disc – 1, Induction casting machine – 1, Spot welder with soldering – 1, Vacuum mixing machine – 1, Steam Cleaner – 1, Spindle Grinder 24,000 RPM with vacuum suction – 1, Wax heater – 1, Wax carver – 1, Curing pressure pot – 1, Milling machine – 1, Heavy duty lathe with suction – 1, Preheating furnace – 1, Palatal trimmer – 1, Ultrasonic cleaner – 1, Composite curing unit - 1
(vi)	<b>F. Ceramic Lab:-</b>
	Programmable porcelain furnace with vacuum pump with instrument kit and material kit – 1, Work table with magnifying lens – 1, Ultrasonic bath – 1, Heavy duty micromotor with porcelain finishing accessories – 1.
13.	<b>Conservative Dentistry and Endodontics:-</b>
	Phantom Lab Unit – 30.
14.	<b>Department: Dental Anatomy, Embryology, Oral Histology and Oral Histology:-</b>
	<b>Area Requirements:-</b>
	Dental Anatomy, Dental Histology & Oral Pathology Lab – 1500 sq.ft., Histopathology Room – 200 sq.ft., Staff Room – 200 sq.ft.
	<b>Equipment Requirements:-</b>
<b>A</b>	<b>Dental Anatomy, Dental Histology &amp; Oral Pathology Lab :-</b>
	Microscope – 25, Television – 1, Teaching slides set with box – 2 sets (with minimum of 55 slides in each set), Education models & dental developmental set (Nissan like model) - 2
<b>B.</b>	<b>HISTOPATHOLOGY ROOM:-</b>
	Microtome – 1, Wax Bath – 1, Water Bath – 1, Knife Sharpener – 1, Spencer knife – 1, Disposable blade – 1 set, Hot Air Oven – 1,
	Organic Tissue Capsule -2, Distilled Water Plant – 1, Diamond Tip Pencil - 1, Glass Dropper Bottle – 3, Glass Bottle With Lid – 3, Wide Mouth Bottles – 3, Glass Funnel – 3, Glass Pipette – 3, Glass Measuring Jar – 3, Petri Dish 4" Glass – 3, L Blocks – 2, Loop Holder -2, Magnifying Glass – 1, Toothed Forceps – 3, Plastic Dropper – 3, Petri Dish 50mm Glass – 3, Gas burner/Spirit Lamp – 1, Processing Bottles – 3, Slide Warming Table – 1, Slide Drying Tray -1, Slide Carrying Tray – 1, Staining Basket SS – 1, Staining Trough SS – 1, Staining Trough Glass – 1, Slide Staining Rack SS – 1, Slide Box – 1, Slides Storage

	Cabinet – 1, Wax Block Storing Cupboard – 1.
<b>C.</b>	<b>Oral Pathology Reporting Station:-</b>
	Microscope Trinocular – 1, Colour Printer – 1, Desktop Computer – 1.
	Whether all the above mentioned equipments are functioning ? – Not available
	Whether detailed list of equipment's furnished by the college - Not available
15.	<b>Constructed Area:-</b>
	<b>Dental College Building:-</b>
	Basement - Under Construction, Ground – Under Construction, First - Under Construction, Second – Under Construction, Third – Under Construction, Fourth – Under Construction, Other – Under Construction.
16.	<b>Staff Quarters:-</b>
	Principal's Bungalow – 1, Staff Quarters – 7, Guest House with minimum 2 double bed rooms – 1.
17.	<b>Hostel for Boys &amp; Girls:-</b>
(i)	Whether the building of Hostels for Boys & Girls is separate from the dental college building and staff quarters – Information not provided.
(ii)	Whether Hostels for Boys & Girls are within the campus – Information not provided.
(iii)	Whether hostel is shared by other colleges/ institutions – Information not provided.
(iv)	Whether Warden room in Boys Hostel available – Information not provided.
(v)	Whether Warden room in Girls Hostel available – Information not provided.
(vi)	Hostel facility is available for minimum 50% of total intake – Information not provided.
(vii)	Dwelling, Single Seater, Twin Seater, Triple Seater, % of Accommodation against total strength, No of equipped Common Rooms and No. of messes for Boys and Girls not provided.
18.	<b>Infrastructure &amp; Functional Requirements:-</b>
	Administrative block – 1500 sq.ft, Clinical Area -1250 sq.ft., Library – 4000 sq.ft., Lecture Halls – 4 - 3200 sq.ft., Central Stores – 400 sq.ft., Maintenance room – 400 sq.ft., Photography and artist room – 150 sq.ft., Medical Stores cum Pharmacy – 150 sq.ft., Faculty Room – Dental – 500 sq.ft., Faculty Room – Medical Basic Science – 500 sq.ft., Amenities area – 750 sq.ft., Boys Common Room – 150 sq.ft., Girls Common Room – 150 sq.ft., Room for Gas Cylinder (ventilated) – 150 sq.ft., Compressor Room – 300 sq.ft., Cafeteria – 1000 sq.ft., Examination hall – 1800 sq.ft., Auditorium - 2000 sq.ft.
	<b>Laboratories (Dental Subjects):-</b>
	Pre-clinical Prosthodontics and dental material lab – 1500 sq.ft., Pre-clinical Conservative Lab – 1250 sq.ft., Dental Anatomy, Embryology, Oral Histology and Oral Pathology Lab – 1250 sq.ft., Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc. –1250 sq.ft., One laboratory for physiology with stores and preparation rooms – 1000 sq.ft.,

	Laboratory for biochemistry and with store and preparation rooms – 750 sq.ft., One laboratory for pharmacology – 800 sq.ft., One laboratory for pathology and microbiology with stores and preparation rooms – 1500 sq.ft.
	<b>Laboratories:-</b>
	Prosthodontics Cast Partial and Ceramic – 1250 sq.ft., Conservative Clinical Lab – 300 sq.ft., Histopathology Lab for Oral Pathology – 300 sq.ft., Haematology and Clinical Biochemistry - 200 sq.ft., AREB certified Radiographic Room alongwith Dark Room - 600 sq.ft.
19.	<b>Academic Block For Basic Science Subjects:-</b>
	<b>Area Requirements:-</b>
(i)	<b>Department of Anatomy:-</b>
	Dissection Hall cum Museum – 1000 sq.ft., Cadaver Room – 350 sq.ft., Histology Room – 350 sq.ft., Staff Room – 100 sq.ft.
	<b>Equipment Requirements:-</b>
	<b>Dissection Hall:-</b>
	Dissection table - Stainless Steel tables with drainage for cadavers dissection - 2, Education Models – 5,
	<b>Cadaver Room:-</b>
	Large Storage Tank – 1, Small Tank – 1, Freezer Unit – 1.
	<b>Histology Room:-</b>
	Dissection Microscopes – 3, Monocular Microscopes – 15, Binocular Microscopes – 1.
	<b>Museum:-</b>
	Full Body skeletal bones – 2, Head and neck bones set – 3, Complete Human organs specimen set – 1.
(ii)	<b>Department of Physiology:-</b>
	<b>Area Requirements:-</b>
	Haematology Lab - 1000 sq.ft., Clinical Lab – 500 sq.ft., Staff Room – 150 sq.ft.
	<b>Equipment Requirements:-</b>
	<b>Haematology Lab:-</b>
	Microscopes – 25, Stage Incubator – 1, Westergen's Pipettes For E.S.R. on Stand – 3 ESR Stand 10 Pipettes, Wintrob's tube – 10, Haemo Globinometer, Sahli's – 25, Haemocytometers – 25, Sphygmomanometer - 15, Stethoscopes – 15, Refrigerator – 1, Stop Watches – 15, Ph Meter – 1, Analytical Balance – 1, Centrifuge R4c & R8c – 1, Blood Cell Counters – 1, Haematocrit Tubes – 3, Glass Wares – For a batch of 25 students,
	<b>CLINICAL LAB:-</b>
	Clinical Thermometers – 3, Knee Hammer – 3, Spirometer (Ordinary) – 2, Mosso's Erograph – 1, Ophthalmoscope – 1, Dynamometer – 1, Perimeter - 1, Hair Aesthesiometer – 2, Bicycle Ergometer – 1, Examination Couches – 2, Sterilizer – 1, Weighing Machine – 2, Height Chart – 1, Snellen's Chart – 1.
(iii)	<b>Department of Biochemistry:-</b>
	<b>Area Requirements:-</b>
	Clinical Lab – 1000 sq.ft, Preparation Rooms and Instrument Room - 150 sq.ft., Staff Room – 100 sq.ft.
	<b>Equipment Requirements:-</b>
	<b>Clinical Lab:-</b>

	Glass Wares – For a batch of 25 students, Water Bath – 2, Distillation apparatus – 2, Fume cupboard – 1,
	<b>Preparation Room:-</b>
	Balance (for weighing chemicals) – 2, Fridge (for storage of the chemicals) – 1,
	<b>Instrument Room:-</b>
	Colorimeter (For quantitative analysis) – 3, Microscopes – 3, Electrophoretic Apparatus – 2, Urniometer – 10, Centrifuge (for sample separation) – 1, Incubator – 1, Hot air oven (for sterilization) – 2.
20.	<b>Land and Infrastructure Details:-</b>
(i)	<b>Land Documents:-</b>
	Total Area of Land - Not provided. (Minimum 5 acres of land)
	Year of Lease - Not provided.
	Lease Valid Till - Not provided.
	Survey Numbers - Not provided.
	Is the land contiguous and makes a single piece of land - Not provided.
	Approval Plans/Land Use Conversion (Approved by LDA/ Municipality/ Competent Authority) - Not provided.
	Verification of Ownership from Land Records - Not provided.
	Total Constructed Area - Not provided.
(ii)	<b>All approved building layout to be submitted in indexed and spiral Bound:-</b>
	Whether Completion Certificate furnished from the competent authority - Information not provided.
	Whether Pollution Control board norms are followed - Information not provided.
	Whether sewage Treatment Plant is available - Information not provided.
	Whether Bio-waste management is followed as per PCBI - Information not provided.
	Whether Bio-waste incinerator is available - Information not provided.
	Whether Fire and safety Certificate obtained from the competent authority - Information not provided.
	Whether Anatomical Act has been obtained from competent Authority - - Information not provided. (DME)
21.	A copy of each of the audited balance sheet (By Chartered Accountants) of the Trust/Society is to be furnished - Information not available.
22.	<b>Inspectors Observations:-</b>
(i)	The Dental College building is under construction and non functional.
(ii)	Principal, Teaching Staff and non – teaching staff as per DCI norms are not appointed.
(iii)	Boys and Girls hostel, library, labs not available.
23.	<b>Checklist for Inspectors:-</b>
(i)	Percentage & daily occupancy in the attached 100 bedded hospital in the last 6 months. Authority & attachment with 100 bedded/ Medical college and interaction with CMO/Registrar

	about future Medical teaching of BDS students- (Separate para with details) – No																														
(ii)	Have the Dental and Medical faculty been checked for the following? <u>Appointment:- The appointment of faculty in private dental colleges should be made through proper selection committee (as per University Act of the concerned state and as per Dental Council of India (Miscellaneous) Regulations 2007, The Gazette of India Part III Section (IV) page 3 serial No. 8</u> - No Affidavit - No (c) Teaching Experience - No (d) Reliving certificates from previous Institution - No (e) Proof of Residence - No																														
(iii)	Is the list of teaching staff as per DCI format enclosed?																														
(iv)	Have you checked clinical material <b>at the end of the OPD</b> and patient inflow as per norms? (given in the inspection proforma) – No  <table border="1"> <thead> <tr> <th colspan="5">CLINICAL MATERIAL (PATIENTS PER DAY) REQUIREMENT FOR BDS COURSE WITH 50 SEATS</th> </tr> <tr> <th>Starting BDS</th> <th>2<sup>nd</sup> year</th> <th>3<sup>rd</sup> year</th> <th>4<sup>th</sup> year</th> <th>Recognition</th> </tr> </thead> <tbody> <tr> <td>25</td> <td>50</td> <td>75</td> <td>75-100</td> <td>75-100</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="5">CLINICAL MATERIAL (PATIENTS PER DAY) REQUIREMENT FOR BDS COURSE WITH 100 SEATS</th> </tr> <tr> <th>50</th> <th>75</th> <th>100</th> <th>100-150</th> <th>100-150</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	CLINICAL MATERIAL (PATIENTS PER DAY) REQUIREMENT FOR BDS COURSE WITH 50 SEATS					Starting BDS	2 <sup>nd</sup> year	3 <sup>rd</sup> year	4 <sup>th</sup> year	Recognition	25	50	75	75-100	75-100	CLINICAL MATERIAL (PATIENTS PER DAY) REQUIREMENT FOR BDS COURSE WITH 100 SEATS					50	75	100	100-150	100-150					
CLINICAL MATERIAL (PATIENTS PER DAY) REQUIREMENT FOR BDS COURSE WITH 50 SEATS																															
Starting BDS	2 <sup>nd</sup> year	3 <sup>rd</sup> year	4 <sup>th</sup> year	Recognition																											
25	50	75	75-100	75-100																											
CLINICAL MATERIAL (PATIENTS PER DAY) REQUIREMENT FOR BDS COURSE WITH 100 SEATS																															
50	75	100	100-150	100-150																											
(v)	Have you checked the Library for Journals/Books other facilities? - No																														
(vi)	Have you checked the NAAC Accreditation Certificate of the College – No																														
(vii)	Has the CCTV Camera been checked and found in order? – No.																														
(viii)	Bio-metric attendance of the faculty members and PG students – No																														
(ix)	Has the details regarding “Establishment of Tobacco Cessation Centers in Dental Institution – An Integrated Approach in India --- - Operational Guidelines 2018” in the institution been checked? - No																														

### **Inspection Report (BDS Renewals)**

#### **5(3). 2<sup>nd</sup> year Renewal of BDS Course with 50 seats at Travancore Dental College, Kollam (Kerala) for the AY 2024-25- Regarding**

Joint Inspection Report of Council's Inspectors Dr. Shailesh Shenava, Navi Mumbai (Maharashtra) and Dr. Ranjit Patil, Lucknow (Uttar Pradesh) carried out on 6<sup>th</sup> & 7<sup>th</sup> November, 2023 at Travancore Dental College, Kollam (Kerala) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> year BDS Course with 50 seats for the AY 2024-25.



The Executive Committee considered the Joint Inspection Report of Council's Inspectors Dr. Shailesh Shenava, Navi Mumbai (Maharashtra) and Dr. Ranjit Patil, Lucknow (Uttar Pradesh) carried out on 6<sup>th</sup> & 7<sup>th</sup> November, 2023 at Travancore Dental College, Kollam (Kerala) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> year BDS Course with 50 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

#### Compliance

Sr. No.	There are following deficiencies:-
1.	<b>Non Teaching Staff:-</b>
	,1 – (Chair Side Attendant)A.S.D ,1 –Receptionist .2 –Secretary .Dept ,1 –Radiographer
2.	<b>Land &amp; Infrastructure Details:-</b>
	Completion Certificate has not furnished from the competent authority
3.	<b>Inspectors Observations:-</b>
	DCI biometric machine is not installed.

5(4). **2<sup>nd</sup> year Renewal of BDS Course with 100 seats at Nimra Institute of Dental Sciences, NTR Dist., (Andhra Pradesh) for the AY 2024-25- Regarding**

Joint Inspection Report of Council's Inspectors Dr. Jayanta Chattopadhyay, Kolkata (West Bengal) and Dr. Pavan kumar Dubey, Varanasi (Uttar Pradesh) carried out on 9<sup>th</sup> & 10<sup>th</sup> November, 2023 at Nimra Institute of Dental Sciences, NTR Dist., (Andhra Pradesh) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> year BDS Course with 100 seats for the AY 2024-25.

The Executive Committee considered Joint Inspection Report of Council's Inspectors Dr. Jayanta Chattopadhyay, Kolkata (West Bengal) and Dr. Pavan kumar Dubey, Varanasi (Uttar Pradesh) carried out on 9<sup>th</sup> & 10<sup>th</sup> November, 2023 at Nimra Institute of Dental Sciences, NTR Dist., (Andhra Pradesh) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> year BDS Course with 100 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

#### Compliance

Sr. No.	There are following deficiencies:-
1.	<b>Hostel for Boys and Girls:-</b>
	Whether hostel is shared by other colleges/institutions - <b>Yes</b>
2.	<b>Land and Infrastructure Details:-</b>
	Whether Bio-waste incinerator is available – No
3.	DCI biometric machine is not installed

5(6). **3<sup>rd</sup> year Renewal of BDS Course with 100 seats at Nandha Dental College and Hospital, Erode (Tamil Nadu) for the AY 2024-25- Regarding**

Joint Inspection Report of Council's Inspectors Dr. Bhagvan Das Rai, Udaipur (Rajasthan) and Dr. Omkar Shetty, Budhera (Haryana) carried out on 7<sup>th</sup> & 8<sup>th</sup> November, 2023 at Nandha Dental College and Hospital, Erode (Tamil Nadu) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with 100 seats for the AY 2024-25

The Executive Committee considered the Joint Inspection Report of Council's Inspectors Dr. Bhagvan Das Rai, Udaipur (Rajasthan) and Dr. Omkar Shetty, Budhera (Haryana) carried out on 7<sup>th</sup> & 8<sup>th</sup> November, 2023 at Nandha Dental College and Hospital, Erode (Tamil Nadu) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with 100 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

### Compliance

Sr. No.	There are following deficiencies:-
1.	University Affiliation for the AY 2023-24 not provided
2.	42 Electric Dental Chairs yet to be installed.
	<b>Deficiency of Electric Dental Chairs:-</b> (i) Prosthodontics and Crown & Bridge – 7, (ii) Conservative Dentistry and Endodontics – 7, (iii) Oral & Maxillofacial Surgery A) Exodontia – 5, B) Minor Surgery – 1, (iv) Periodontology – 8 (v) Orthodontics and Dentofacial Orthopedics – 2, (vi) Pediatric and Preventive Dentistry – 7 (vii) Oral Medicine and Radiology – 1 (viii) Public Health Dentistry – 4
3.	<b>Major Equipments:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b> Extra Oral/ Intra Oral tracer – 2, Acrylizer – 1, Dewaxing Unit – 1, Hot water sterilizer Geysers – 1.
(ii)	<b>Conservative Dentistry and Endodontics:-</b> Plasters Dispensers – 1, Automatic Developer – 1, Injectable Gutta Percha – 1. <b>Clinical Laboratory:-</b> Casting Machine (Motor cast / induction casting preferred) – 1.
(iii)	<b>Periodontology:-</b> Surgical Instruments Sets – 1.
(iv)	<b>Orthodontics and Dentofacial Orthopedics:-</b> Plaster Dispenser – 1, Model Trimmer double disc – 1, Micromotor – heavy duty – 1, Welders – 2, Hydro solder – 1.
(v)	<b>Pediatric and Preventive Dentistry:-</b> Radiovisiography – 1 (shared in the oral medicine comprehensive clinic), Intra Oral X-ray – 1 (shared with OMR), Automatic Developer – 1.
(vi)	<b>Oral Medicine and Radiology:-</b> Intra Oral X-ray Unit – 1, Automatic periapical X-ray Developer – 1, General X-ray unit – 1.
(vii)	<b>Public Health Dentistry:-</b>

	<b>Mobile Clinic:-</b> Intraoral x-ray (Portable) - 1, Portable Dental Chair – 1.
4.	<b>Dental Anatomy, Embryology, Oral Histology and Oral Pathology</b>
	<b>Oral Pathology Reporting System:-</b>
	Colour Printer – 1.
5.	<b>Staff Quarters:-</b>
	Staff Quarter – 11
6.	<b>Hostel for Boys &amp; Girls:-</b>
	Twin Seater for Boys – 2, Triple Seater for Boys – 20, Single Seater for Girls – 20, Twin Seater for Girls - 18
7.	<b>Infrastructure &amp; Functional Requirements:-</b>
	Auditorium – 4000 sq.ft. (Under Construction)
8.	<b>Department of Physiology:-</b>
	<b>Hematology Lab:-</b>
	Sphygmomanometer – 6
9.	<b>Inspectors Observations:-</b>
(i)	The Reader appointed in General Pathology Mr. Leyon Selvin Raj is MSc (Lab Technology) and does not qualify to be a Reader in Pathology as per the Regulation due to his qualifications. <b>Deficiency of 1 Reader in General Pathology</b>
(ii)	DCI Biometric machine and CCTV is non functional.

5(8). **4<sup>th</sup> year Renewal of BDS Course with 100 seats at Dhanalakshmi Srinivasan Dental College, Perambalur (Tamil Nadu) for the AY 2024-25- Regarding**

Joint Inspection Report of Council's Inspectors Dr. Sunil Sharma, Jaipur (Rajasthan) and Dr. Prasanta Banerjee, Burdwan (West Bengal) carried out on 6<sup>th</sup> & 7<sup>th</sup> November, 2023 at Dhanalakshmi Srinivasan Dental College, Perambalur (Tamil Nadu) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year BDS Course with 100 seats for the AY 2024-25.

The Executive Committee considered the Joint Inspection Report of Council's Inspectors Dr. Sunil Sharma, Jaipur (Rajasthan) and Dr. Prasanta Banerjee, Burdwan (West Bengal) carried out on 6<sup>th</sup> & 7<sup>th</sup> November, 2023 at Dhanalakshmi Srinivasan Dental College, Perambalur (Tamil Nadu) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year BDS Course with 100 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

**Compliance**

<b>Sr. No.</b>	<b>There are following deficiencies:-</b>
1	<b>Medical Teaching Staff:</b>
	<b>Deficiencies of Lecturers:-</b>
	Anatomy – 2,
	Biochemistry – 1,
	Pharmacology – 1,
	General Medicine – 1,

	General Surgery – 1.
2	<p><b>There are deficiency of 102 Electric Dental Chairs:-</b></p> <p><b>(Inspectors observations :-</b> 50 Dental Chairs are being installed &amp; 50 Dental Chairs arrived in the morning of 07.11.2023)</p> <p>(i) Prosthodontics and Crown &amp; Bridge:- 24</p> <p>(ii) Conservative Dentistry and Endodontics:-19</p> <p>(iii) Oral &amp; Maxillofacial Surgery:- A) Exodontia - 2, B) Minor Surgery-2</p> <p>(iv)Periodontology:-19</p> <p>(v) Orthodontics &amp; Dentofacial Orthopedics:-11</p> <p>(vi) Pediatric and Preventive Dentistry:-14</p> <p>(vii) Oral Medicine and Radiology:-5</p> <p>(viii) Public Health Dentistry:-6</p>
	<b>Major Equipments:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	Dental Chairs and Units – 24,
	Semi adjustable articulator – 2,
	Extra oral/ intra oral tracer – 2,
	Autoclave – 1,
	Needle burner with syringe cutter – 1,
	Deflasking unit – 3,
	Dewaxing unit – 2,
	Hydraulic press – 1,
	Hot water sterilizer – 1,
	<b>Ceramic and Cast Partial Laboratory:-</b>
	<b>Plaster Room for Pre-Clinical Work</b>
	<b>Lathe – 2</b>
	<b>Model Trimmer – 1</b>
	<b>Carborandum Disc – 1</b>
	<b>Diamond disc – 1</b>
(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Dental Chairs and Units – 19,
	Rubber dam kits – 3,
	Restorative instruments kits – 5,
	R.C.T. instrument kits – 7,
	Autoclaves – 2,
	Ultrasonic cleaner -2 (available with 5 liters capacity only)- Required 13 liters
	Needle burner with syringe cutter – 3,
	Amalgamator – 2,
	Pulp Tester – Digital – 2,

	Glass bead sterilizers – 4,
	Automatic Developer – 1,
	Magnification loops – 1,
	Injectable gutta percha – 1,
	<b>Clinical Laboratory:-</b>
	Circular saw – 1,
	Casting machine – 1,
	Ceramic Unit – 1
(iii)	<b>Oral &amp; Maxillofacial Surgery:-</b>
	<b>A) Exodontia</b>
	Dental Chairs and Units – 2,
	Autoclaves – 3,
	Ultrasonic cleaner – 1,
	Needle burner with syringe cutter – 4,
	Extraction forceps sets – 13,
	Dental elevators – 5,
	Minor oral surgery kits – 3,
	Emergency drugs tray – 1
	X-ray viewers – 1
	Oxygen cylinder – 1
	Oxygen mask Pedro – 1
	Impaction kit – 2
	Lab micromotor with handpiece – 3
	<b>B) Minor Surgery:-</b>
	Dental chairs and units – 2,
(iv)	<b>Periodontology:-</b>
	Dental chairs and units – 19,
	Surgical instruments sets – 6,
	Autoclave – 1,
	Ultrasonic cleaner – 1,
	Needle burner with syringe cutter – 2,
	Physio dispenser with implant kit – 1,
	X-ray viewer (Extra Oral) – 2,
	Hand scaler sub gingival – 10
	Set of curettes – 1,
	Electro cautery kit – 1,
	Periodontal surgical kit – 3
(v)	<b>Orthodontics &amp; Dentofacial Orthopedics:-</b>
	Dental chairs and units – 11,
	Unit mount scaler – 5,
	<b>Ortho Lab</b>
	Plaster dispenser – 2,
	Model trimmer – 1,
	X-ray viewers – 2,
	OPG with cephalostat – 1 (in medical college)
	Welder with soldering attachments – 1,
	Hydro solder – 1,
	Typhodont articulator – 4,
	Pressure moulding machine – 1,
(vi)	<b>Pediatric and Preventive Dentistry:-</b>
	Dental chairs and units – 14,
	Autoclaves – 1,
	Needle burner with syringe cutter – 1,

	Rubber dam kit for pedo – 4,
	Injectable gutta percha with condensation – 1,
	Intra oral camera – 1,
	Scaling instruments – 10,
	Restorative instruments – 10,
	Extraction forceps – 8,
	RCT instruments kits – 2,
	Automatic developer – 1,
	<b>Pedo Lab</b>
	Plaster dispenser – 2,
	Model Trimmer (with diamond disc) – 1,
	Model Trimmer (with carborandum disc) – 1,
	Steam cleaner – 1,
	Pressure moulding machine - 1
(vii)	<b>Oral Medicine and Radiology:-</b>
	Dental chairs and units – 5,
	Panoramic x-ray with cephalometric – 1 (in medical college)
	Automatic periapical x-ray developer – 1,
	Automatic panoramic with cephalometric x-ray developer – 1,
	General X-ray unit – 1 (medical college)
	Automatic developers/ Dark Room – 1,
	Lead Gloves – 2,
	X-ray Hangers – 6,
	Autoclave – 1,
	Sialography equipment & kit – 1,
(viii)	<b>Public Health Dentistry:-</b>
	Dental Chairs and Units – 6,
	Autoclave – 1,
	Ultrasonic cleaner – 1,
	Needle burner with syringe cutter – 3,
	<b>Mobile clinic</b>
	Metal cabinet – 1,
	Portable dental chair – 1,
	Stabilizer – 1,
	Generator – 1,
	Water tank – 1,
3.	<b>Dental Anatomy, Embryology, Oral Histology and Oral Pathology</b>
	Equipment:-
	Television (with USB port for displaying slide) - 1
	<b>Histopathology Room</b>
	L Blocks – 3

5(9). **4<sup>th</sup> year Renewal of BDS Course with 100 seats at Mamata Institute of Dental Sciences, Bachupally, Hyderabad (Telangana) for the AY 2024-25- Regarding**

Joint Inspection Report of Council's Inspectors Dr. Balaram Naik, Dharwad (Maharashtra) and Dr. Arun Dodamani, Dhule (Maharashtra) carried out on 8<sup>th</sup> & 9<sup>th</sup> November, 2023 at Mamata Institute of Dental Sciences, Bachupally, Hyderabad (Telangana) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year BDS Course with 100 seats for the AY 2024-25.

The Executive Committee considered the Joint Inspection Report of Council's Inspectors Dr. Balam Naik, Dharwad (Maharashtra) and Dr. Arun Dodamani, Dhule (Maharashtra) carried out on 8<sup>th</sup> & 9<sup>th</sup> November, 2023 at Mamata Institute of Dental Sciences, Bachupally, Hyderabad (Telangana) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year BDS Course with 100 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

#### Compliance

Sr. No.	There are following deficiencies:-
1.	<b>Non-Teaching Staff:-</b>
	Dent. Hygst. – 1.
2.	<b>Hostel for Boys and Girls:-</b>
	Whether hostel is shared by other colleges/institutions - Yes

5(10). **Admitting of 5<sup>th</sup> batch of students in BDS Course with 100 seats at Tirumala Institute of Dental Sciences & Research Centre, Nizamabad (Telangana) for the AY 2024-25- Regarding**

Joint Inspection Report of Council's Inspectors Dr. Vinay Kumar Srivastava, Varanasi (Uttar Pradesh) and Dr. Prosenjit Banerjee, Kolkata (West Bengal) carried out on 8<sup>th</sup> & 9<sup>th</sup> November, 2023 at Tirumala Institute of Dental Sciences & Research Centre, Nizamabad (Telangana) to verify the achievement of the annual target for renewal of the Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with 100 seats for the AY 2024-25.

The Executive Committee considered Joint Inspection Report of Council's Inspectors Dr. Vinay Kumar Srivastava, Varanasi (Uttar Pradesh) and Dr. Prosenjit Banerjee, Kolkata (West Bengal) carried out on 8<sup>th</sup> & 9<sup>th</sup> November, 2023 at Tirumala Institute of Dental Sciences & Research Centre, Nizamabad (Telangana) to verify the achievement of the annual target for renewal of the Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with 100 seats for the AY 2024-25 and after discussion and deliberation decided as under:-

#### Compliance

Sr. No	There are following deficiencies:-
1.	University affiliation for the AY 2023-24 not provided.
2.	<b>There are deficiencies of 39 Dental Chairs.</b> Prosthodontics and Crown & Bridge – 7; Conservative Dentistry and Endodontics – 10; Oral & Maxillofacial Surgery- A) Exodontia – 12, B) Minor Surgery – 5; Periodontology – 2; Orthodontics and Dentofacial Orthopedics – 4; Pediatric and Preventive Dentistry – 2;
3.	<b>Major Equipments:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b> Dental Casting Machine – 1, Phantom Heads – 50 shared with Conservative Dentistry. <b>Ceramic and Cast Partial Laboratory:-</b> Induction casting machine – 1, Micro Surveyor – 1. <b>Plaster Room For Pre-Clinical Work:-</b> Plaster Dispenser (One each for plaster and stone

	plaster) - 2
(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Autoclaves – 2, Automatic Developer – 1, Phantom Lab Unit – 60 shared with Prosthodontics and Crown & Bridge.
(iii)	<b>Periodontology:-</b>
	Physio Dispenser with implant kit - 1.
(iv)	<b>Orthodontics and Dentofacial Orthopedics:-</b>
	OPG with cephalostat – 1, Set of Pliers – 1.
(vi)	<b>Oral Medicine and Radiology:-</b>
	Intra Oral X-ray Unit – 2, X-ray viewer (For Panoramic and Cephalometric films) – 1, Lead Collar – 1, X-ray Hangers – 1, Sailography equipment & kit – 1.
(vii)	<b>Public Health Dentistry:-</b>
	Demonstration models – 4.
4.	<b>Dental Anatomy, Embryology, Oral Histology and Oral Pathology</b>
	<b>Histopathology Room:-</b>
5.	<b>Land &amp; Infrastructure Details:-</b>
	Whether Anatomical Act has been obtained from competent authority – <b>Not mentioned.</b>
6.	<b>Inspectors Observations:-</b>
(i)	Dr. K. Arjun who has been appointed as Professor, Dept. of Oral Surgery do not fulfils as per publication points. His points are twenty five instead of thirty points needed.
(ii)	The Central Library does not have Photocopy facilities and also need digital upgradation.
(iii)	The satellite clinic needs upgradation.
(iv)	Minor OT in the Dept of Oral Surgery needs upgradation.
7.	<b>Checklist for the Inspectors:-</b>
	There is no Bio-metric attendance of the faculty members and PG students.

5(11). **Admitting of 5<sup>th</sup> batch of students in BDS Course with increased intake capacity from 50 to 100 seats at Vidarbha Youth Welfare Society's Dental College & Hospital, Amravati (Maharashtra) for the AY 2024-25- Regarding**

Joint Inspection Report of Council's Inspectors Dr. Virendra Vadher, Raipur (Chhattisgarh) and Dr. Divya Kalra, Rohtak (Haryana) carried out on 8<sup>th</sup> & 9<sup>th</sup> November, 2023 at Vidarbha Youth Welfare Society's Dental College & Hospital, Amravati (Maharashtra) to verify the achievement of the annual target for renewal of the Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with increased intake capacity from 50 to 100 seats for the AY 2024-25.

The Executive Committee considered Joint Inspection Report of Council's Inspectors Dr. Virendra Vadher, Raipur (Chhattisgarh) and Dr. Divya Kalra, Rohtak (Haryana) carried out on 8<sup>th</sup> & 9<sup>th</sup> November, 2023 at Vidarbha Youth Welfare Society's Dental College & Hospital, Amravati (Maharashtra) to verify the achievement of the annual target for renewal of the Central Government permission for admitting 5<sup>th</sup> Batch of students in BDS Course with increased intake capacity from 50 to 100 seats for the AY 2024-25, and after discussion and deliberation decided as under:-



## Compliance

<b>Sr. No.</b>	<b>There are following deficiencies:-</b>
1.	<b>Dental Teaching Staff:-</b>
(i)	Dr. Siddharth Bhalchandra Deshmukh, Lecturer, <b>Oral Pathology and Oral Microbiology</b> was absent on 08.11.2023 & 09.11.2023
(ii)	Dr. Miss Jyoti Babanrao Sable, Tutor, <b>Oral Pathology and Oral Microbiology</b> was absent on 08.11.2023.
(iii)	Dr. Ronika Shrikirshna Nipane, Lecturer, <b>Prosthodontics and Crown &amp; Bridge</b> was absent on 08.11.2023 & 09.11.2023.
(iv)	Dr. Shruti Ashok Thakre, Lecturer, <b>Conservative Dentistry and Endodontics</b> was absent on 08.11.2023 & 09.11.2023.
(v)	Dr. Mrs. Shilpa Prashant Wasu, Lecturer, <b>Periodontology</b> was absent on 08.11.2023.
(vi)	Dr. Vrushali Ramdas Khobragade, Lecturer, <b>Public Health Dentistry</b> was absent on 08.11.2023 & 09.11.2023.
2.	<b>Medical Teaching Staff:-</b>
(i)	Dr. S.V Durge, Reader, <b>Anatomy</b> was absent on 08.11.2023.
(ii)	Dr. J.S Shinde, Lecturer, <b>Physiology</b> was absent on 08.11.2023 & 09.11.2023.
(iii)	Dr. S.S Ingle, Lecturer, <b>Pharmacology</b> was absent on 08.11.2023 & 09.11.2023.
(iv)	Dr. S.H. Verma, Professor, <b>General Medicine</b> was absent on 08.11.2023 & 09.11.2023.
(v)	Dr. S.N Bhasme, Lecturer, <b>General Medicine</b> was absent on 08.11.2023.
(vi)	Dr. S.S. Lawhale, Professor, <b>Anaesthesiology</b> was absent on 08.11.2023 & 09.11.2023.
3.	<b>As per the list, there are deficiencies of following Non – Teaching Staff:-</b>
	Administrative Officer – 1, Secretary to Dean – 1, Public Relation Officer – 1.
4.	<b>Land &amp; Infrastructure Details:-</b>
	Bio-Waste incinerator is not available
5.	<b>Infrastructure &amp; Functional Requirements:-</b>
	Undergraduate Clinic is inadequate to accommodate the prescribed number of Dental Chairs and Units and is under construction.
(i)	<b>Amenities Area:</b> - Available but not having any facility of:-
	Boys and Girls Locker Rooms.
	Boys and Girls Common Rooms.
	Common room for non teaching staff.
	Common room for teaching staff.
	Change room for men.
	Change room for women
(ii)	<b>Pollution Control Measures:</b>

	<b>All the Dental Institutions shall take adequate Pollution Control Measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc. – only certificate for Biomedical waste disposable issued by Pollution control Board but no separate certificate available.</b>
(iv)	<b>Staff Quarters:-</b>
	All the staff members, teaching and non-teaching working in the institution shall be provided adequate accommodation in the 5 acres land earmarked for the College. The staff quarters may be built in a phased manner over a period of 4 years – <b>Not available.</b>
(v)	<b>Laboratories:- available but not sufficient space:-</b>
	<b>Dental Subjects:</b>
	Pre-Clinical Prosthodontics and Dental Material Lab
	Pre-Clinical Conservative Lab
	Oral Biology and Oral Pathology Lab (Fitted with granite tables to seat 50 students)
	Staff Room
	Laboratories for Orthodontics and Pedodontics
6.	<b>Staff Quarters:-</b>
(i)	Principal/Dean's Bungalow – <b>Not available</b>
(ii)	Staff Quarters – <b>Not available.</b>
7.	<b>Hostel for Boys &amp; Girls:-</b>
(i)	Whether the Building of Hostels for Boys & Girls is separate from the Dental College building and staff quarters - <b>No</b>
(ii)	Whether Hostels for Boys & Girls are within the campus – <b>No</b>
(iii)	Whether Warden Room in Boys Hostel available - <b>No</b>
(iv)	Hostel facility is available for minimum 50% of total intake – <b>No.</b>
(v)	Boys Hostel not available. Girls Hostel capacity is only for 22 students.
8.	<b>Central Library:-</b>
	<b>Amenities:-</b>
	E-Consortium provision to be provided in the College Library connected with the National Medical Library – <b>Available but inadequate space.</b>
	<b>Total Number of Journals:-</b>
(i)	Journal in each subject of the <b>8</b> basic medical science subjects and 1 International Journals for each <b>9</b> Dental Specialties – <b>Not available.</b>
(ii)	Atleast 5 years Back Volumes of National/International Journal(s) of 9 Dental Specialties – <b>Not available.</b> (No recent purchase of Journals last purchase was on 2021 for clinical departments only.)

9.	<p><b>Deficiency of Electric Dental Chairs:-</b></p> <p>Prosthodontics and Crown &amp; Bridge – 8 Chairs are hydraulic and not working ;</p> <p>Conservative Dentistry and Endodontics – 16 Chairs are hydraulic and not functioning;</p> <p>Oral &amp; Maxillofacial Surgery:- A Exodontia – 22;</p> <p>Periodontology– 10 chairs are hydraulic;</p> <p>Orthodontics and Dentofacial Orthopedics:- 8 chairs are hydraulic;</p> <p>Oral Medicine and Radiology -11 chairs are hydraulic;</p> <p>Public Health Dentistry - 14 chairs are hydraulic;</p> <p>Pediatric and Preventive Dentistry – No sufficient space to accommodate chairs.</p>
10.	<b>Major Equipments:-</b>
(a)	Electrical Dental Chairs installed with all the attachments thereon - Half Dental Chairs are hydraulic.
(b)	Whether all the chairs and units are functioning and electrically operated ? – <b>No</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	Heavy Duty Hand Piece (Lab Micromotors) – 2,
	<b>Pre-Clinical Prosthetics Laboratory:-</b>
	Work table preferably complete stainless steel fitted with light, Bunsen Burner, Air Blower, working stool – 10,
	Adequate number of Lab Micro Motor with attached Hand Piece – 40
(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Rubber Dam Kits – 4, Phantom Lab Unit – 10.
(iii)	<b>Pediatric and Preventive Dentistry:-</b>
	Dental Chairs and Units – No sufficient space to accommodate chairs, Autoclaves – 2, Ultrasonic Cleaner – 2, Steam Cleaner – 1.
(iv)	<b>Oral Medicine and Radiology:-</b>
	Automatic Periapical X-ray Developer – 1, Automatic Panoramic with Cephalometric X-ray Developer – 1 (Only printer available), Radiovisiography – 1,

	Automatic Developers/Dark room – 1.
(v)	<b>Public Health Dentistry:-</b>
	Autoclaves – 2 Ultrasonic Cleaner – 2
11.	<b>Inspectors Observations:-</b>
	Ethical Committee registration expired.
12.	<b>Discrepancy in teaching faculty affidavits:-</b>
(i)	Dr. Samiksha V. Ajmire, Lecturer, Prosthodontics and Crown & Bridge - No Bank statement & MDS degree registration.
(ii)	Dr. Tejashree S. Kulkarni, Lecturer, Prosthodontics and Crown & Bridge No Bank statement & MDS registration
(iii)	Dr. Komal S. Rajurkar, Lecturer, Conservative Dentistry and Endodontics – No bank registration & No MDS registration.
(iv)	Dr. Annita R. Wadgaonkar, Lecturer, Conservative Dentistry and Endodontics – No MDS registration, No MDS Degree, No Bank Statement.
(v)	Dr. S.D Rathi, Lecturer, Conservative Dentistry and Endodontics - No MDS registration.
(vi)	Dr. P.A Tiwari, Lecturer, Oral & Maxillofacial Surgery – No MDS registration.
(vii)	Dr. R.H Mahalle, Lecturer, Oral & Maxillofacial Surgery – No MDS registration, No bank statement
(viii)	Dr. Himanshu Shende, Lecturer, Oral & Maxillofacial Surgery –No bank statement No MDS registration.
(ix)	Dr. Shruti Pundakr, Lecturer, Public Health Dentistry – No MDS registration.

### **Inspection Report ( BDS Recognition under EWS)**

#### **5(19). Recognition of BDS Course with increased intake capacity from 40 to 50 seats under EWS category at Maulana Azad Institute of Dental Sciences, New Delhi – Regarding**

Joint Inspection Report of Council's Inspectors Dr. Girish J. Parmar, Ahmedabad (Gujarat) and Dr. Parul Singhal, Jaipur (Rajasthan) carried out on 11<sup>th</sup> & 12<sup>th</sup> October, 2023 at Maulana Azad Institute of Dental Sciences, New Delhi to evaluate the standard of first final BDS examination conducted by University of Delhi in respect of BDS students of Maulana Azad Institute of Dental Sciences, New Delhi for recognition of BDS Course with increased intake capacity from 40 to 50 seats under EWS category

The Executive Committee considered Joint Inspection Report of Council's Inspectors Dr. Girish J. Parmar, Ahmedabad (Gujarat) and Dr. Parul Singhal, Jaipur (Rajasthan) carried out on 11<sup>th</sup> & 12<sup>th</sup> October, 2023 at Maulana Azad Institute of Dental Sciences, New Delhi to evaluate the standard of first final BDS examination conducted by University of Delhi in respect of BDS students of Maulana Azad Institute of Dental Sciences, New Delhi for recognition of BDS Course with increased intake capacity from 40 to 50 seats under EWS category and after discussion and deliberation decided as under:-

#### **Compliance**

<b>Sr. No.</b>	<b>There are following deficiencies:-</b>
----------------	---

1.	<b>University Affiliation</b> – Validity not mentioned.
2.	<b>Manpower Requirement (As per NABH/NMC Guidelines)</b>
(i)	<b>Medical Teaching Staff: (Attached Hospital) :-</b>
	General Surgery – 2, General Medicine – 2, Obstetrics & Gynecology – 2, ENT – 2, Paediatrics – 2, Anaesthesia – 2, Orthopaedics – 2, Pharmacologist – 1, Radiologist – 1, GDMO – 1, Community Medicine – 1, Hospital Administration – 1.
(ii)	<b>Nursing Staff:-</b>
	Matron – 1, Sister In-charge – 6, O.T Nurses – 6, General Nurses – 20, Labour Room Nurses – 4
(iii)	<b>Health Staff:-</b>
	Female health Assistant – 1, Extension Educator Paramedical Staff – 1, Lab Technician/Blood Bank Tech – 4, ECG Technician – 1, Pharmacist – 4, Sr. Radiographer – 1, CSSD – 2, Medical Records – 1.
(iv)	<b>Engineering Staff:-</b>
	Civil – 2, Mechanical – 2, Electrical – 2, Engineering Aid – 4
	<b>Other Staff:-</b>
	Drivers – 2, Carpenter – 1, Cooks – 2, Barber – 1, Class IV including chowkidars – 55
(v)	<b>Administrative Staff:-</b>
	Office Superintendent – 1, Head Clerk – 1, Cashier – 1, Stenographer – 1, UDC – 2, LDC – 4
3	<b>Land &amp; Infrastructure Details:-</b>
	Bio-Waste incinerator is not available.
	Anatomical Act obtained from competent authority is not available.
4	<b>Staff Quarters:-</b>
	Principal/Dean's Bungalow – Not available (sharing with medical college)
	Staff Quarters - Not available (sharing with medical college)
5	<b>Hostel for Boys &amp; Girls:-</b>
	Whether the building of Hostels for Boys & Girls is separate from the Dental College building and staff quarters – Sharing with medical college
	Whether Hostels for Boys & Girls are within the campus – Sharing with medical college
	Whether Hostel is shared by other Colleges/Institutions - Sharing with medical college
	Whether Warden Room in Boys Hostel available – Sharing with medical college
	Whether Warden Room in Girls Hostel available – Sharing with medical college
	Whether facility is available for minimum 50% of total intake - Sharing with medical college

	Dwelling for Boys – Not provided.
	Dwelling for Girls – Not provided.
6	<b>Dental Teaching Staff:-</b>
	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	1 Reader
7	<b>Medical Teaching Staff:- (Attached Medical College)</b>
	Teachers from Medical College were not present during inspection for signatures, therefore, deficiencies of following teaching staff exists:-
	<b>Anatomy:-</b>
	1 Reader and 2 Lecturers
	<b>Physiology:-</b>
	1 Reader and 2 Lecturers
	<b>Biochemistry:-</b>
	1 Reader and 2 Lecturers
	<b>Pharmacology:-</b>
	1 Reader and 2 Lecturers
	<b>General Pathology:-</b>
	1 Reader and 2 Lecturers
	<b>Microbiology:-</b>
	1 Reader and 2 Lecturers
	<b>General Medicine:-</b>
	1 Reader and 2 Lecturers
	<b>General Surgery:-</b>
	1 Reader and 2 Lecturers
	<b>Anaesthesia:-</b>
	1 Reader and 1 Lecturer
8	<b>Non –Teaching Staff:-</b>
	Managers/Office Suptd. – 1, Dent. Tech (Dental Mechanic) – 1, Physical Director-1,
9	<b>Central Library:-</b>
	Latest Book & Journals are not procured since last 3 years
10	<b>Major Equipments:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b>
	Phantom Heads – 15
	<b>Pre-Clinical Prosthetics Laboratory:-</b>
	Adequate number of Lab Micro Motor with attached Hand Piece – 5
(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Phantom Lab Unit – 20 (Sharing with Prosthetics)
	<b>Clinical Laboratory:-</b>
	Lab Micromotor (with heavy duty hand piece) – 1,

	<b>Dental Anatomy, Embryology, Oral Histology and Oral Pathology:-</b>
	Wax Bath – 1 (Disposable), Knife Sharpener – 1 (Disposable)
(iii)	<b>Pediatric and Preventive Dentistry:-</b>
	Amalgamator – 1
	<b>Pedo Lab:-</b>
	Steam Cleaner – 1 (Sharing with Prostho)
	Pressure Moulding Machine (Sharing with Ortho)
11	<b>Inspectors Observation: -</b>
(i)	1-2 autoclaves in few departments are not in working condition, dental chairs are not sufficient as per requirement.
	<b>Teaching Staff:-</b>
(ii)	Medial teachers were not present during inspection.
(iii)	No Readers are available.
(iv)	No Asst. Professors are available
	<b>Hostel Accommodation:-</b>
(v)	Separate Hostel and quarters for dental students and staff is not available sharing with medical college.
	<b>Library:-</b>
(vi)	No purchase since last 3 years. Latest books and journals are not available.
	<b>Equipments:-</b>
(vii)	Only 10 phantom heads are available and pre - clinics from Prosthodontics and Conservative is shared.
(viii)	Autoclaves not functional.
(ix)	Dental Chairs required as per sanctioned PG seats is shared with medical college.
(x)	CBCT not available
(xi)	Playground is shared with medical college.
12	<b>Checklist for the Inspectors:-</b>
(i)	<b>Have the Dental and Medical Faculty been checked for the following? -</b> Medical faculty details are not provided.
(ii)	<b>Affidavit (Appointment, Relieving certificates from previous institutions, Teaching experience, Form 16, Aadhaar Card etc .) –</b> Aadhaar card not provided by Oral Medicine & Radiology Department.
(iii)	<b>Has the list of special cases treated with details in the speciality for the last three years (In case of increase of seats only) been checked ? –</b> Not provided.

5(20). Recognition of BDS Course with increased intake capacity from 60 to 75 seats under EWS category at H.P. Government Dental College & Hospital, Shimla (Himachal Pradesh) – Regarding

Joint Inspection Report of Council's Inspectors Dr. V. Chandrasekhar, Khamam (Telangana) and Dr. Rinku Mathur, Jaipur (Rajasthan) carried out on 12<sup>th</sup> & 13<sup>th</sup> October, 2023 at H.P. Government Dental College & Hospital, Shimla (Himachal Pradesh) to evaluate the standard of first final BDS examination conducted by H.P. University, Shimla (Himachal Pradesh) in respect of BDS students of H.P. Government Dental College & Hospital, Shimla (Himachal Pradesh) for recognition of BDS Course for increased intake capacity from 60 to 75 seats under EWS category.

The Executive Committee considered the Joint Inspection Report of Council's Inspectors Dr. V. Chandrasekhar, Khamam (Telangana) and Dr. Rinku Mathur, Jaipur (Rajasthan) carried out on 12<sup>th</sup> & 13<sup>th</sup> October, 2023 at H.P. Government Dental College & Hospital, Shimla (Himachal Pradesh) to evaluate the standard of first final BDS examination conducted by H.P. University, Shimla (Himachal Pradesh) in respect of BDS students of H.P. Government Dental College & Hospital, Shimla (Himachal Pradesh) for recognition of BDS Course with increased intake capacity from 60 to 75 seats under EWS category and after discussion and deliberation decided as under:-

### Compliance

<b>Sr. No.</b>	<b>There are following deficiencies:-</b>
1	<b>Non – Teaching Staff:-</b>
(i)	Sh. Rajesh Dass, Office Superintendent was absent on 13.10.2023
(ii)	Ms. Jai Mala, Clerk, on maternity leave (no leave attached)
3.	<b>Major Equipments:-</b>
(i)	<b>Conservative Dentistry and Endodontics:-</b>
	Phantom Lab Unit – 17
	<b>Dental, Anatomy, Embryology, Oral Histology and Oral Pathology:-</b>
	Microscopes – 15, Teaching slides set with Box – 1 set
(ii)	<b>Public Health Dentistry:-</b>
	<b>Mobile Clinic:-</b>
	Dental Chair with Unit - 1

### 5(21). Recognition of BDS Course with increased intake capacity from 50 to 63 seats under EWS category at SCB Dental College & Hospital, Cuttack (Odisha)– Regarding

Joint Inspection Report of Council's Inspectors Dr. Nidrash D. Hedge, Imphal (Manipur) and Dr. V.P. Sreejith, Kannur (Kerala) carried out on 27<sup>th</sup> October, 2023 at SCB Dental College & Hospital, Cuttack (Odisha) to evaluate the standard of first final BDS examination conducted by Utkal University, Bhubaneswar (Odisha) in respect of BDS students of SCB Dental College & Hospital, Cuttack (Odisha) for recognition of BDS Course for increased intake capacity from 50 to 63 seats under EWS category.

The Executive Committee considered Joint Inspection Report of Council's Inspectors Dr. Nidrash D. Hedge, Imphal (Manipur) and Dr. V.P. Sreejith, Kannur (Kerala) carried out on 27<sup>th</sup> October, 2023 at SCB Dental College & Hospital, Cuttack (Odisha) to evaluate the standard of first final BDS examination conducted by Utkal University, Bhubaneswar (Odisha) in respect of BDS students of SCB Dental College & Hospital, Cuttack (Odisha) for recognition of BDS Course with increased intake capacity from 50 to 63 seats under EWS category and after discussion and deliberation decided as under:-

### Compliance



<b>Sr. No.</b>	<b>There are following deficiencies:-</b>
1.	University Affiliation for the AY 2023-24 not provided.
2.	<b>Medical College Attachment:-</b> Validity period of MOU not specified.
3.	<b>Medical Teaching Staff:-</b> No signed list with designation has been provided.
5.	Manpower Requirement (As per NABH/NMC Guidelines):- <b>Not provided</b> Medical Staff, Nursing Staff, Health Staff, Engineering Staff, Other Staff, Administrative Staff- <b>Not Provided</b>
6.	<b>Land &amp; Infrastructure Details:-</b> Whether Pollution Control board norms are followed – not provided
7.	<b>Staff Quarters:-</b> Principal/Dean's Bungalow – Not available.
8.	<b>Dental Teaching Staff:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b> Associate Professor / Reader - 1
(ii)	<b>Oral Pathology and Oral Microbiology:-</b> Associate Professor / Reader - 1
(iii)	<b>Conservative Dentistry and Endodontics:-</b> Associate Professor / Reader - 2
(iv)	<b>Oral &amp; Maxillofacial Surgery:-</b> Professor – 1, Associate Professor / Reader – 1.
(v)	<b>Periodontology:-</b> Associate Professor / Reader - 1
(vi)	<b>Orthodontics and Dentofacial Orthopedics:-</b> Associate Professor / Reader - 1
(vii)	<b>Oral Medicine &amp; Radiology:-</b> Associate Professor / Reader - 1
(viii)	<b>Pediatric and Preventive Dentistry:-</b> Associate Professor / Reader - 1
8	<b>Non – Teaching Staff:-</b>
8.	No signed list of Non-Teaching Staff of the following have been provided:- Administrative Officer – 1, Secretary to Dean – 1, Public Relation Officer – 1, Managers/ Office Suptd. – 3, Assistants – 9, Receptionist – 6, D.S.A (Chair Side Attendant) – 2, Dent. Tech. (Dental Mechanic) – 5, Photographer – 1, Artist – 1, Computer Programmer – 1, Physical Director – 1, Engineer – 1, Electricians – 2, Plumber – 1, Carpenter – 1, Mason – 1, A.C Tech. – 1, Helpers Electrical – 1, Attenders – 21, Dept. Secretaries – 4, Driver – 4, Lab Technicians – 2.
9	<b>Major Equipments:-</b>
(i)	<b>Prosthodontics and Crown &amp; Bridge:-</b> Dental Chairs and Units – 4.

(ii)	<b>Conservative Dentistry and Endodontics:-</b>
	Dental Chairs and Units – 9, Amalgamator – 2, Automatic Developer – 1, Phantom Lab Unit – 20.
	<b>Clinical Laboratory:-</b>
	Casting Machine – 1.
(iii)	<b>Dental Anatomy, Embryology Oral Histology and Oral Pathology</b>
	<b>Histopathology Room:-</b>
	Processing Bottles – 2, Slide Box – 1.
(iv)	<b>Oral &amp; Maxillofacial Surgery:-</b>
	Dental Chairs and Units – 2, Ultrasonic Cleaner – 1, Needle Burner with syringe cutter – 1, Extraction forceps sets – 11, Dental elevators – 2, Pulse oxymeter – 1.
(v)	<b>Periodontology:-</b>
	Dental Chairs and Units - 6
(vi)	<b>Orthodontics and Dentofacial Orthopedics:-</b>
	X-ray viewers – 1.
(vii)	<b>Pediatric and Preventive Dentistry:-</b>
	,4 –Rubber Dam Kit for Pedo ,1 –Amalgamator ,1 –Injectable Gutta Percha with Condensation 1 -Automatic Developer ,1 –Scaling instruments
	<b>Pedo Lab:-</b>
	Dispenser Plaster ,1 – (for plaster)Plaster Dispenser Welder with soldering ,1 – (for stone plaster) 1 -attachments
(viii)	<b>Public Health Dentistry:-</b>
	Dental Chairs and Units – 4
	<b>Mobile Clinic:-</b>
	Mobile Dental Van – 1, Dental Chair with Unit – 2, Autoclaves – 1, Intraoral X-Ray – 1, Glass Bead Sterilizers – 1, Compressor – 1, Metal Cabinet – 1, Portable Dental Chair – 2, Stabilizer – 1, Generator – 1, Water Tank - 1, Oxygen Cylinder – 1, Public Address System – 1, TV and Video Cassette Player – 1, Demonstration Models – 5.
10	<b>Check list for the Inspectors:-</b>
(i)	Any staff on Notice Period (not to be considered after submission of resignation) – Yes <b>(Details not provided)</b>
(ii)	DCI biometric attendance system installed & functional - <b>No</b>